



# An Extensive Collection of Academic References Focused on Emerging Babesia and Malaria Treatment Options

Citations on Current and Emerging Treatment  
Science for Researchers



A PURE CITATIONS TEXTBOOK

James Schaller, MD, MAR  
Kimberly Mountjoy, MS





# **An Extensive Collection of Academic References Focused on Emerging Babesia and Malaria Treatment Options**

**Citations on Current and Emerging Treatment  
Science for Researchers**

James Schaller, MD, MAR

and

Kimberly Mountjoy, MS

International University Infectious Disease Press  
Bank Towers • Newgate Center (305)  
5150 Tamiami Trail North [Highway 41]  
Naples, Florida 34103

Copyright © 2012 James Schaller, MD

All rights reserved.

Cover Art: Nick Botner

Lead Research and Research Study Acquisitions: Randal Blackwell

Copy Editing by Kimberly Mountjoy, Lindsay Gibson,  
Jeremy Schaller and anonymous patients from all over the world

Wholesale discount requires purchase of at least twenty copies and can  
be in five book units. Fax request to (239) 304-1987 and (239) 263-6760.

Library of Congress Cataloging Data

Schaller, J.L; Mountjoy, K.

ISBN: 9780984088980

An extensive collection of academic references focused on  
emerging babesia and malaria treatment options : citations  
on current and emerging treatment science  
for researchers / J.L. Schaller and K. Mountjoy.

1. Babesia 2. Malaria 3. Research 4. Treatments 5. References

Manufactured in the United States of America

First Edition

10 9 8 7 6 5 4 3 2 1

Front cover images courtesy of the Centers for Disease Control

*To my beloved friends in USA prisons—  
Mike, Wayne, James, Bone C., Thaddeus, Julio and so many others—  
with a hope we will end our leadership as the PRISON NATION,  
and lead in liberty and not inmate numbers.*

*Let our nation return to timely trials,  
end cruel and unusually excessive sentences,  
allow the poor to have a good defense,  
and may our peace officers never exceed the facts.*

***Let our prisons never have any element of torture—  
the time is already a torture.***

---

*And to all my many children,  
some by blood and some by care.*

*Parenting is impossible,  
but I never favored the easy road.*

***Thank you for making life so meaningful.***



# **Contents**

Introduction .....	1
Bibliography .....	3
Dr. Schaller's Publications .....	313
Other Books by Dr. Schaller .....	314
Disclaimer .....	328
Contacting Dr. Schaller .....	329



## Introduction

I have been studying Babesia and malaria treatments almost full-time for many years. While we have agents for treating malaria we still have many issues that limit application of effective care throughout the world.

In contrast, research on Babesia is not very advanced and treatment options are overly simplistic. Some researchers and clinicians feel one can simply plug in a malaria treatment with the same dose and duration, and get the same effect in killing Babesia. I am certain this is an error. If Babesia was “just like” malaria, we would call it a sub-type of malaria.

Further, the number of true experts on Babesia, and who have read most of the publications in English print, is possibly under a dozen individuals.

And yet with new issues with Babesia resistance and delivery of malaria care and new unique protozoa like FL1953, we see materials speaking with authority not based on broad scientific curiosity, but a type of simplistic medicine consistent with an emerging infection.

Finally, Babesia has huge impacts in human biochemistry, hormones, weight, energy, sensations, tissue and organs. You cannot do one test and determine if Babesia is present in either an animal or a human. I wish such a comfortable myth was true, but it is just old and ineffective medicine.

The references that follow are a small sample of materials related to treatment.

This book is written for individuals who have a master’s degree, a PhD or MD in the medical sciences. If you are not trained at least at the master’s level in mammalian related science, this text is not for you.



# **An Extensive Collection of Academic References Focused on Emerging Babesia and Malaria Treatment Options**

**Citations on Current and Emerging Treatment  
Science for Researchers**



Abanyie FA, Arguin PM, Gutman J. State of malaria diagnostic testing at clinical laboratories in the United States, 2010: a nationwide survey. *Malar J.* 2011 Nov 10;10:340. PMID:22074250

Abba K, Deeks JJ, Olliaro P, Naing CM, Jackson SM, Takwoingi Y, Donegan S, Garner P. Rapid diagnostic tests for diagnosing uncomplicated *P. falciparum* malaria in endemic countries. *Cochrane Database Syst Rev.* 2011 Jul 6;(7):CD008122. PMID:21735422

Abbas HM, Brenes RA, Ajemian MS, Scholand SJ. Successful conservative treatment of spontaneous splenic rupture secondary to Babesiosis: a case report and literature review. *Conn Med.* 2011 Mar;75(3):143-6. PMID:21500704

Abdalla HS, Hussein HS, Kreier JP. Babesia rodhaini: passive protection of mice with immune serum. *Tropenmed Parasitol.* 1978 Sep;29(3):295-306. PMID:726044

Abdulla S, Sagara I. Dispersible formulation of artemether/lumefantrine: specifically developed for infants and young children. *Malar J.* 2009 Oct 12;8 Suppl 1:S7. PMID:19818174

Abebe G, Kiros M, Golasa L, Zeynudin A. Schistosoma mansoni infection among patients visiting a health centre near Gilgel Gibe Dam, Jimma, south western Ethiopia. *East Afr J Public Health.* 2009 Dec;6(3):300-2. PMID:20803923

Abebe G, Kiros M, Golasa L, Zeynudin A. Schistosoma mansoni infection among patients visiting a health centre near Gilgel Gibe Dam, Jimma, south Western Ethiopia. *East Afr J Public Health.* 2010 Mar;7(1):78-80. PMID:21413578

Ablordeppey SY, Hufford CD, Borne RF, Dwuma-Badu D. <sup>1</sup>H-NMR and <sup>13</sup>C-NMR Assignments of Cryptolepine, A 3:4-Benz-delta-carboline Derivative Isolated from Cryptolepis sanguinolenta. *Planta Med.* 1990 Aug;56(4):416-7. PMID:17221441

Aboulaila M, Nakamura K, Govind Y, Yokoyama N, Igarashi I. Evaluation of the in vitro growth-inhibitory effect of epoxomicin on Babesia parasites. *Vet Parasitol.* 2010 Jan 20;167(1):19-27. Epub 2009 Oct 3. PMID:19896277

Aboulaila M, Yokoyama N, Igarashi I. Inhibitory effects of (-)-epigallocatechin-3-gallate from green tea on the growth of Babesia parasites. *Parasitology.* 2010 Apr;137(5):785-91. Epub 2009 Dec 22. PMID: 20025823

AbouLaila M, Sivakumar T, Yokoyama N, Igarashi I. Inhibitory effect of terpene nerolidol on the growth of Babesia parasites. *Parasitol Int.* 2010 Jun;59(2):278-82. Epub 2010 Feb 21. PMID:20178862

Abrams Y. Complications of coinfection with Babesia and Lyme disease after splenectomy. *J Am Board Fam Med.* 2008 Jan-Feb;21(1):75-7. PMID:18178707

Abubucker S, Martin J, Taylor CM, Mitreva M. HelmCoP: an online resource for helminth functional genomics and drug and vaccine targets prioritization. *PLoS One.* 2011;6(7):e21832. Epub 2011 Jul 8. PMID:21760913

Adams LG, Todorovic RA. The chemotherapeutic efficacy of imidocarb dihydrochloride on concurrent bovine anaplasmosis and babesiosis. I. The effects of a single treatment. *Trop Anim Health Prod.* 1974 May;6(2):71-8. PMID:4416121

Adams LG, Todorovic RA. The chemotherapeutic efficacy of imidocarb dihydrochloride on concurrent bovine anaplasmosis and babesiosis. II. The effects of multiple treatments. *Trop Anim Health Prod.* 1974 May;6(2):79-84. PMID:4416122

Adan GL. Development of malaria control in the Philippines. *J Philipp Med Assoc.* 1954 Jan;30(1):29-35. PMID:13143503

Adaszek Ł, Górná M, Krzysiak M, Adaszek M, Garbal M, Winiarczyk S. Identification of the piroplasms isolated from horses with clinical piroplasmosis in Poland. *Wiad Parazytol.* 2011;57(1):21-6. PMID:21634230

Adaszek Ł, Martinez AC, Winiarczyk S. The factors affecting the distribution of babesiosis in dogs in Poland. *Vet Parasitol.* 2011 Sep 27;181(2-4):160-5. Epub 2011 Apr 12. PMID:21524856

Adaszek Ł, Winiarczyk S, Górná M. [From piroplasmosis to babesiosis--problems with classification of Babesia protozoa isolated from dogs]. [Article in Polish]. *Wiad Parazytol.* 2010;56(2):111-5. PMID:20707294

Adaszek Ł, Winiarczyk S, Skrzypczak M. The clinical course of babesiosis in 76 dogs infected with protozoan parasites *Babesia canis canis*. *Pol J Vet Sci.* 2009;12(1):81-7. PMID:19459444

Adaszek Ł, Winiarczyk S. [Dogs babesiosis--still actually problem]. [Article in Polish]. *Wiad Parazytol.* 2008;54(2):109-15. PMID:18702315

Adebayo JO, Krettli AU. Potential antimalarials from Nigerian plants: a review. *J Ethnopharmacol.* 2011 Jan 27;133(2):289-302. Epub 2010 Nov 18. PMID:21093570

Adedotun AA, Morenikeji OA, Odaibo AB. Knowledge, attitudes and practices about malaria in an urban community in south-western Nigeria. *J Vector Borne Dis.* 2010 Sep;47(3):155-9. PMID:20834085

Aderinboye O, Syed SS. Congenital babesiosis in a four-week-old female infant. *Pediatr Infect Dis J.* 2010 Feb;29(2):188. PMID:20118748

Aditya NP, Patankar S, Madhusudhan B. Assessment of in vivo antimalarial activity of rifampicin, isoniazide, and ethambutol combination therapy. *Parasitol Res.* 2010 May;106(6):1481-4. Epub 2010 Feb 18. PMID:20165870

A-Elbasit IE, Khalil IF, Elbashir MI, Masuadi EM, Bygbjerg IC, Alifrangis M, Giha HA. High frequency of Plasmodium falciparum CICNI/SGEAA and CVIET haplotypes without association with resistance to sulfadoxine/pyrimethamine and chloroquine combination in the Daraweesh area, in Sudan. Eur J Clin Microbiol Infect Dis. 2008 Aug;27(8):725-32. Epub 2008 Mar 29. PMID:18373107

Aeschlimann A, Suter H. [Apropos of “Babesia” rodhaini].[Article in French]. Acta Trop. 1965;22(4):303-20. PMID:4379113

Afsharpad M, Zakeri S, Pirahmadi S, Djadid ND. Molecular assessment of dhfr/dhps mutations among Plasmodium vivax clinical isolates after introduction of sulfadoxine/pyrimethamine in combination with artesunate in Iran. Infect Genet Evol. 2012 Jan;12(1):38-44. Epub 2011 Oct 14. PMID:22020253

Afsharpad M, Zakeri S, Pirahmadi S, Djadid ND. Molecular monitoring of Plasmodium falciparum resistance to antimalarial drugs after adoption of sulfadoxine-pyrimethamine plus artesunate as the first line treatment in Iran. Acta Trop. 2012 Jan;121(1):13-8. Epub 2011 Oct 2. PMID:22001304

Agbenou E, d'Almeida H, Kolou M, Aho M, Agbetiafa K, Padaro E, Dagnra Y, Redah D, David M. [Evaluation of the Widal-Felix serodiagnostic test in Togo].[Article in French]. Med Trop (Mars). 2010 Feb;70(1):43-8. PMID:20337114

Aghahowa SE, Obianwu HO, Isah AO, Arhewoh IM. Chloroquine-induced Pruritus. Indian J Pharm Sci. 2010 May;72(3):283-9. PMID:21188034

Agnandji ST, Kurth F, Fernandes JF, Soulanoudjingar SA, Abossolo BP, Mombo-Ngoma G, Basra A, Gonzalez R, Kizito G, Mayengue PI, Auer-Hackenberg L, Issifou S, Lell B, Adegnika AA, Ramharter M. The use of paediatric artemisinin combinations in sub-Saharan Africa: a snapshot questionnaire survey of health care personnel. Malar J. 2011 Dec 14;10(1):365. [Epub ahead of print]. PMID:22168234

Agnandji ST, Lell B, Soulanoudjingar SS, Fernandes JF, Abossolo BP, Conzelmann C, Methogo BG, Doucka Y, Flamen A, Mordmüller B, Issifou S, Kremsner PG, Sacarlal J, Aide P, Lanaspá M, Aponte JJ, Nhamuave A, Quelhas D, Bassat Q, Mandjate S, Macete E, Alonso P, Abdulla S, Salim N, Juma O, Shomari M, Shubis K, Machera F, Hamad AS, Minja R, Mtoro A, Sykes A, Ahmed S, Urassa AM, Ali AM, Mwangoka G, Tanner M, Tinto H, D'Alessandro U, Sorgho H, Valea I, Tahita MC, Kaboré W, Ouédraogo S, Sandrine Y, Guiguemdé RT, Ouédraogo JB, Hamel MJ, Kariuki S, Odero C, Oneko M, Otieno K, Awino N, Omoto J, Williamson J, Muturi-Kioi V, Laserson KF, Slutsker L, Otieno W, Otieno L, Nekoye O, Gondi S, Otieno A, Ogutu B, Wasuna R, Owira V, Jones D, Onyango AA, Njuguna P, Chilengi R, Akoo P, Kerubo C, Gitaka J, Maingi C, Lang T, Olotu A, Tsofa B, Bejon P, Pesheu N, Marsh K, Owusu-Agyei S, Asante KP, Osei-Kwakye K, Boahen O, Ayamba S, Kayan K, Owusu-Ofori R, Dosoo D, Asante I, Adjei G, Adjei G, Chandramohan D, Greenwood B, Lusingu J, Gesase S, Malabeja A, Abdul O, Kilavo H, Mahende C, Liheluka E, Lemnge M, Theander T, Drakeley C, Ansong D, Agbenyega T, Adjei S, Boateng HO, Rettig T, Bawa J, Sylverken J, Sambian D, Agyekum A, Owusu L, Martinson F, Hoffman I, Mvalo T, Kamthunzi P, Nkomo R, Msika A, Jumbe A, Chome N, Nyakuipa D, Chintedza J, Ballou WR, Bruls M, Cohen J, Guerra Y, Jongert E, Lapierre D, Leach A, Lievens M, Ofori-Anyinam O, Vekemans J, Carter T, Leboulleux D, Loucq C, Radford A, Savarese B, Schellenberg D, Sillman M, Vansadia P; RTS,S Clinical Trials Partnership. First results of phase 3 trial of RTS,S/AS01 malaria vaccine in African children. *N Engl J Med.* 2011 Nov 17;365(20):1863-75. Epub 2011 Oct 18. PMID:22007715

Ahmed J, Yin H, Schnittger L, Jongejan F. Ticks and tick-borne diseases in Asia with special emphasis on China. *Parasitol Res.* 2002 May;88(13 Suppl 1):S51-5. PMID:12051612

Ahmed OA, Odunukwe NN, Akinwale OP, Raheem TY, Efienemokwu CE, Ogedengbe O, Salako LA. Knowledge and practices of traditional birth attendants in prenatal services in Lagos State, Nigeria. *Afr J Med Med Sci.* 2005 Mar;34(1):55-8. PMID:15971555

Ahmed SM, Zerihun A. Possession and usage of insecticidal bed nets among the people of Uganda: is BRAC Uganda Health Programme pursuing a pro-poor path? *PLoS One.* 2010 Sep 10;5(9). pii: e12660. PMID:20844749

Ahorlu CK, Dunyo SK, Afari EA, Koram KA, Nkrumah FK. Malaria-related beliefs and behaviour in southern Ghana: implications for treatment, prevention and control. *Trop Med Int Health.* 1997 May;2(5):488-99. PMID:9217705

Aikawa M, Beaudoin RL. Plasmodium fallax: high-resolution autoradiography of exoerythrocytic stages treated with Primaquine in vitro. *Exp Parasitol.* 1970 Jun;27(3):454-63. PMID:5419455

Aikins MK, Pickering H, Greenwood BM. Attitudes to malaria, traditional practices and bednets (mosquito nets) as vector control measures: a comparative study in five west African countries. *J Trop Med Hyg.* 1994 Apr;97(2):81-6. PMID:8170007

Ajala TO, Igwilo CI, Oreagba IA, Odeku OA. The antiplasmodial effect of the extracts and formulated capsules of *Phyllanthus amarus* on *Plasmodium yoelii* infection in mice. *Asian Pac J Trop Med.* 2011 Apr;4(4):283-7. Epub 2011 May 29. PMID:21771471

Ajayi IO, Falade CO, Kale OO. An assessment of accuracy of mothers' presumptive diagnosis of fever at home in southwest Nigeria: evidence for switch to parasite-based diagnostic test. *East Afr J Public Health.* 2009 Dec;6(3):229-34. PMID:20803910

Ajayi IO, Falade CO, Olley BO, Yusuf B, Gbotosho S, Iyiola T, Olaniyan O, Happi C, Munguti K, Pagnoni F. A qualitative study of the feasibility and community perception on the effectiveness of artemether-lumefantrine use in the context of home management of malaria in south-west Nigeria. *BMC Health Serv Res.* 2008 Jun 1;8:119. PMID:18513447

Akachi Y, Atun R. Effect of investment in malaria control on child mortality in sub-Saharan Africa in 2002-2008. PLoS One. 2011;6(6):e21309. Epub 2011 Jun 30. PMID:21738633

Akiba M, Saeki H, Ishii T, Yamamoto S, Ueda K. Immunological changes in Babesia rodhaini infected BALB/c mice after treated with anti-babesial drug; diminazene diaceturate. J Vet Med Sci. 1991 Jun;53(3):371-7. PMID:1832024

Akinosoglou KA, Pasvo G. The management of malaria in adults. Clin Med. 2011 Oct;11(5):497-501. PMID:22034716

Akogun O. Robotic health assistant (Feverkit) for the rational management of fevers among nomads in Nigeria. Nurs Leadersh (Tor Ont). 2011 Jun;24(2):58-67. PMID:21730769

Al Rohani M, Aljawshaei H, Aduolimi E. Acute renal failure in Yemeni patients. Saudi J Kidney Dis Transpl. 2011 Jul;22(4):829-33. PMID:21743244

Alabay M, Duzgun A, Cerci H, Wright IG, Waltisbuhl DJ, Goodger BV. Ovine babesiosis: induction of a protective immune response with crude extracts of either Babesia bovis or B ovis. Res Vet Sci. 1987 Nov;43(3):401-2. PMID:3444987

Al-Adhroey AH, Nor ZM, Al-Mekhlafi HM, Mahmud R. Ethnobotanical study on some Malaysian anti-malarial plants: a community based survey. J Ethnopharmacol. 2010 Oct 28;132(1):362-4. Epub 2010 Aug 17. PMID:20723596

Alaro JR, Lynch MM, Burns JM Jr. Protective immune responses elicited by immunization with a chimeric blood-stage malaria vaccine persist but are not boosted by Plasmodium yoelii challenge infection. Vaccine. 2010 Oct 4;28(42):6876-84. Epub 2010 Aug 13. PMID:20709001

Aldighieri J, Blancard A, Boizis N, Dupoux R, Sautet G, Sautet J. [Influence of the environmental temperature on the development of Plasmodium berghei infections in white mice treated with nivaquine]. [Article in French]. Bull Soc Pathol Exot Filiales. 1965 May-Jun;58(3):423-8. PMID:5898834

Alekseev AN, Rudakov NV, Dubinina EV. [Possible types of tick-borne diseases and the predictive role of history data in their diagnosis (parasitological aspects of the problem)].[Article in Russian]. Med Parazitol (Mosk). 2004 Oct-Dec;(4):31-6. PMID:15689134

Alekseev AN. [The possibility of the detection of one more tick-borne infection--babesiosis--on the territory of Russia].[Article in Russian]. Zh Mikrobiol Epidemiol Immunobiol. 2003 May-Jun;(3):39-43. PMID:12886630

Alesutan I, Bobbala D, Qadri SM, Estremera A, Föller M, Lang F. Beneficial effect of aurothiomalate on murine malaria. Malar J. 2010 May 7;9:118. PMID:20459650

Alhassan A, Govind Y, Tam NT, Thekisoe OM, Yokoyama N, Inoue N, Igarashi I. Comparative evaluation of the sensitivity of LAMP, PCR and in vitro culture methods for the diagnosis of equine piroplasmosis. Parasitol Res. 2007 Apr;100(5):1165-8. Epub 2007 Jan 11. PMID:17216488

Ali WN, Ahmad R, Nor ZM, Ismail Z, Lim LH. Population dynamics of adult mosquitoes (Diptera: Culicidae) in malaria endemic villages of Kuala Lipis, Pahang, Malaysia. Southeast Asian J Trop Med Public Health. 2011 Mar;42(2):259-67. PMID:21710845

Aliu YO, Odegaard S. Pharmacokinetics of diminazene in sheep. J Pharmacokinet Biopharm. 1985 Apr;13(2):173-84. PMID:4057056

Alker AP, Kazadi WM, Kutelemani AK, Bloland PB, Tshefu AK, Meshnick SR. dhfr and dhps genotype and sulfadoxine-pyrimethamine treatment failure in children with falciparum malaria in the Democratic Republic of Congo. *Trop Med Int Health.* 2008 Nov;13(11):1384-91. PMID:19055622

Alkhalil A, Hill DA, Desai SA. Babesia and plasmodia increase host erythrocyte permeability through distinct mechanisms. *Cell Microbiol.* 2007 Apr;9(4):851-60. Epub 2006 Nov 3. PMID:17087736

Alkizim F, Matheka D, Muriithi A. Childhood Diarrhoea: Failing Conventional Measures, what Next? *Pan Afr Med J.* 2011;8:47. Epub 2011 Apr 24. PMID:22121455

Allison AC, Eugui EM. Approaches to vaccines against protozoan parasites of cattle. *Adv Exp Med Biol.* 1981;137:225-37. PMID:6800224

Allison RW, Yeagley TJ, Levis K, Reichard MV. Babesia canis rossi infection in a Texas dog. *Vet Clin Pathol.* 2011 Sep;40(3):345-50. Epub 2011 Jul 26. PMID:21790699

Allred DR, Al-Khedery B. Antigenic variation as an exploitable weakness of babesial parasites. *Vet Parasitol.* 2006 May 31;138(1-2):50-60. Epub 2006 Mar 3. PMID:16517078

Almerà S, Delgado-Neira Y, Adelantado C, Huguet M, Vinent J, Nicolàs A. Mediterranean theileriosis and other tick transmitted piroplasmoses in cattle in Minorca (Balearic Islands, Spain): the effect of tick control on prevalence levels analyzed by reverse line blot (RLB) macroarrays. *J Parasitol.* 2009 Jun;95(3):598-603. PMID:19086744

Alonso M, Blandino T, Mendoza E, Savon L, Camacho M. Development of a Babesia bovis live attenuated vaccine. *Arch Med Res.* 1994 Summer;25(2):273-7. PMID:7919825

Alonso PL, Brown G, Arevalo-Herrera M, Binka F, Chitnis C, Collins F, Doumbo OK, Greenwood B, Hall BF, Levine MM, Mendis K, Newman RD, Plowe CV, Rodríguez MH, Sinden R, Slutsker L, Tanner M. A research agenda to underpin malaria eradication. *PLoS Med.* 2011 Jan 25;8(1):e1000406. PMID:21311579

Alter HJ, Stramer SL, Dodd RY. Emerging infectious diseases that threaten the blood supply. *Semin Hematol.* 2007 Jan;44(1):32-41. PMID:17198845

Altstatt LB. A clinical view of the biology of Plasmodia. *Ann Intern Med.* 1969 Jan;70(1):130-4. PMID:4884380

Alvarez JA, Ramos JA, Rojas EE, Mosqueda JJ, Vega CA, Olvera AM, Figueroa JV, Cantó GJ. Field challenge of cattle vaccinated with a combined Babesia bovis and Babesia bigemina frozen immunogen. *Ann N Y Acad Sci.* 2004 Oct;1026:277-83. PMID:15604506

Alward W, Javaid M, Garner J. Babesiosis in a Connecticut resident. *Conn Med.* 1990 Aug;54(8):425-7. PMID:2225809

Amer A, Mehlhorn H. Repellency effect of forty-one essential oils against Aedes, Anopheles, and Culex mosquitoes. *Parasitol Res.* 2006 Sep;99(4):478-90. Epub 2006 Apr 27. PMID:16642384

Amuasi JH, Diap G, Blay-Nguah S, Boakye I, Karikari PE, Dismas B, Karenzo J, Nsabiyumva L, Louie KS, Kiechel JR. Access to artesunate-amodiaquine, quinine and other anti-malarials: policy and markets in Burundi. *Malar J.* 2011 Feb 10;10:34. PMID:21310057

Amzat J. Assessing the progress of malaria control in Nigeria. *World Health Popul.* 2011;12(3):42-51. PMID:21677528

An X, Mohandas N. Red cell membrane and malaria. *Transfus Clin Biol.* 2010 Sep;17(3):197-9. Epub 2010 Jul 31. PMID:20674435

Anantharaman A, Rizvi MS, Sahal D. Synergy with rifampin and kanamycin enhances potency, kill kinetics, and selectivity of de novo-designed antimicrobial peptides. *Antimicrob Agents Chemother.* 2010 May;54(5):1693-9. Epub 2010 Feb 22. PMID:20176897

Anders JC, Chung H, Theoharides AD. Methemoglobin formation resulting from administration of candidate 8-aminoquinoline antiparasitic drugs in the dog. *Fundam Appl Toxicol.* 1988 Feb;10(2):270-5. PMID:3356313

Anderson AE, Cassaday PB, Healy GR. Babesiosis in man. Sixth documented case. *Am J Clin Pathol.* 1974 Nov;62(5):612-8. PMID:4412160

Andriantsoanirina V, Ménard D, Tuseo L, Durand R. History and current status of Plasmodium falciparum antimalarial drug resistance in Madagascar. *Scand J Infect Dis.* 2010;42(1):22-32. PMID:19883158

Angrisano F, Delves MJ, Sturm A, Mollard V, McFadden GI, Sinden RE, Baum J. A GFP-Actin reporter line to explore microfilament dynamics across the malaria parasite lifecycle. *Mol Biochem Parasitol.* 2011 Nov 25. [Epub ahead of print]. PMID:22138565

Ankrah NA. Treatment of falciparum malaria with a tea-bag formulation of cryptolepis sanguinolenta root. *Ghana Med J.* 2010 Mar;44(1):2. PMID:21326983

Annerberg A, Lwin KM, Lindegardh N, Khrutsawadchai S, Ashley E, Day NP, Singhasivanon P, Tarning J, White NJ, Nosten F. A small amount of fat does not affect piperaquine exposure in patients with malaria. *Antimicrob Agents Chemother.* 2011 Sep;55(9):3971-6. Epub 2011 Jun 27. PMID:21709087

Ansah C, Gooderham NJ. The popular herbal antimalarial, extract of Cryptolepis sanguinolenta, is potently cytotoxic. *Toxicol Sci.* 2002 Dec;70(2):245-51. PMID:12441369

Ansah C, Khan A, Gooderham NJ. In vitro genotoxicity of the West African anti-malarial herbal *Cryptolepis sanguinolenta* and its major alkaloid cryptolepine. *Toxicology*. 2005 Mar 1;208(1):141-7. PMID:15664441

Ansari MA, Razdan RK. Relative efficacy of various oils in repelling mosquitoes. *Indian J Malariol*. 1995 Sep;32(3):104-11. PMID:8936292

Antinori S, Cigardi B, Galimberti L, Orlando G, Schifanella L, Milazzo L, Viola A, Giuliani G, Ridolfo A, Corbellino M. Diagnosis and therapy for hospitalized imported malaria in adults in Italy. *J Travel Med*. 2011 Nov-Dec;18(6):379-85. Epub 2011 Oct 17. PMID:22017713

Antonio Alvarez J, Lopez U, Rojas C, Borgonio VM, Sanchez V, Castañeda R, Vargas P, Figueroa JV. Immunization of *Bos taurus* steers with *Babesia bovis* recombinant antigens MSA-1, MSA-2c and 12D3. *Transbound Emerg Dis*. 2010 Apr;57(1-2):87-90. PMID:20537116

Anyaehie UB. Medicinal properties of fractionated acetone/water neem [*Azadirachta indica*] leaf extract from Nigeria: a review. *Niger J Physiol Sci*. 2009 Dec;24(2):157-9. PMID:20234757

Anyama NG, Tibenderana JK, Kutyabami P, Kamba PF, Kitutu FE, Adome RO. Participatory healthcare-provider orientation to improve artemether-lumefantrine-based drug treatment of uncomplicated malaria: a cluster quasi-experimental study. *BMJ Qual Saf*. 2011 Jul 11. [Epub ahead of print]. PMID:21749990

Arai S, Tsuji M, Kaiho I, Murayama H, Zamoto A, Wei Q, Okabe N, Kamiyama T, Ishihara C. Retrospective seroepidemiological survey for human babesiosis in an area in Japan where a tick-borne disease is endemic. *J Vet Med Sci*. 2003 Mar;65(3):335-40. PMID:12679563

Arai S, Tsuji M, Kim SJ, Nakade T, Kanno Y, Ishihara C. *Babesia canis* infection in canine-red blood cell-substituted SCID mice. *Int J Parasitol*. 1998 Sep;28(9):1429-35. PMID:9770629

Arango E, Carmona-Fonseca J, Blair S. [In vitro susceptibility of Colombian Plasmodium falciparum isolates to different antimalarial drugs].[Article in Spanish]. Biomedica. 2008 Jun;28(2):213-23. PMID:18719723

Archinti M, Britto M, Eden G, Furlan F, Murphy R, Degryse B. The urokinase receptor in the central nervous system. CNS Neurol Disord Drug Targets. 2011 Mar;10(2):271-94. PMID:20874700

Ardington PC. Bovine fluid therapy. J S Afr Vet Assoc. 1977 Oct;48(3):215-8. PMID:599536

Aregawi MW, Ali AS, Al-mafazy AW, Molteni F, Katikiti S, Warsame M, Njau RJ, Komatsu R, Korenromp E, Hosseini M, Low-Bear D, Bjorkman A, D'Alessandro U, Coosemans M, Otten M. Reductions in malaria and anaemia case and death burden at hospitals following scale-up of malaria control in Zanzibar, 1999-2008. Malar J. 2011 Feb 18;10:46. PMID:21332989

Arévalo-Pinzón G, Curtidor H, Muñoz M, Patarroyo MA, Bermudez A, Patarroyo ME. A single amino acid change in the Plasmodium falciparum RH5 (PfRH5) human RBC binding sequence modifies its structure and determines species-specific binding activity. Vaccine. 2011 Nov 17. [Epub ahead of print]. PMID:22100885

Armstrong PM, Brunet LR, Spielman A, Telford SR 3rd. Risk of Lyme disease: perceptions of residents of a Lone Star tick-infested community. Bull World Health Organ. 2001;79(10):916-25. PMID:11693973

Arnez M, Luznik-Bufon T, Avsic-Zupanc T, Ruzic-Sabljic E, Petrovec M, Lotric-Furlan S, Strle F. Causes of febrile illnesses after a tick bite in Slovenian children. Pediatr Infect Dis J. 2003 Dec;22(12):1078-83. PMID:14688569

Arnold L, Tyagi RK, Meija P, Swetman C, Gleeson J, Pérignon JL, Druilhe P. Further improvements of the P. falciparum humanized mouse model. PLoS One. 2011 Mar 31;6(3):e18045. PMID:21483851.

Arnold L, Tyagi RK, Mejia P, Van Rooijen N, Pérignon JL, Druilhe P. Analysis of innate defences against Plasmodium falciparum in immunodeficient mice. *Malar J.* 2010 Jul 9;9:197. PMID:20618960

Arogundade ED, Adebayo SB, Anyanti J, Nwokolo E, Ladipo O, Ankomah A, Meremikwu MM. Relationship between care-givers' misconceptions and non-use of ITNs by under-five Nigerian children. *Malar J.* 2011 Jun 22;10:170. PMID:21696622

Arora U, Sonal GS, Dhillon GP, Thakor HG. Emergence of drug resistance in India. *J Indian Med Assoc.* 2008 Oct;106(10):678-81, 683. PMID:19552104

Arulogun OS, Gregory AU. Management practices of childhood malaria among caregivers in Ojo Military Cantonment, Lagos, Nigeria: implication for child survival. *Afr J Med Med Sci.* 2009 Mar;38(1):45-54. PMID:19722428

Arunkumar JS, Naik AS, Prasad KC, Santhosh SG. Role of nasal endoscopy in chronic osteomyelitis of maxilla and zygoma: a case report. *Case Report Med.* 2011;2011:802964. Epub 2011 Nov 1. PMID:22110519

Asad S, Sweeney J, Mermel LA. Transfusion-transmitted babesiosis in Rhode Island. *Transfusion.* 2009 Dec;49(12):2564-73. Epub 2009 Sep 16. PMID:19761547

Asante KP, Abdulla S, Agnandji S, Lyimo J, Vekemans J, Soulanoudjingar S, Owusu R, Shomari M, Leach A, Jongert E, Salim N, Fernandes JF, Dosoo D, Chikawe M, Issifou S, Osei-Kwakye K, Lievens M, Paricek M, Möller T, Apanga S, Mwangoka G, Dubois MC, Madi T, Kwara E, Minja R, Hounkpatin AB, Boahen O, Kayan K, Adjei G, Chandramohan D, Carter T, Vansadia P, Sillman M, Savarese B, Loucq C, Lapierre D, Greenwood B, Cohen J, Kremsner P, Owusu-Agyei S, Tanner M, Lell B. Safety and efficacy of the RTS,S/AS01E candidate malaria vaccine given with expanded-programme-on-immunisation vaccines: 19 month follow-up of a randomised, open-label, phase 2 trial. *Lancet Infect Dis.* 2011 Oct;11(10):741-9. Epub 2011 Jul 22. PMID:21782519

Ashley EA, Pinoges L, Turyakira E, Dorsey G, Checchi F, Bukirwa H, van den Broek I, Zongo I, Urruta PP, van Herp M, Balkan S, Taylor WR, Olliaro P, Guthmann JP. Different methodological approaches to the assessment of in vivo efficacy of three artemisinin-based combination antimalarial treatments for the treatment of uncomplicated falciparum malaria in African children. *Malar J.* 2008 Aug 9;7:154. PMID:18691429

Ashton RA, Kyabayinze DJ, Opio T, Auma A, Edwards T, Matwale G, Onapa A, Brooker S, Kolaczinski JH. The impact of mass drug administration and long-lasting insecticidal net distribution on *Wuchereria bancrofti* infection in humans and mosquitoes: an observational study in northern Uganda. *Parasit Vectors.* 2011 Jul 15;4:134. PMID:21756371

Asih PB, Dewi RM, Tuti S, Sadikin M, Sumarto W, Sinaga B, van der Ven AJ, Sauerwein RW, Syafruddin D. Efficacy of artemisinin-based combination therapy for treatment of persons with uncomplicated *Plasmodium falciparum* malaria in West Sumba District, East Nusa Tenggara Province, Indonesia, and genotypic profiles of the parasite. *Am J Trop Med Hyg.* 2009 Jun;80(6):914-8. PMID:19478248

Asiimwe C, Gelvin D, Lee E, Ben Amor Y, Quinto E, Katureebe C, Sundaram L, Bell D, Berg M. Use of an innovative, affordable, and open-source short message service-based tool to monitor malaria in remote areas of Uganda. *Am J Trop Med Hyg.* 2011 Jul;85(1):26-33. PMID:21734120

Ataíde R, Mwapasa V, Molyneux ME, Meshnick SR, Rogerson SJ. Antibodies that induce phagocytosis of malaria infected erythrocytes: effect of HIV infection and correlation with clinical outcomes. *PLoS One.* 2011;6(7):e22491. Epub 2011 Jul 19. PMID:21811621

Atangana J, Bigoga JD, Patchoké S, Ndjemaï MN, Tabue RN, Nem TE, Fondjo E. Anopheline fauna and malaria transmission in four ecologically distinct zones in Cameroon. *Acta Trop.* 2010 Jul-Aug;115(1-2):131-6. Epub 2010 Mar 3. PMID:20206111

Athri P, Wenzler T, Tidwell R, Bakunova SM, Wilson WD. Pharmacophore model for pentamidine analogs active against *Plasmodium falciparum*. *Eur J Med Chem.* 2010 Dec;45(12):6147-51. Epub 2010 Sep 18. PMID:20884090

Avdeeva O, Lazarus JV, Aziz MA, Atun R. The Global Fund's resource allocation decisions for HIV programmes: addressing those in need. *J Int AIDS Soc.* 2011 Oct 26;14:51. PMID:22029667

Avery RK. Update in management of ganciclovir-resistant cytomegalovirus infection. *Curr Opin Infect Dis.* 2008 Aug;21(4):433-7. PMID:18594298

Avril M, Cartwright MM, Hathaway MJ, Smith JD. Induction of strain-transcendent antibodies to placental-type isolates with VAR2CSA DBL3 or DBL5 recombinant proteins. *Malar J.* 2011 Feb 11;10(1):36. PMID:21314945

Avril M, Hathaway MJ, Srivastava A, Dechavanne S, Hommel M, Beeson JG, Smith JD, Gamain B. Antibodies to a full-length VAR2CSA immunogen are broadly strain-transcendent but do not cross-inhibit different placental-type parasite isolates. *PLoS One.* 2011 Feb 7;6(2):e16622. PMID:21326877

Awasthi S. Taking aim at novel vaccines market. *Hum Vaccin.* 2009 Oct;5(10):654-7. Epub 2009 Oct 1. PMID:19855156

Ayede IA, Falade AG, Sowunmi A, Jansen FH. An open randomized clinical trial in comparing two artesunate-based combination treatments on *Plasmodium falciparum* malaria in Nigerian children: artesunate/sulphamethoxypyrazine/pyrimethamine (fixed dose over 24 hours) versus artesunate/amodiaquine (fixed dose over 48 hours). *Malar J.* 2010 Dec 31;9:378. PMID:21194422

Ayoob AL, Hackner SG, Prittie J. Clinical management of canine babesiosis. *J Vet Emerg Crit Care (San Antonio).* 2010 Feb;20(1):77-89. PMID:20230437

Ayoob AL, Prittie J, Hackner SG. Feline babesiosis. *J Vet Emerg Crit Care (San Antonio).* 2010 Feb;20(1):90-7. PMID:20230438

Azouzi S, Morandat S, El Kirat K. The potent antimalarial peptide cyclosporin A induces the aggregation and permeabilization of sphingomyelin-rich membranes. *Langmuir.* 2011 Aug 2;27(15):9465-72. Epub 2011 Jun 30. PMID:21692492

Baber I, Tamby JP, Manoukis NC, Sangaré D, Doumbia S, Traoré SF, Maiga MS, Dembélé D. A python module to normalize microarray data by the quantile adjustment method. *Infect Genet Evol.* 2011 Jun;11(4):765-8. Epub 2010 Oct 21. PMID:20970526

Babu RV, Sharma G. A 57-year-old man with abdominal pain, jaundice, and a history of blood transfusion. *Chest.* 2007 Jul;132(1):347-50. PMID:17625097

Bachmeier B, Fichtner I, Killian PH, Kronski E, Pfeffer U, Efferth T. Development of resistance towards artesunate in MDA-MB-231 human breast cancer cells. *PLoS One.* 2011;6(5):e20550. Epub 2011 May 26. PMID:21637790

Bacon DJ, McCollum AM, Griffing SM, Salas C, Soberon V, Santolalla M, Haley R, Tsukayama P, Lucas C, Escalante AA, Udhayakumar V. Dynamics of malaria drug resistance patterns in the Amazon basin region following changes in Peruvian national treatment policy for uncomplicated malaria. *Antimicrob Agents Chemother.* 2009 May;53(5):2042-51. Epub 2009 Mar 2. PMID:19258269

Baguley D, Lim E, Bevan A, Pallet A, Faust SN. Prescribing for children - taste and palatability affect adherence to antibiotics: a review. *Arch Dis Child.* 2011 Nov 16. [Epub ahead of print]. PMID:22088684

Baiden F, Owusu-Agyei S, Bawah J, Bruce J, Tivura M, Delmini R, Gyaase S, Amenga-Etego S, Chandramohan D, Webster J. An evaluation of the clinical assessments of under-five febrile children presenting to primary health facilities in rural ghana. *PLoS One.* 2011;6(12):e28944. Epub 2011 Dec 13. PMID:22174932

Bailly C, Laine W, Baldeyrou B, De Pauw-Gillet MC, Colson P, Houssier C, Cimanga K, Van Miert S, Vlietinck AJ, Pieters L. DNA intercalation, topoisomerase II inhibition and cytotoxic activity of the plant alkaloid neocryptolepine. *Anticancer Drug Des.* 2000 Jun;15(3):191-201. PMID:11049087

Baker JG, Hill SJ, Summers RJ. Evolution of  $\beta$ -blockers: from anti-anginal drugs to ligand-directed signalling. *Trends Pharmacol Sci.* 2011 Apr;32(4):227-34. Epub 2011 Mar 21. PMID:21429598

Baliraine FN, Rosenthal PJ. Prolonged selection of pfmdr1 polymorphisms after treatment of falciparum malaria with artemether-lumefantrine in Uganda. *J Infect Dis.* 2011 Oct 1;204(7):1120-4. PMID:21881128

Banek K, Kilian A, Allan R. Evaluation of Interceptor long-lasting insecticidal nets in eight communities in Liberia. *Malar J.* 2010 Mar 24;9:84. PMID:20334677

Banerjee DP, Singh B, Gautam OP, Sarup S. Cell-mediated immune response in equine babesiosis. *Trop Anim Health Prod.* 1977 Aug;9(3):153-8. PMID:910301

Baptista FG, Pamplona A, Pena AC, Mota MM, Pied S, Vigário AM. Accumulation of Plasmodium berghei-infected red blood cells in the brain is crucial for the development of cerebral malaria in mice. *Infect Immun.* 2010 Sep;78(9):4033-9. Epub 2010 Jul 6. PMID:20605973

Baptista MS, Wainwright M. Photodynamic antimicrobial chemotherapy (PACT) for the treatment of malaria, leishmaniasis and trypanosomiasis. *Braz J Med Biol Res.* 2011 Jan;44(1):1-10. Epub 2010 Dec 10. PMID:21152709

Barboza-Filho CG, Cabrera FC, Dos Santos RJ, De Saja Saez JA, Job AE. The influence of natural rubber/Au nanoparticle membranes on the physiology of Leishmania brasiliensis. *Exp Parasitol.* 2011 Nov 10. [Epub ahead of print]. PMID:22101110

Barends M, Jaidee A, Khaohirun N, Singhasivanon P, Nosten F. In vitro activity of ferroquine (SSR 97193) against Plasmodium falciparum isolates from the Thai-Burmese border. *Malar J.* 2007 Jun 27;6:81. PMID:17597537

Barker RH Jr, Metelev V, Rapaport E, Zamecnik P. Inhibition of Plasmodium falciparum malaria using antisense oligodeoxynucleotides. *Proc Natl Acad Sci U S A.* 1996 Jan 9;93(1):514-8. PMID:8552672

Barnard CJ, Collins SA, Daisley JN, Behnke JM. Odour learning and immunity costs in mice. *Behav Processes.* 2006 Mar;72(1):74-83. Epub 2006 Jan 26. PMID:16442748

Barr J. A short history of dapsone, or an alternative model of drug development. *J Hist Med Allied Sci.* 2011 Oct;66(4):425-67. Epub 2010 Oct 21. PMID:20966036

Barratt JL, Harkness J, Marriott D, Ellis JT, Stark D. Importance of nonenteric protozoan infections in immunocompromised people. *Clin Microbiol Rev.* 2010 Oct;23(4):795-836. PMID:20930074

Barré N, Happold J, Delathièvre JM, Desoutter D, Salery M, de Vos A, Marchal C, Perrot R, Grailles M, Mortelecque A. A campaign to eradicate bovine babesiosis from New Caledonia. *Ticks Tick Borne Dis.* 2011 Mar;2(1):55-61. Epub 2011 Jan 26. PMID:21771538

Barrera SM, Pérez MA, Knudson A, Nicholls RS, Guerra AP. [Genotypic survey of *Plasmodium falciparum* based on the msp1, msp2 and glurp genes by multiplex PCR].[Article in Spanish]. *Biomedica.* 2010 Oct-Dec;30(4):530-8. PMID:21713358

Barriga OO. A review on vaccination against protozoa and arthropods of veterinary importance. *Vet Parasitol.* 1994 Oct;55(1-2):29-55. PMID:7886919

Barros FC, Bhutta ZA, Batra M, Hansen TN, Victora CG, Rubens CE; GAPPS Review Group. Global report on preterm birth and stillbirth (3 of 7): evidence for effectiveness of interventions. *BMC Pregnancy Childbirth.* 2010 Feb 23;10 Suppl 1:S3. PMID:20233384

Barry DN. Metabolism of Babesia parasites in vitro. Change in adenylate energy charge and infectivity of Babesia rodhaini-infected erythrocytes. *Aust J Exp Biol Med Sci.* 1984 Feb;62 ( Pt 1):63-71. PMID:6743142

Bartlett MS, Queener SF, Durkin MM, Shaw MA, Smith JW. Inoculated mouse model of *Pneumocystis carinii* infection. *Diagn Microbiol Infect Dis.* 1992 Feb;15(2):129-34. PMID:1572137

Bartlett SL, Abou-Madi N, Messick JB, Birkenheuer A, Kollias GV. Diagnosis and treatment of Babesia odocoilei in captive reindeer (*Rangifer tarandus tarandus*) and recognition of three novel host species. *J Zoo Wildl Med.* 2009 Mar;40(1):152-9. PMID:19368255

Bassat Q, Gonzalez R, Machevo S, Nahum A, Lyimo J, Maiga H, Martensson A, Bashraheil M, Ouma P, Ubben D, Walter V, Nwaiwu O, Kipkeu C, Lefevre G, Ong'oti B, Menendez C. Similar efficacy and safety of artemether-lumefantrine (Coartem(R)) in African infants and children with uncomplicated falciparum malaria across different body weight ranges. *Malar J.* 2011 Dec 16;10(1):369. [Epub ahead of print]. PMID:22176931

Basu SK. A health profile of tribal India. *Health Millions.* 1994 Apr;2(2):12-4. PMID:12287763

Batista TM, Marques JT. RNAi pathways in parasitic protists and worms. *J Proteomics.* 2011 Aug 24;74(9):1504-14. Epub 2011 Mar 6. PMID:21385631

Batwala V, Magnussen P, Hansen KS, Nuwaha F. Cost-effectiveness of malaria microscopy and rapid diagnostic tests versus presumptive diagnosis: implications for malaria control in Uganda. *Malar J.* 2011 Dec 19;10(1):372. [Epub ahead of print]. PMID:22182735

Batwala V, Magnussen P, Nuwaha F. Antibiotic use among patients with febrile illness in a low malaria endemicity setting in Uganda. *Malar J.* 2011 Dec 20;10(1):377. [Epub ahead of print]. PMID:22183039

Batwala V, Magnussen P, Nuwaha F. Comparative feasibility of implementing rapid diagnostic test and microscopy for parasitological diagnosis of malaria in Uganda. *Malar J.* 2011 Dec 19;10(1):373. [Epub ahead of print]. PMID:22182758

Baumann D, Pusterla N, Péter O, Grimm F, Fournier PE, Schär G, Bossart W, Lutz H, Weber R. [Fever after a tick bite: clinical manifestations and diagnosis of acute tick bite-associated infections in northeastern Switzerland]. [Article in German]. *Dtsch Med Wochenschr.* 2003 May 9;128(19):1042-7. PMID:12736854

Baumeister S, Wiesner J, Reichenberg A, Hintz M, Bietz S, Harb OS, Roos DS, Kordes M, Friesen J, Matuschewski K, Lingelbach K, Jomaa H, Seeber F. Fosmidomycin uptake into Plasmodium and Babesia-infected erythrocytes is facilitated by parasite-induced new permeability pathways. *PLoS One.* 2011 May 4;6(5):e19334. PMID:21573242

Bautista CR, Alvarez JA, Mosqueda JJ, Falcon A, Ramos JA, Rojas C, Figueroa JV, Ku M. Enhancement of the Mexican bovine babesiosis vaccine efficacy by using *Lactobacillus casei*. *Ann N Y Acad Sci.* 2008 Dec;1149:126-30. PMID:19120190

Bautista CR, Sandoval A, Aguilar BR. Effect of high- and low-molecular-weight components of *Lactobacillus casei* on resistance against Babesia microti in NIH mice. *Ann N Y Acad Sci.* 2008 Dec;1149:152-4. PMID:19120196

Bautista-Garfias CR, Gómez MB, Aguilar BR, Ixta O, Martínez F, Mosqueda J. The treatment of mice with *Lactobacillus casei* induces protection against Babesia microti infection. *Parasitol Res.* 2005 Dec;97(6):472-7. Epub 2005 Sep 17. PMID:16170567

Bayes M, Rabasseda X, Prous JR. Gateways to clinical trials. *Methods Find Exp Clin Pharmacol.* 2003 Nov;25(9):747-71. PMID:14685303

Bayés M, Rabasseda X, Prous JR. Gateways to clinical trials. *Methods Find Exp Clin Pharmacol.* 2005 Jun;27(5):331-72. PMID:16082422

Bayés M, Rabasseda X. Gateways to clinical trials. *Methods Find Exp Clin Pharmacol.* 2008 Jan-Feb;30(1):67-99. PMID:18389098

Becker JL. Vector-borne illnesses and the safety of the blood supply. *Curr Hematol Rep.* 2003 Nov;2(6):511-7. PMID:14561396

Becker JV, Mtwhisa L, Crampton BG, Stoychev S, van Brummelen AC, Reeksting S, Louw AI, Birkholtz LM, Mancama DT. Plasmodium falciparum spermidine synthase inhibition results in unique perturbation-specific effects observed on transcript, protein and metabolite levels. *BMC Genomics.* 2010 Apr 12;11:235. PMID:20385001

Becker JV, van der Merwe MM, van Brummelen AC, Pillay P, Crampton BG, Mmutlane EM, Parkinson C, van Heerden FR, Crouch NR, Smith PJ, Mancama DT, Maharaj VJ. In vitro anti-plasmodial activity of *Dicoma anomala* subsp. *Gerrardii* (Asteraceae): identification of its main active constituent, structure-activity relationship studies and gene expression profiling. *Malar J.* 2011 Oct 11;10:295. PMID:21985233

Beez D, Sanchez CP, Stein WD, Lanzer M. Genetic predisposition favors the acquisition of stable artemisinin resistance in malaria parasites. *Antimicrob Agents Chemother.* 2011 Jan;55(1):50-5. Epub 2010 Nov 1. PMID:21041511

Beiersmann C, Bountogo M, Tiendrébeogo J, De Allegri M, Louis VR, Coulibaly B, Yé M, Mueller O. *Falciparum* malaria in young children of rural Burkina Faso: comparison of survey data in 1999 with 2009. *Malar J.* 2011 Oct 11;10:296. PMID:21989335

Bell DJ, Nyirongo SK, Mukaka M, Zijlstra EE, Plowe CV, Molyneux ME, Ward SA, Winstanley PA. Sulfadoxine-pyrimethamine-based combinations for malaria: a randomised blinded trial to compare efficacy, safety and selection of resistance in Malawi. *PLoS One.* 2008 Feb 13;3(2):e1578. PMID:18270569

Bell SL, Chiang AN, Brodsky JL. Expression of a malarial Hsp70 improves defects in chaperone-dependent activities in *ssa1* mutant yeast. *PLoS One.* 2011;6(5):e20047. Epub 2011 May 19. PMID:21625512

Belloli C, Crescenzo G, Lai O, Carofiglio V, Marang O, Ormas P. Pharmacokinetics of imidocarb dipropionate in horses after intramuscular administration. *Equine Vet J.* 2002 Sep;34(6):625-9. PMID:12358005

Bellot F, Coslédan F, Vendier L, Brocard J, Meunier B, Robert A. Trioxaferroquines as new hybrid antimalarial drugs. *J Med Chem.* 2010 May 27;53(10):4103-9. PMID:20443628

Belongia EA, Reed KD, Mitchell PD, Mueller-Rizner N, Vandermause M, Finkel MF, Kazmierczak JJ. Tickborne infections as a cause of nonspecific febrile illness in Wisconsin. *Clin Infect Dis.* 2001 May 15;32(10):1434-9. Epub 2001 Apr 17. PMID:11317244

Ben Mamoun C, Prigge ST, Vial H. Targeting the Lipid Metabolic Pathways for the Treatment of Malaria. *Drug Dev Res.* 2010 Feb;71(1):44-55. PMID:20559451

Ben Musa N, Dawoud HA. The protective activity of serum and fractionated serum from rats against Babesia divergens. *J Egypt Soc Parasitol.* 2004 Aug;34(2):407-22. PMID:15287167

Ben Musa N, Phillips RS. The adaptation of three isolates of Babesia divergens to continuous culture in rat erythrocytes. *Parasitology.* 1991 Oct;103 Pt 2:165-70. PMID:1745544

Benach JL, Habicht GS, Holbrook TW, Cook JA. Glucan as an adjuvant for a murine Babesia microti immunization trial. *Infect Immun.* 1982 Mar;35(3):947-51. PMID:7068224

Benavides MV, Sacco AM. Differential Bos taurus cattle response to Babesia bovis infection. *Vet Parasitol.* 2007 Nov 30;150(1-2):54-64. Epub 2007 Oct 24. PMID:17919816

Beniwal RP, Nichani AK, Rakha NK, Sharma RD, Sarup S. An immunisation trial with in vitro produced Babesia bigemina exoantigens. *Trop Anim Health Prod.* 1997 Nov;29(4 Suppl):124S-126S. PMID:9512758

Berdelle N, Nikolova T, Quiros S, Efferth T, Kaina B. Artesunate Induces Oxidative DNA Damage, Sustained DNA Double-Strand Breaks, and the ATM/ATR Damage Response in Cancer Cells. *Mol Cancer Ther.* 2011 Dec;10(12):2224-33. Epub 2011 Oct 13. PMID:21998290

Berg M, Van der Veken P, Goeminne A, Haemers A, Augustyns K. Inhibitors of the purine salvage pathway: a valuable approach for antiprotozoal chemotherapy? *Curr Med Chem.* 2010;17(23):2456-81. PMID:20491648

Berglund J. [Ticks--a medical topic of current interest which sticks]. [Article in Swedish]. *Lakartidningen.* 1998 Jun 3;95(23):2695-700. PMID:9656623

Bergmann-Leitner ES, Legler PM, Savranskaya T, Ockenhouse CF, Angov E. Cellular and humoral immune effector mechanisms required for sterile protection against sporozoite challenge induced with the novel malaria vaccine candidate CelTOS. *Vaccine.* 2011 Aug 11;29(35):5940-9. Epub 2011 Jun 29. PMID:21722682

Bergmann-Leitner ES, Mease RM, De La Vega P, Savranskaya T, Polhemus M, Ockenhouse C, Angov E. Immunization with pre-erythrocytic antigen CelTOS from *Plasmodium falciparum* elicits cross-species protection against heterologous challenge with *Plasmodium berghei*. *PLoS One.* 2010 Aug 19;5(8):e12294. PMID:20808868

Berkman SA. Infectious complications of blood transfusion. *Blood Rev.* 1988 Sep;2(3):206-10. PMID:3052666

Berkman SA. The spectrum of transfusion reactions. *Hosp Pract (Off Ed).* 1984 Jun;19(6):205-8, 210-2, 217-9. PMID:6427247

Bern C. Antitrypanosomal therapy for chronic Chagas' disease. *N Engl J Med.* 2011 Jun 30;364(26):2527-34. PMID:21714649

Bero J, Frédéric M, Quetin-Leclercq J. Antimalarial compounds isolated from plants used in traditional medicine. *J Pharm Pharmacol.* 2009 Nov;61(11):1401-33. PMID:19903367

Bertin G, Briand V, Bonaventure D, Carrieu A, Massougbedji A, Cot M, Deloron P. Molecular markers of resistance to sulphadoxine-pyrimethamine during intermittent preventive treatment of pregnant women in Benin. *Malar J.* 2011 Jul 19;10:196. PMID:21767415

Bertinaria M, Guglielmo S, Rolando B, Giorgis M, Aragno C, Fruttero R, Gasco A, Parapini S, Taramelli D, Martins YC, Carvalho LJ.

Amodiaquine analogues containing NO-donor substructures: synthesis and their preliminary evaluation as potential tools in the treatment of cerebral malaria. *Eur J Med Chem.* 2011 May;46(5):1757-67. Epub 2011 Feb 22. PMID:21396743

Bertol CD, Oliveira PR, Kuminek G, Rauber GS, Stulzer HK, Silva MA. Increased bioavailability of primaquine using poly(ethylene oxide) matrix extended-release tablets administered to beagle dogs. *Ann Trop Med Parasitol.* 2011 Oct;105(7):475-84. PMID:22185941

Beshir KB, Hallett RL, Eziefula AC, Bailey R, Watson J, Wright SG, Chiodini PL, Polley SD, Sutherland CJ. Measuring the efficacy of anti-malarial drugs in vivo: quantitative PCR measurement of parasite clearance. *Malar J.* 2010 Nov 5;9:312. PMID:21054863

Bethell D, Se Y, Lon C, Socheat D, Saunders D, Teja-Isavadharm P, Khemawoot P, Darapiseth S, Lin J, Sriwichai S, Kuntawungin W, Surasri S, Lee SJ, Sarim S, Tyner S, Smith B, Fukuda MM. Dose-dependent risk of neutropenia after 7-day courses of artesunate monotherapy in Cambodian patients with acute *Plasmodium falciparum* malaria. *Clin Infect Dis.* 2010 Dec 15;51(12):e105-14. Epub 2010 Nov 11. PMID:21070142

Bethell D, Se Y, Lon C, Tyner S, Saunders D, Sriwichai S, Darapiseth S, Teja-Isavadharm P, Khemawoot P, Schaecher K, Ruttvisanutinunt W, Lin J, Kuntawungin W, Gosi P, Timmermans A, Smith B, Socheat D, Fukuda MM. Artesunate dose escalation for the treatment of uncomplicated malaria in a region of reported artemisinin resistance: a randomized clinical trial. *PLoS One.* 2011;6(5):e19283. Epub 2011 May 13. PMID:21603629

Bethony JM, Cole RN, Guo X, Kamhawi S, Lightowlers MW, Loukas A, Petri W, Reed S, Valenzuela JG, Hotez PJ. Vaccines to combat the neglected tropical diseases. *Immunol Rev.* 2011 Jan;239(1):237-70. PMID:21198676

Beveridge E. Babesicidal effect of basically substituted carbanilides. II. Imidocarb in rats and mice: toxicity and activity against Babesia rodhaini. *Res Vet Sci.* 1969 Nov;10(6):534-9. PMID:5368455

Beveridge E. The rate of development of drug resistance in Babesia rodhaini. *Trans R Soc Trop Med Hyg.* 1969;63(4):427. PMID:4980625

Bharatham N, Chang MW, Yoon HS. Targeting FK506 binding proteins to fight malarial and bacterial infections: current advances and future perspectives. *Curr Med Chem.* 2011;18(12):1874-89. PMID:21466465

Bhardwaj A, Scaria V, Raghava GP, Lynn AM, Chandra N, Banerjee S, Raghunandanan MV, Pandey V, Taneja B, Yadav J, Dash D, Bhattacharya J, Misra A, Kumar A, Ramachandran S, Thomas Z; Open Source Drug Discovery Consortium, Brahmachari SK. Open source drug discovery--a new paradigm of collaborative research in tuberculosis drug development. *Tuberculosis (Edinb).* 2011 Sep;91(5):479-86. Epub 2011 Jul 22. PMID:21782516

Bhat UK, Mahoney DF, Wright IG. The invasion and growth of Babesia bovis in tick tissue culture. *Experientia.* 1979 Jun 15;35(6):752-3. PMID:467577

Bianchi MW, Barré N, Messad S. Factors related to cattle infestation level and resistance to acaricides in *Boophilus microplus* tick populations in New Caledonia. *Vet Parasitol.* 2003 Feb 28;112(1-2):75-89. PMID:12581586

Bienvenu AL, Gonzalez-Rey E, Picot S. Apoptosis induced by parasitic diseases. *Parasit Vectors.* 2010 Nov 17;3:106. PMID:21083888

Bierer DE, Dubenko LG, Zhang P, Lu Q, Imbach PA, Garofalo AW, Phuan PW, Fort DM, Litvak J, Gerber RE, Sloan B, Luo J, Cooper R, Reaven GM. Antihyperglycemic activities of cryptolepine analogues: an ethnobotanical lead structure isolated from *Cryptolepis sanguinolenta*. *J Med Chem.* 1998 Jul 16;41(15):2754-64. PMID:9667966

Bierer DE, Fort DM, Mendez CD, Luo J, Imbach PA, Dubenko LG, Jolad SD, Gerber RE, Litvak J, Lu Q, Zhang P, Reed MJ, Waldeck N, Bruening RC, Noamesi BK, Hector RF, Carlson TJ, King SR. Ethnobotanical-directed discovery of the antihyperglycemic properties of cryptolepine: its isolation from *Cryptolepis sanguinolenta*, synthesis, and in vitro and in vivo activities. *J Med Chem.* 1998 Mar 12;41(6):894-901. PMID:9526563

Bigey P, Gnidehou S, Doritchamou J, Quiviger M, Viwami F, Couturier A, Salanti A, Nielsen MA, Scherman D, Deloron P, Tuikue Ndam N. The NTS-DBL2X region of VAR2CSA induces cross-reactive antibodies that inhibit adhesion of several *Plasmodium falciparum* isolates to chondroitin sulfate A. *J Infect Dis.* 2011 Oct 1;204(7):1125-33. PMID:21881129

Bin Dajem SM, Al-Qahtani A. Analysis of gene mutations involved in chloroquine resistance in *Plasmodium falciparum* parasites isolated from patients in the southwest of Saudi Arabia. *Ann Saudi Med.* 2010 May-Jun;30(3):187-92. PMID:20427933

Birkenheuer AJ, Levy MG, Breitschwerdt EB. Efficacy of combined atovaquone and azithromycin for therapy of chronic *Babesia gibsoni* (Asian genotype) infections in dogs. *J Vet Intern Med.* 2004 Jul-Aug;18(4):494-8. PMID:15320586

Birkenheuer AJ, Whittington J, Neel J, Large E, Barger A, Levy MG, Breitschwerdt

EB. Molecular characterization of a *Babesia* species identified in a North American raccoon. *J Wildl Dis.* 2006 Apr;42(2):375-80. PMID:16870860

Birkett MA, Hassanali A, Hoglund S, Pettersson J, Pickett JA. Repellent activity of catmint, *Nepeta cataria*, and iridoid nepetalactone isomers against Afro-tropical mosquitoes, ixodid ticks and red poultry mites. *Phytochemistry.* 2011 Jan;72(1):109-14. Epub 2010 Nov 4. PMID:21056438

Bishop JP, Adams LG, Thompson KC, Corrier DE. The isolation, separation and preservation of Babesia bigemina. *Trop Anim Health Prod.* 1973 Aug;5(3):141-5. PMID:4802625

Bishop JP, Adams LG. Babesia bigemina: immune response of cattle inoculated with irradiated parasites. *Exp Parasitol.* 1974 Feb;35(1):35-43. PMID:4815017

Biswas S, Dicks MD, Long CA, Remarque EJ, Siani L, Colloca S, Cottingham MG, Holder AA, Gilbert SC, Hill AV, Draper SJ. Transgene optimization, immunogenicity and in vitro efficacy of viral vectored vaccines expressing two alleles of Plasmodium falciparum AMA1. *PLoS One.* 2011;6(6):e20977. Epub 2011 Jun 16. PMID:21698193

Black H. Mosquito gut bacterium may curb malaria. *Environ Health Perspect.* 2011 Aug;119(8):A337. PMID:21807592

Blagborough AM, Yoshida S, Sattabongkot J, Tsuboi T, Sinden RE. Intranasal and intramuscular immunization with Baculovirus Dual Expression System-based Pvs25 vaccine substantially blocks Plasmodium vivax transmission. *Vaccine.* 2010 Aug 23;28(37):6014-20. Epub 2010 Jul 14. PMID:20637303

Blue D, Graves V, McCarthy L, Cruz J, Gregurek S, Smith D. Fatal transfusion-transmitted Babesia microti in the Midwest. *Transfusion.* 2009 Jan;49(1):8. Epub 2008 Aug 6. PMID:18694463

Bobbala D, Alesutan I, Föller M, Huber SM, Lang F. Effect of anandamide in Plasmodium Berghei-infected mice. *Cell Physiol Biochem.* 2010;26(3):355-62. Epub 2010 Aug 24. PMID:20798520

Bobbala D, Alesutan I, Föller M, Tschan S, Huber SM, Lang F. Protective effect of amiodarone in malaria. *Acta Trop.* 2010 Oct;116(1):39-44. Epub 2010 May 27. PMID:20510873

Bobenchik AM, Augagneur Y, Hao B, Hoch JC, Ben Mamoun C. Phosphoethanolamine methyltransferases in phosphocholine biosynthesis: functions and potential for antiparasite therapy. *FEMS Microbiol Rev.* 2011 Jul;35(4):609-19. Epub 2011 Mar 10. PMID:21303393

Bock R, Jackson L, de Vos A, Jorgensen W. Babesiosis of cattle. *Parasitology.* 2004;129 Suppl:S247-69. PMID:15938514

Bock RE, Blight GW, Kingston TG, de Vos AJ. A survey of cattle producers in the Boophilus microplus endemic area of Queensland to determine attitudes to the control of and vaccination against tick fever. *Aust Vet J.* 1995 Mar;72(3):88-92. PMID:7611988

Bock RE, de Vos AJ, Kingston TG, Shiels IA, Dalgliesh RJ. Investigations of breakdowns in protection provided by living Babesia bovis vaccine. *Vet Parasitol.* 1992 Jun;43(1-2):45-56. PMID:1496802

Bock RE, de Vos AJ. Immunity following use of Australian tick fever vaccine: a review of the evidence. *Aust Vet J.* 2001 Dec;79(12):832-9. PMID:11837905

Böhm M, Leisewitz AL, Thompson PN, Schoeman JP. Capillary and venous Babesia canis rossi parasitaemias and their association with outcome of infection and circulatory compromise. *Vet Parasitol.* 2006 Oct 10;141(1-2):18-29. Epub 2006 Jun 27. PMID:16806713

Boivin MJ, Giordani B. Neuropsychological assessment of African children: evidence for a universal brain/behavior omnibus within a coconstructivist paradigm. *Prog Brain Res.* 2009;178:113-35. PMID:19874965

Bomfim MR, Ko A, Koury MC. Evaluation of the recombinant LipL32 in enzyme-linked immunosorbent assay for the serodiagnosis of bovine leptospirosis. *Vet Microbiol.* 2005 Aug 10;109(1-2):89-94. PMID:15950404

Bompart F, Kiechel JR, Sebbag R, Pecoul B. Innovative public-private partnerships to maximize the delivery of anti-malarial medicines: lessons learned from the ASAQ Winthrop experience. *Malar J.* 2011 May 23;10:143. PMID:21605364

Bonjean K, De Pauw-Gillet MC, Defresne MP, Colson P, Houssier C, Dassonneville L, Bailly C, Greimers R, Wright C, Quetin-Leclercq J, Tits M, Angenot L. The DNA intercalating alkaloid cryptolepine interferes with topoisomerase II and inhibits primarily DNA synthesis in B16 melanoma cells. *Biochemistry.* 1998 Apr 14;37(15):5136-46. PMID:9548744

Bonnet M, Broek I, van Herp M, Urrutia PP, van Overmeir C, Kyomuhendo J, Ndosimao CN, Ashley E, Guthmann JP. Varying efficacy of artesunate+amodiaquine and artesunate+sulphadoxine-pyrimethamine for the treatment of uncomplicated falciparum malaria in the Democratic Republic of Congo: a report of two in-vivo studies. *Malar J.* 2009 Aug 10;8:192. PMID:19664280

Bonnet M, Roper C, Félix M, Coulibaly L, Kankolongo GM, Guthmann JP. Efficacy of antimalarial treatment in Guinea: in vivo study of two artemisinin combination therapies in Dabola and molecular markers of resistance to sulphadoxine-pyrimethamine in N'Zérékoré. *Malar J.* 2007 May 3;6:54. PMID:17477865

Bono MF, Mangold AJ, Baravalle ME, Valentini BS, Thompson CS, Wilkowsky SE, Echaide IE, Farber MD, Torioni de Echaide SM. Efficiency of a recombinant MSA-2c-based ELISA to establish the persistence of antibodies in cattle vaccinated with Babesia bovis. *Vet Parasitol.* 2008 Nov 7;157(3-4):203-10. Epub 2008 Aug 5. PMID:18783887

Bonoan JT, Johnson DH, Cunha BA. Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone. *Heart Lung.* 1998 Nov-Dec;27(6):424-8. PMID:9835673

Bönsch C, Kempf C, Mueller I, Manning L, Laman M, Davis TM, Ros C. Chloroquine and its derivatives exacerbate B19V-associated anemia by promoting viral replication. *PLoS Negl Trop Dis.* 2010 Apr 27;4(4):e669. PMID:20436917

Booker ML, Bastos CM, Kramer ML, Barker RH Jr, Skerlj R, Sidhu AB, Deng X, Celatka C, Cortese JF, Guerrero Bravo JE, Crespo Llado KN, Serrano AE, Angulo-Barturen I, Jiménez-Díaz MB, Viera S, Garuti H, Wittlin S, Papastogiannidis P, Lin JW, Janse CJ, Khan SM, Duraisingham M, Coleman B, Goldsmith EJ, Phillips MA, Munoz B, Wirth DF, Klinger JD, Wiegand R, Sybertz E. Novel inhibitors of Plasmodium falciparum dihydroorotate dehydrogenase with anti-malarial activity in the mouse model. *J Biol Chem.* 2010 Oct 22;285(43):33054-64. Epub 2010 Aug 11. PMID:20702404

Bora U, Sahu A, Saikia AP, Ryakala VK, Goswami P. Medicinal plants used by the people of Northeast India for curing malaria. *Phytother Res.* 2007 Aug;21(8):800-4. PMID:17533627

Borges S, Cravo P, Creasey A, Fawcett R, Modrzynska K, Rodrigues L, Martinelli A, Hunt P. Genomewide scan reveals amplification of mdr1 as a common denominator of resistance to mefloquine, lumefantrine, and artemisinin in Plasmodium chabaudi malaria parasites. *Antimicrob Agents Chemother.* 2011 Oct;55(10):4858-65. Epub 2011 Jun 27. PMID:21709099

Bork S, Okamura M, Boonchit S, Hirata H, Yokoyama N, Igarashi I. Identification of Babesia bovis L-lactate dehydrogenase as a potential chemotherapeutic target against bovine babesiosis. *Mol Biochem Parasitol.* 2004 Aug;136(2):165-72. PMID:15478796

Bork S, Yokoyama N, Ikebara Y, Kumar S, Sugimoto C, Igarashi I. Growth-inhibitory effect of heparin on Babesia parasites. *Antimicrob Agents Chemother.* 2004 Jan;48(1):236-41. PMID:14693545

Bork S, Yokoyama N, Matsuo T, Claveria FG, Fujisaki K, Igarashi I. Growth inhibitory effect of triclosan on equine and bovine Babesia parasites. *Am J Trop Med Hyg.* 2003 Mar;68(3):334-40. PMID:12685641

Bork S, Yokoyama N, Matsuo T, Claveria FG, Fujisaki K, Igarashi I. Clotrimazole, ketoconazole, and clodinafop-propargyl as potent growth inhibitors of equine Babesia parasites during in vitro culture. *J Parasitol.* 2003 Jun;89(3):604-6. PMID:12880264

Borrman S, Matuschewski K. Protective immunity against malaria by 'natural immunization': a question of dose, parasite diversity, or both? *Curr Opin Immunol.* 2011 Aug;23(4):500-8. Epub 2011 Jun 28. PMID:21719266

Borrman S, Matuschewski K. Targeting Plasmodium liver stages: better late than never. *Trends Mol Med.* 2011 Sep;17(9):527-36. Epub 2011 Jul 6. PMID:21737347

Borrman S, Sasi P, Mwai L, Bashraheil M, Abdallah A, Muriithi S, Frühauf H, Schaub B, Pfeil J, Pesu J, Hanpithakpong W, Rippert A, Juma E, Tsofa B, Mosobo M, Lowe B, Osier F, Fegan G, Lindegårdh N, Nzila A, Pesu N, Mackinnon M, Marsh K. Declining Responsiveness of Plasmodium falciparum Infections to Artemisinin-Based Combination Treatments on the Kenyan Coast. *PLoS One.* 2011;6(11):e26005. Epub 2011 Nov 10. PMID:22102856

Botros BA, Moch RW, Barsoum IS. Some observations on experimentally induced infection of dogs with Babesia gibsoni. *Am J Vet Res.* 1975 Mar;36(3):293-6. PMID:1115427

Bouillet LÉ, Dias MO, Dorigo NA, Moura AD, Russell B, Nosten F, Renia L, Braga EM, Gazzinelli RT, Rodrigues MM, Soares IS, Bruna-Romero O. Long-term humoral and cellular immune responses elicited by a heterologous Plasmodium vivax apical membrane antigen 1 protein prime/adenovirus boost immunization protocol. *Infect Immun.* 2011 Sep;79(9):3642-52. Epub 2011 Jul 5. PMID:21730090

Boulton IC, Nwaka S, Bathurst I, Lanzer M, Taramelli D, Vial H, Doerig C, Chibale K, Ward SA. CRIMALDDI: a co-ordinated, rational, and integrated effort to set logical priorities in anti-malarial drug discovery initiatives. *Malar J.* 2010 Jul 13;9:202. PMID:20626844

Bourdoiseau G. Canine babesiosis in France. *Vet Parasitol.* 2006 May 31;138(1-2):118-25. Epub 2006 Feb 28. PMID:16507334

Bousema T, Drakeley C. Epidemiology and infectivity of *Plasmodium falciparum* and *Plasmodium vivax* gametocytes in relation to malaria control and elimination. *Clin Microbiol Rev.* 2011 Apr;24(2):377-410. PMID:21482730

Bousema T, Okell L, Shekalaghe S, Griffin JT, Omar S, Sawa P, Sutherland C, Sauerwein R, Ghani AC, Drakeley C. Revisiting the circulation time of *Plasmodium falciparum* gametocytes: molecular detection methods to estimate the duration of gametocyte carriage and the effect of gametocytocidal drugs. *Malar J.* 2010 May 24;9:136. PMID:20497536

Boustani MR, Lepore TJ, Gelfand JA, Lazarus DS. Acute respiratory failure in patients treated for babesiosis. *Am J Respir Crit Care Med.* 1994 Jun;149(6):1689-91. PMID:8004331

Bouwman H, van den Berg H, Kylin H. DDT and malaria prevention: addressing the paradox. *Environ Health Perspect.* 2011 Jun;119(6):744-7. Epub 2011 Jan 18. PMID:21245017

Bouyer G, Cueff A, Egée S, Kmiecik J, Maksimova Y, Glogowska E, Gallagher PG, Thomas SL. Erythrocyte peripheral type benzodiazepine receptor/voltage-dependent anion channels are upregulated by *Plasmodium falciparum*. *Blood.* 2011 Aug 25;118(8):2305-12. Epub 2011 Jul 27. PMID:21795748

Bown KJ, Lambin X, Telford GR, Ogden NH, Telfer S, Woldehiwet Z, Birtles RJ. Relative importance of *Ixodes ricinus* and *Ixodes trianguliceps* as vectors for *Anaplasma phagocytophilum* and *Babesia microti* in field vole (*Microtus agrestis*) populations. *Appl Environ Microbiol.* 2008 Dec;74(23):7118-25. Epub 2008 Sep 26. PMID:18820068

Boyom FF, Ngouana V, Kemgne EA, Zollo PH, Menut C, Bessiere JM, Gut J, Rosenthal PJ. Antiplasmodial volatile extracts from *Cleistopholis patens* Engler & Diels and *Uvariastrum pierreanum* Engl. (Engl. & Diels) (Annonaceae) growing in Cameroon. *Parasitol Res.* 2011 May;108(5):1211-7. Epub 2010 Nov 25. PMID:21107862

Boyom FF, Ngouana V, Zollo PH, Menut C, Bessiere JM, Gut J, Rosenthal PJ. Composition and anti-plasmodial activities of essential oils from some Cameroonian medicinal plants. *Phytochemistry.* 2003 Dec;64(7):1269-75. PMID:14599525

Boysen KE, Matuschewski K. Arrested oocyst maturation in *Plasmodium* parasites lacking type II NADH:ubiquinone dehydrogenase. *J Biol Chem.* 2011 Sep 16;286(37):32661-71. Epub 2011 Jul 19. PMID:21771793

Bradbury-Golas K, Washart C. A 56-year-old woman with fever, generalized body aches, and anemia after a tick bite. *J Emerg Nurs.* 2005 Apr;31(2):137-8. PMID:15856537

Braga W, Venasco J, Willard L, Moro MH. Ultrastructure of *Babesia WA1* (Apicomplexa: Piroplasma) during infection of erythrocytes in a hamster model. *J Parasitol.* 2006 Oct;92(5):1104-7. PMID:17152960

Brasseur P, Badiane M, Cisse M, Agnamey P, Vaillant MT, Olliari PL. Changing patterns of malaria during 1996-2010 in an area of moderate transmission in southern Senegal. *Malar J.* 2011 Jul 25;10:203. PMID:21787420

Brasseur P, Gorenflo A. Human babesial infections in Europe. *Roczn Akad Med Bialymst.* 1996;41(1):117-22. PMID:8673796

Brasseur P, Lecouplet S, Kapel N, Favennec L, Ballet JJ. Quinine in the treatment of Babesia divergens infections in humans. Eur J Clin Microbiol Infect Dis. 1996 Oct;15(10):840-1. PMID:8950568

Brasseur P. [Tolerance of amodiaquine].[Article in French]. Med Trop (Mars). 2007 Jun;67(3):288-90. PMID:17784684

Breitschwerdt EB, Maggi RG. A confusing case of canine vector-borne disease: clinical signs and progression in a dog co-infected with Ehrlichia canis and Bartonella vinsonii ssp. berkhoffii. Parasit Vectors. 2009 Mar 26;2 Suppl 1:S3. PMID:19426442

Brigden ML. Detection, education and management of the asplenic or hyposplenic patient. Am Fam Physician. 2001 Feb 1;63(3):499-506, 508. PMID:11272299

Brizuela CM, Ortellado CA, Sanabria E, Torres O, Ortigosa D. The safety and efficacy of Australian tick-borne disease vaccine strains in cattle in Paraguay. Vet Parasitol. 1998 Mar 31;76(1-2):27-41. PMID:9653988

Brocklesby DW, Harness E, Sellwood SA. The effect of age on the natural immunity of cattle to Babesia divergens. Res Vet Sci. 1971 Jan;12(1):15-7. PMID:4252543

Brocks DR, Mehvar R. Stereoselectivity in the pharmacodynamics and pharmacokinetics of the chiral antimalarial drugs. Clin Pharmacokinet. 2003;42(15):1359-82. PMID:14674788

Brodwall K. [Fewer malaria deaths in Zanzibar].[Article in Norwegian]. Tidsskr Nor Laegeforen. 2011 May 6;131(8):796. PMID:21710705

Brooker S, Okello G, Njagi K, Dubeck MM, Halliday KE, Inyega H, Jukes MC. Improving educational achievement and anaemia of school children: design of a cluster randomised trial of school-based malaria prevention and enhanced literacy instruction in Kenya. Trials. 2010 Oct 7;11:93. PMID:20929566

Brown A, Higgins MK. Carbohydrate binding molecules in malaria pathology. *Curr Opin Struct Biol.* 2010 Oct;20(5):560-6. Epub 2010 Jul 23. PMID:20655195

Brown A, Nitayaphan S. The Armed Forces Research Institute of Medical Sciences: five decades of collaborative medical research. *Southeast Asian J Trop Med Public Health.* 2011 May;42(3):477-90. PMID:21706925

Brown KN. Immunity to protozoal infections. *Proc R Soc Med.* 1969 Mar 3;62(3):301-2. PMID:4181289

Brown WC, McElwain TF, Hötzl I, Suarez CE, Palmer GH. Helper T-cell epitopes encoded by the Babesia bigemina rap-1 gene family in the constant and variant domains are conserved among parasite strains. *Infect Immun.* 1998 Apr;66(4):1561-9. PMID:9529082

Brown WC, Norimine J, Goff WL, Suarez CE, McElwain TF. Prospects for recombinant vaccines against Babesia bovis and related parasites. *Parasite Immunol.* 2006 Jul;28(7):315-27. PMID:16842268

Brown WC, Norimine J, Knowles DP, Goff WL. Immune control of Babesia bovis infection. *Vet Parasitol.* 2006 May 31;138(1-2):75-87. Epub 2006 Feb 28. PMID:16510249

Brown WC, Zhao S, Logan KS, Grab DJ, Rice-Ficht AC. Identification of candidate vaccine antigens of bovine hemoparasites *Theileria parva* and *Babesia bovis* by use of helper T cell clones. *Vet Parasitol.* 1995 Mar;57(1-3):189-203. PMID:7597783

Brown WC. Molecular approaches to elucidating innate and acquired immune responses to *Babesia bovis*, a protozoan parasite that causes persistent infection. *Vet Parasitol.* 2001 Nov 22;101(3-4):233-48. PMID:11707299

Bruce-Chwatt LJ. Transfusion associated parasitic infections. *Prog Clin Biol Res.* 1985;182:101-25. PMID:3929259

Bruce-Hickman D. Oxygen therapy for cerebral malaria. *Travel Med Infect Dis.* 2011 Sep;9(5):223-30. Epub 2011 Jul 31. PMID:21807563

Bruder JT, Angov E, Limbach KJ, Richie TL. Molecular vaccines for malaria. *Hum Vaccin.* 2010 Jan;6(1):54-77. Epub 2010 Jan 29. PMID:20061792

Bruder JT, Stefaniak ME, Patterson NB, Chen P, Konovalova S, Limbach K, Campo JJ, Ettyreddy D, Li S, Dubovsky F, Richie TL, King CR, Long CA, Doolan DL. Adenovectors induce functional antibodies capable of potent inhibition of blood stage malaria parasite growth. *Vaccine.* 2010 Apr 19;28(18):3201-10. Epub 2010 Feb 25. PMID:20188680

Brueckner RP, Coster T, Wesche DL, Shmuklarsky M, Schuster BG. Prophylaxis of Plasmodium falciparum infection in a human challenge model with WR 238605, a new 8-aminoquinoline antimalarial. *Antimicrob Agents Chemother.* 1998 May;42(5):1293-4. PMID:9593172

Brueckner RP, Fleckenstein L. Simultaneous modeling of the pharmacokinetics and methemoglobin pharmacodynamics of an 8-aminoquinoline candidate antimalarial (WR 238605). *Pharm Res.* 1991 Dec;8(12):1505-10. PMID:1808614

Brueckner RP, Lasseter KC, Lin ET, Schuster BG. First-time-in-humans safety and pharmacokinetics of WR 238605, a new antimalarial. *Am J Trop Med Hyg.* 1998 May;58(5):645-9. PMID:9598455

Brüning A. Equine piroplasmosis an update on diagnosis, treatment and prevention. *Br Vet J.* 1996 Mar;152(2):139-51. PMID:8680838

Brumlik MJ, Pandeswara S, Ludwig SM, Murthy K, Curiel TJ. Parasite mitogen-activated protein kinases as drug discovery targets to treat human protozoan pathogens. *J Signal Transduct.* 2011;2011:971968. Epub 2011 Feb 27. PMID:21637385

Bryceson AD, Fleming AF, Edington GM. Splenomegaly in Northern Nigeria. *Acta Trop.* 1976;33(3):185-214. PMID:11654

Bu Jassoum S, Fong IW, Hannach B, Kain KC. Transfusion-transmitted babesiosis in Ontario: first reported case in Canada. [Article in English, French]. *Can Commun Dis Rep.* 2000 Jan 15;26(2):9-13. PMID:10680253

Buckee CO, Gupta S. Modelling malaria population structure and its implications for control. *Adv Exp Med Biol.* 2010;673:112-26. PMID:20632533

Buckingham SC. Tick-borne infections in children: epidemiology, clinical manifestations, and optimal management strategies. *Paediatr Drugs.* 2005;7(3):163-76. PMID:15977962

Buelvas F, Alvis N, Buelvas I, Miranda J, Mattar S. [A high prevalence of antibodies against *Bartonella* and *Babesia microti* has been found in villages and urban populations in Cordoba, Colombia].[Article in Spanish]. *Rev Salud Publica (Bogota).* 2008 Jan-Feb;10(1):168-77. PMID:18368229

Buening GM, Kuttler KL, Rodriguez SD. Evaluation of a cloned *Babesia bovis* organism as a live immunogen. *Vet Parasitol.* 1986 Dec;22(3-4):235-42. PMID:3564326

Bugyei KA, Boye GL, Addy ME. Clinical efficacy of a tea-bag formulation of *cryptolepis sanguinolenta* root in the treatment of acute uncomplicated falciparum malaria. *Ghana Med J.* 2010 Mar;44(1):3-9. PMID:21326984

Bukhari T, Takken W, Githeko AK, Koenraadt CJ. Efficacy of aquatain, a monomolecular film, for the control of malaria vectors in rice paddies. *PLoS One.* 2011;6(6):e21713. Epub 2011 Jun 29. PMID:21738774

Bukhari T, Takken W, Koenraadt CJ. Development of *Metarhizium anisopliae* and *Beauveria bassiana* formulations for control of malaria mosquito larvae. *Parasit Vectors.* 2011 Feb 22;4:23. PMID:21342492

Bulterys PL, Chao A, Dalai SC, Zink MC, Dushimimana A, Katzenstein D, Saah AJ, Bulterys M. Placental malaria and mother-to-child transmission of human immunodeficiency virus-1 in rural Rwanda. *Am J Trop Med Hyg.* 2011 Aug;85(2):202-6. PMID:21813835

Bulusu V, Thakur SS, Venkatachala R, Balaram H. Mechanism of growth inhibition of intraerythrocytic stages of *Plasmodium falciparum* by 5-aminoimidazole-4-carboxamide ribonucleoside (AICAR). *Mol Biochem Parasitol.* 2011 May;177(1):1-11. Epub 2011 Jan 18. PMID:21251933

Buma AH, van Thiel P. Experiences with malaria chemoprophylaxis in Dutch troops. *Med Trop (Mars).* 2001;61(1):77-8. PMID:11584661

Bunin KV. [A brief essay on the development of chemotherapy of malaria and recurrent typhus in Russia].[Article in Russian]. *Zh Mikrobiol Epidemiol Immunobiol.* 1957 Feb;28(2):122-7. PMID:13423825

Burchard G. [Therapeutic management of malaria].[Article in German]. *Internist (Berl).* 2011 Nov 11. [Epub ahead of print]. PMID:22071912

Burgess RW, Young MD. The development of pyrimethamine resistance by *Plasmodium falciparum*. *Bull World Health Organ.* 1959;20(1):37-46. PMID:13638788

Burki T. From quinine to artesunate in Africa. *Lancet Infect Dis.* 2011 Jun;11(6):428-9. PMID:21770055

Burrows JN, Chibale K, Wells TN. The state of the art in anti-malarial drug discovery and development. *Curr Top Med Chem.* 2011;11(10):1226-54. PMID:21401508

Butler CM, Nijhof AM, van der Kolk JH, de Haseth OB, Taoufik A, Jongejan F, Houwers DJ. Repeated high dose imidocarb dipropionate treatment did not eliminate *Babesia caballi* from naturally infected horses as determined by PCR-reverse line blot hybridization. *Vet Parasitol.* 2008 Feb 14;151(2-4):320-2. Epub 2007 Nov 17. PMID:18160222

Butler CM, van Gils JA, van der Kolk JH. [A literature review of equine piroplasmosis after an episode of acute babesiosis in a Dutch Standardbred foal after a stay in Normandy].[Article in Dutch]. Tijdschr Diergeneeskd. 2005 Dec 1;130(23):726-31. PMID:16363205

Butler D. Mosquitoes score in chemical war. Nature. 2011 Jul 5;475(7354):19. PMID:21734682

Butler NS, Schmidt NW, Vaughan AM, Aly AS, Kappe SH, Harty JT. Superior antimalarial immunity after vaccination with late liver stage-arresting genetically attenuated parasites. Cell Host Microbe. 2011 Jun 16;9(6):451-62. PMID:21669394

Butler SE, Augostini P, Secor WE. Mycoplasma hominis infection of Trichomonas vaginalis is not associated with metronidazole-resistant trichomoniasis in clinical isolates from the United States. Parasitol Res. 2010 Sep;107(4):1023-7. Epub 2010 Jul 21. PMID:20652315

Butler T, Warren KS, Mahmoud AA. Algorithms in the diagnosis and management of exotic diseases. XIII. Malaria. J Infect Dis. 1976 Jun;133(6):721-6. PMID:932498

Button C. Fluid therapy in canine babesiosis. J S Afr Vet Assoc. 1976 Dec;47(4):284-7. PMID:1035270

Byrnes C, Terry Lee Y, Donahue RE, Miller JL. Identification of a cross-reacting, monoclonal anti-human CD233 antibody for identification and sorting of rhesus macaque erythrocytes. Cytometry A. 2011 Dec 13. [Epub ahead of print]. PMID:22170815

Byrnes V, Chopra S, Koziel MJ. Resolution of chronic hepatitis C following parasitosis. World J Gastroenterol. 2007 Aug 21;13(31):4268-9. PMID:17696260

Cable RG, Leiby DA. Risk and prevention of transfusion-transmitted babesiosis and other tick-borne diseases. Curr Opin Hematol. 2003 Nov;10(6):405-11. PMID:14564169

Cacciò S, Cammà C, Onuma M, Severini C. The beta-tubulin gene of Babesia and Theileria parasites is an informative marker for species discrimination. *Int J Parasitol.* 2000 Oct;30(11):1181-5.  
PMID:11027785

Cahill KM, Benach JL, Reich LM, Bilmes E, Zins JH, Siegel FP, Hochweis S. Red cell exchange: treatment of babesiosis in a splenectomized patient. *Transfusion.* 1981 Mar-Apr;21(2):193-8.  
PMID:7194528

Cahill KM. Babesiosis: unappreciated even in endemic areas. *J Community Health.* 1995 Aug;20(4):315-20. PMID:7593737

Cairns M, Gosling R, Carneiro I, Gesase S, Mosha JF, Hashim R, Kaur H, Lemnge M, Mosha FW, Greenwood B, Chandramohan D. Duration of protection against clinical malaria provided by three regimens of intermittent preventive treatment in Tanzanian infants. *PLoS One.* 2010 Mar 1;5(3):e9467. PMID:20209126

Callender DM, Hsue G. Artesunate: investigational drug for the treatment of severe falciparum malaria in Hawai'i. *Hawaii Med J.* 2011 Apr;70(4):77-9. PMID:21785506

Callow LL, Dalgliesh RJ, de Vos AJ. Development of effective living vaccines against bovine babesiosis--the longest field trial? *Int J Parasitol.* 1997 Jul;27(7):747-67. PMID:9279577

Callow LL, McGregor W. Vaccination against *Babesia argentina* infection in cattle during chemoprophylaxis with a quinuronium compound. *Aust Vet J.* 1969 Sep;45(9):408-10. PMID:5389523

Callow LL, Stewart NP. Immunosuppression by *Babesia bovis* against its tick vector, *Boophilus microplus*. *Nature.* 1978 Apr 27;272(5656):818-9. PMID:643072

Callow LL. Some aspects of the epidemiology and control of bovine babesiosis in Australia. *J S Afr Vet Assoc.* 1979 Dec;50(4):353-6.  
PMID:399977

Callow LL. Vaccination against bovine babesiosis. *Adv Exp Med Biol.* 1977;93:121-49. PMID:596295

Cambournac FJ. [The development of the eradication of malaria. A practical public health lesson].[Article in French]. *An Esc Nacl Saude Publica Med Trop (Lisb).* 1969 Jan-Dec;3(1):33-46. PMID:5404998

Campagna AM, Patnaik MM. Advances in global biotechnology and local resources to treat malaria. *Minn Med.* 2009 Feb;92(2):44-5. PMID:19331290

Campbell DD, Moran B. Sustaining the vision for Millennium Development Goal 6, to halt and reverse the spread of HIV/AIDS and other infections. *J Obstet Gynecol Neonatal Nurs.* 2010 Sep-Oct;39(5):600-5. Epub 2010 Jul 29. PMID:20673317

Campo JJ, Dobaño C, Sacarlal J, Guinovart C, Mayor A, Angov E, Dutta S, Chitnis C, Macete E, Aponte JJ, Alonso PL. Impact of the RTS,S malaria vaccine candidate on naturally acquired antibody responses to multiple asexual blood stage antigens. *PLoS One.* 2011;6(10):e25779. Epub 2011 Oct 12. PMID:22022448

Canfield CJ, Rozman RS. Clinical testing of new antimalarial compounds. *Bull World Health Organ.* 1974;50(3-4):203-12. PMID:4613503

Cangelosi JJ, Sarvat B, Sarria JC, Herwaldt BL, Indrikovs AJ. Transmission of Babesia microti by blood transfusion in Texas. *Vox Sang.* 2008 Nov;95(4):331-4. PMID:19138264

Cantey PT, Roy S, Lee B, Cronquist A, Smith K, Liang J, Beach MJ. Study of nonoutbreak giardiasis: novel findings and implications for research. *Am J Med.* 2011 Dec;124(12):1175.e1-8. Epub 2011 Oct 18. PMID:22014792

Canto GJ, Figueroa JV, Ramos JA, Rojas EE, Garcia-Tapia D, Alvarez JA, Allred DR, Carson CA. Evaluation of cattle inoculated with Babesia bovis clones adhesive in vitro to bovine brain endothelial cells. *Ann N Y Acad Sci.* 2006 Oct;1081:397-404. PMID:17135543

Cantu A, Ortega JA, Garcia-Vazquez Z, Mosqueda J, Henke SE, George J. EPIDEMIOLOGY OF Babesia bovis AND Babesia bigemina IN FREE-RANGING WHITE-TAILED DEER IN NORTHEASTERN MEXICO. *J Parasitol.* 2008 Sep 16;1. [Epub ahead of print]. PMID:18795810

Cantu-C A, Ortega-S JA, García-Vázquez Z, Mosqueda J, Henke SE, George JE. Epizootiology of Babesia bovis and Babesia bigemina in free-ranging white-tailed deer in northeastern Mexico. *J Parasitol.* 2009 Jun;95(3):536-42. PMID:19642800

Capan M, Mombo-Ngoma G, Makristathis A, Ramharter M. Antibacterial activity of intermittent preventive treatment of malaria in pregnancy: comparative in vitro study of sulphadoxine-pyrimethamine, mefloquine, and azithromycin. *Malar J.* 2010 Oct 29;9:303. PMID:21029476

Capela R, Cabal GG, Rosenthal PJ, Gut J, Mota MM, Moreira R, Lopes F, Prudêncio M. Design and evaluation of primaquine-artemisinin hybrids as a multistage antimalarial strategy. *Antimicrob Agents Chemother.* 2011 Oct;55(10):4698-706. Epub 2011 Aug 1. PMID:21807973

Caprio V, Guyen B, Opoku-Boahen Y, Mann J, Gowan SM, Kelland LM, Read MA, Neidle S. A novel inhibitor of human telomerase derived from 10H-indolo[3,2-b]quinoline. *Bioorg Med Chem Lett.* 2000 Sep 18;10(18):2063-6. PMID:10999471

Carbrey EA, Avery RJ, Knowles RC, Sash SC. Chemotherapy of equine babesiosis. *J Am Vet Med Assoc.* 1971 Dec 1;159(11):1538-45. PMID:5005185

Carcy B, Précigout E, Schetters T, Gorenflo A. Genetic basis for GPI-anchor merozoite surface antigen polymorphism of Babesia and resulting antigenic diversity. *Vet Parasitol.* 2006 May 31;138(1-2):33-49. Epub 2006 Mar 23. PMID:16551492

Cardoso L, Tuna J, Vieira L, Yisaschar-Mekuzas Y, Baneth G. Molecular detection of *Anaplasma platys* and *Ehrlichia canis* in dogs from the North of Portugal. *Vet J.* 2010 Feb;183(2):232-3. Epub 2008 Dec 3. PMID:19056304

Carey JB, Pearson FE, Vrdoljak A, McGrath MG, Crean AM, Walsh PT, Doody T, O'Mahony C, Hill AV, Moore AC. Microneedle array design determines the induction of protective memory CD8+ T cell responses induced by a recombinant live malaria vaccine in mice. *PLoS One.* 2011;6(7):e22442. Epub 2011 Jul 25. PMID:21799855

Carlsson AM, Ngasala BE, Dahlstrom S, Membi C, Veiga IM, Rombo L, Abdullah S, Premji Z, Gil P, Bjorkman A, Martensson A. Plasmodium falciparum population dynamics during the early phase of anti-malarial drug treatment in Tanzanian children with acute uncomplicated malaria. *Malar J.* 2011 Dec 20;10(1):380. [Epub ahead of print]. PMID:22185672

Carlsson T, Bergqvist L, Hellgren U. Homeopathic Resistant Malaria. *J Travel Med.* 1996 Mar 1;3(1):62. PMID:9815426

Carlton JM, Sina BJ, Adams JH. Why is Plasmodium vivax a neglected tropical disease? *PLoS Negl Trop Dis.* 2011 Jun;5(6):e1160. Epub 2011 Jun 28. PMID:21738804

Carmichael M. Halting the world's most lethal parasite. *Sci Am.* 2010 Nov;303(5):68-75. PMID:21033287

Carrara VI, Zwang J, Ashley EA, Price RN, Stepniewska K, Barends M, Brockman A, Anderson T, McGready R, Phaiphun L, Proux S, van Vugt M, Hutagalung R, Lwin KM, Phyoe AP, Preechapornkul P, Imwong M, Pukrittayakamee S, Singhasivanon P, White NJ, Nosten F. Changes in the treatment responses to artesunate-mefloquine on the northwestern border of Thailand during 13 years of continuous deployment. *PLoS One.* 2009;4(2):e4551. Epub 2009 Feb 23. PMID:19234601

Carter WJ, Yan Z, Cassai ND, Sidhu GS. Detection of extracellular forms of babesia in the blood by electron microscopy: a diagnostic method for differentiation from Plasmodium falciparum. Ultrastruct Pathol. 2003 Jul-Aug;27(4):211-6. PMID:12907365

Carvalho BO, Matsuda JS, Luz SL, Martinez-Espinosa FE, Leite JA, Franzin F, Orlandi PP, Gregoracci GB, Lacerda MV, Nogueira PA, Costa FT. Gestational malaria associated to Plasmodium vivax and Plasmodium falciparum placental mixed-infection followed by foetal loss: a case report from an unstable transmission area in Brazil. Malar J. 2011 Jun 27;10:178. PMID:21708032

Carvalho L, Luque-Ortega JR, Manzano JI, Castanys S, Rivas L, Gamarro F. Tafenoquine, an antiplasmodial 8-aminoquinoline, targets leishmania respiratory complex III and induces apoptosis. Antimicrob Agents Chemother. 2010 Dec;54(12):5344-51. Epub 2010 Sep 13. PMID:20837758

Cassera MB, Hazleton KZ, Merino EF, Obaldia N 3rd, Ho MC, Murkin AS, Depinto R, Gutierrez JA, Almo SC, Evans GB, Babu YS, Schramm VL. Plasmodium falciparum Parasites Are Killed by a Transition State Analogue of Purine Nucleoside Phosphorylase in a Primate Animal Model. PLoS One. 2011;6(11):e26916. Epub 2011 Nov 11. PMID:22096507

Castellini MA, Buguliskis JS, Casta LJ, Butz CE, Clark AB, Kunkel TA, Taraschi TF. Malaria drug resistance is associated with defective DNA mismatch repair. Mol Biochem Parasitol. 2011 Jun;177(2):143-7. Epub 2011 Feb 21. PMID:21315772

Cech PG, Aebi T, Abdallah MS, Mpina M, Machunda EB, Westerfeld N, Stoffel SA, Zurbriggen R, Pluschke G, Tanner M, Daubensberger C, Genton B, Abdulla S. Virosome-formulated Plasmodium falciparum AMA-1 & CSP derived peptides as malaria vaccine: randomized phase 1b trial in semi-immune adults & children. PLoS One. 2011;6(7):e22273. Epub 2011 Jul 22. PMID:21799810

Centeno-Lima S, do Rosário V, Parreira R, Maia AJ, Freudenthal AM, Nijhof AM, Jongejan F. A fatal case of human babesiosis in Portugal: molecular and phylogenetic analysis. *Trop Med Int Health.* 2003 Aug;8(8):760-4. PMID:12869099

Centers for Disease Control and Prevention (CDC). Ten great public health achievements--worldwide, 2001-2010. *MMWR Morb Mortal Wkly Rep.* 2011 Jun 24;60(24):814-8. PMID:21697806

Cessay SJ, Bojang KA, Nwakanma D, Conway DJ, Koita OA, Doumbia SO, Ndiaye D, Coulibaly TF, Diakité M, Traoré SF, Coulibaly M, Ndiaye JL, Sarr O, Gaye O, Konaté L, Sy N, Faye B, Faye O, Sogoba N, Jawara M, Dao A, Poudiougou B, Diawara S, Okebe J, Sangaré L, Abubakar I, Sissako A, Diarra A, Kéita M, Kandeh B, Long CA, Fairhurst RM, Duraisingh M, Perry R, Muskavitch MA, Valim C, Volkman SK, Wirth DF, Krogstad DJ. Sahel, savana, riverine and urban malaria in West Africa: Similar control policies with different outcomes. *Acta Trop.* 2011 Nov 19. [Epub ahead of print]. PMID:22119584

Chadwick J, Amewu RK, Marti F, Garah FB, Sharma R, Berry NG, Stocks PA, Burrell-Saward H, Wittlin S, Rottmann M, Brun R, Taramelli D, Parapini S, Ward SA, O'Neill PM. Antimalarial mannoxanes: hybrid antimalarial drugs with outstanding oral activity profiles and a potential dual mechanism of action. *ChemMedChem.* 2011 Aug 1;6(8):1357-61. Epub 2011 Jun 20. PMID:21692184

Chaijaroenkul W, Wisedpanichkij R, Na-Bangchang K. Monitoring of in vitro susceptibilities and molecular markers of resistance of *Plasmodium falciparum* isolates from Thai-Myanmar border to chloroquine, quinine, mefloquine and artesunate. *Acta Trop.* 2010 Feb;113(2):190-4. Epub 2009 Oct 30. PMID:19879850

Chalyi VF, Mirzoaliev IuIu, Daburov KN. [The specific features of the development of the malaria mosquitoes *Anopheles superpictus* (Grassi 1899) in Tajikistan].[Article in Russian]. *Med Parazitol (Mosk).* 2010 Jan-Mar;(1):30-3. PMID:20361634

Chambers JA. Military aviators, special operations forces, and causal malaria prophylaxis. *Mil Med.* 2003 Dec;168(12):1001-6. PMID:14719625

Chandler CI, Hall-Clifford R, Asaph T, Pascal M, Clarke S, Mbonye AK. Introducing malaria rapid diagnostic tests at registered drug shops in Uganda: limitations of diagnostic testing in the reality of diagnosis. *Soc Sci Med.* 2011 Mar;72(6):937-44. Epub 2011 Feb 3. PMID:21349623

Chansiri K, Sarataphan N. Molecular phylogenetic study of *Theileria* sp. (Thung Song) based on the thymidylate synthetase gene. *Parasitol Res.* 2002 May;88(13 Suppl 1):S33-5. PMID:12051604

Chapman WE, Ward PA. Babesia rodhaini: requirement of complement for penetration of human erythrocytes. *Science.* 1977 Apr 1;196(4285):67-70. PMID:841340

Chapman WE, Ward PA. The complement profile in babesiosis. *J Immunol.* 1976 Sep;117(3):935-8. PMID:956661

Chapman WL Jr, Hanson W. Plasmodium berghei infection in neonatallythymectomized hamsters. *J Parasitol.* 1971 Feb;57(1):24-8. PMID:4101132

Charles BG, Miller AK, Nasveld PE, Reid MG, Harris IE, Edstein MD. Population pharmacokinetics of tafenoquine during malaria prophylaxis in healthy subjects. *Antimicrob Agents Chemother.* 2007 Aug;51(8):2709-15. Epub 2007 May 21. PMID:17517850

Charman SA, Arbe-Barnes S, Bathurst IC, Brun R, Campbell M, Charman WN, Chiu FC, Chollet J, Craft JC, Creek DJ, Dong Y, Matile H, Maurer M, Morizzi J, Nguyen T, Papastogiannidis P, Scheurer C, Shackleford DM, Sriraghavan K, Stingelin L, Tang Y, Urwyler H, Wang X, White KL, Wittlin S, Zhou L, Vennerstrom JL. Synthetic ozonide drug candidate OZ439 offers new hope for a single-dose cure of uncomplicated malaria. *Proc Natl Acad Sci U S A.* 2011 Mar 15;108(11):4400-5. Epub 2011 Feb 7. PMID:21300861

Chatel G, Gulletta M, Matteelli A, Marangoni A, Signorini L, Oladeji O, Caligaris S. Short report: Diagnosis of tick-borne relapsing fever by the quantitative buffy coat fluorescence method. *Am J Trop Med Hyg.* 1999 May;60(5):738-9. PMID:10344644

Chattopadhyay R, Majam VF, Kumar S. Survival of Plasmodium falciparum in human blood during refrigeration. *Transfusion.* 2011 Mar;51(3):630-5. Epub 2010 Sep 16. PMID:20849405

Chattopadhyay R, Velmurugan S, Chakiath C, Andrews Donkor L, Milhous W, Barnwell JW, Collins WE, Hoffman SL. Establishment of an in vitro assay for assessing the effects of drugs on the liver stages of Plasmodium vivax malaria. *PLoS One.* 2010 Dec 9;5(12):e14275. PMID:21151554

Chaudhary SC, Sonkar SK, Kumar V, Gupta A. Falciparum malaria presenting as subdural hematoma. *J Assoc Physicians India.* 2011 May;59:325-6. PMID:21751613

Chaudhuri S, Varshney JP. Clinical management of babesiosis in dogs with homeopathic *Crotalus horridus* 200C. *Homeopathy.* 2007 Apr;96(2):90-4. PMID:17437935

Chaykovsky M, Rosowsky A, Papathanasopoulos N, Chen KK, Modest EJ, Kisliuk RL, Gaumont Y. Methotrexate analogs. 3. Synthesis and biological properties of some side-chain altered analogs. *J Med Chem.* 1974 Nov;17(11):1212-6. PMID:4213249

Chebbi Mahjoub R, Khemiss M, Dhidah M, Dellaï A, Bouraoui A, Khemiss F. Chloroformic and Methanolic Extracts of *Olea europaea* L. Leaves Present Anti-Inflammatory and Analgesic Activities. *ISRN Pharmacol.* 2011;2011:564972. Epub 2011 May 26. PMID:22084717

Cheema B, Molyneux EM, Emmanuel JC, M'baya B, Esan M, Kamwendo H, Kalilani-Phiri L, Boele van Hensbroek M. Development and evaluation of a new paediatric blood transfusion protocol for Africa. *Transfus Med.* 2010 Jun;20(3):140-51. Epub 2010 Feb 23. PMID:20210924

Chema S, Chumo RS, Dolan TT, Gathuma JM, Irvin AD, James AD, Young AS. Clinical trial of halofuginone lactate for the treatment of East Coast fever in Kenya. *Vet Rec.* 1987 Jun 13;120(24):575-7. PMID:3303642

Chen LH, Keystone JS. New strategies for the prevention of malaria in travelers. *Infect Dis Clin North Am.* 2005 Mar;19(1):185-210. PMID:15701554

Chen X, Orser BA, MacDonald JF. Design and screening of ASIC inhibitors based on aromatic diamidines for combating neurological disorders. *Eur J Pharmacol.* 2010 Dec 1;648(1-3):15-23. Epub 2010 Sep 18. PMID:20854810

Chen Y, Li S, Sun F, Han H, Zhang X, Fan Y, Tai G, Zhou Y. In vivo antimalarial activities of glycoalkaloids isolated from Solanaceae plants. *Pharm Biol.* 2010 Sep;48(9):1018-24. PMID:20731554

Chêne A, Nylén S, Donati D, Bejarano MT, Kironde F, Wahlgren M, Falk KI. Effect of acute Plasmodium falciparum malaria on reactivation and shedding of the eight human herpes viruses. *PLoS One.* 2011;6(10):e26266. Epub 2011 Oct 24. PMID:22039454

Cheng C, Ho WE, Goh FY, Guan SP, Kong LR, Lai WQ, Leung BP, Wong WS. Anti-malarial drug artesunate attenuates experimental allergic asthma via inhibition of the phosphoinositide 3-kinase/Akt pathway. *PLoS One.* 2011;6(6):e20932. Epub 2011 Jun 9. PMID:21695271

Cheun HI, Cho SH, Lee HI, Shin EH, Lee JS, Kim TS, Lee WJ. Seasonal prevalence of mosquitoes, including vectors of Brugian filariasis, in southern islands of the Republic of Korea. *Korean J Parasitol.* 2011 Mar;49(1):59-64. Epub 2011 Mar 18. PMID:21461270

Chevalley S, Coste A, Lopez A, Pipy B, Valentin A. Flow cytometry for the evaluation of anti-plasmodial activity of drugs on Plasmodium falciparum gametocytes. *Malar J.* 2010 Feb 11;9:49. PMID:20149239

Chiang E, Haller N. Babesiosis: an emerging infectious disease that can affect those who travel to the northeastern United States. *Travel Med Infect Dis.* 2011 Sep;9(5):238-42. Epub 2011 Sep 8. PMID:21862413

Chico RM, Chandramohan D. Azithromycin plus chloroquine: combination therapy for protection against malaria and sexually transmitted infections in pregnancy. *Expert Opin Drug Metab Toxicol.* 2011 Sep;7(9):1153-67. Epub 2011 Jul 7. PMID:21736423

Chothoni DL, Vaghasiya HU. A review on *Balanites aegyptiaca* Del (desert date): phytochemical constituents, traditional uses, and pharmacological activity. *Pharmacogn Rev.* 2011 Jan;5(9):55-62. PMID:22096319

Chotivanich K, Sattabongkot J, Choi YK, Park JS, Sritabal J, Lim CS, Udomsangpetch R, White NJ, Lee WJ. Antimalarial drug susceptibility of *Plasmodium vivax* in the Republic of Korea. *Am J Trop Med Hyg.* 2009 Jun;80(6):902-4. PMID:19478246

Chou S, Marousek G, Auerochs S, Stamminger T, Milbradt J, Marschall M. The unique antiviral activity of artesunate is broadly effective against human cytomegaloviruses including therapy-resistant mutants. *Antiviral Res.* 2011 Nov;92(2):364-8. Epub 2011 Aug 6. PMID:21843554

Christensen NO, Furu P, Kurtzhals J, Odaibo A. Heterologous synergistic interactions in concurrent experimental infection in the mouse with *Schistosoma mansoni*, *Echinostoma revolutum*, *Plasmodium yoelii*, *Babesia microti*, and *Trypanosoma brucei*. *Parasitol Res.* 1988;74(6):544-51. PMID:3143108

Christensson DA, Morén T. Seroresponse (IgG) after vaccination and natural infection of cattle with *Babesia divergens*. *Acta Vet Scand.* 1987;28(3-4):393-402. PMID:3454550

Chrubasik C, Jacobson RL. The development of artemisinin resistance in malaria: reasons and solutions. *Phytother Res.* 2010 Jul;24(7):1104-6. PMID:20578122

Chung HC, Wang JT, Sun HY, Wang JL, Lo YC, Sheng WH, Hsieh SM, Fang CT, Hsueh PR, Chen YC, Chang SC. Clinical experience of 17 cases of imported malaria at a Taiwan university hospital, 1999-2005. *J Microbiol Immunol Infect.* 2007 Jun;40(3):209-15. PMID:17639160

Churcher TS, Dawes EJ, Sinden RE, Christophides GK, Koella JC, Basáñez MG. Population biology of malaria within the mosquito: density-dependent processes and potential implications for transmission-blocking interventions. *Malar J.* 2010 Nov 4;9:311. PMID:21050427

Cichocka A, Skotarczak B. [Babesiosis--difficulty of diagnosis].[Article in Polish]. *Wiad Parazytol.* 2001;47(3):527-33. PMID:16894770

Cimanga K, De Bruyne T, Lasure A, Van Poel B, Pieters L, Claeys M, Berghe DV, Kambu K, Tona L, Vlietinck AJ. In vitro biological activities of alkaloids from *Cryptolepis sanguinolenta*. *Planta Med.* 1996 Feb;62(1):22-7. PMID:8720383

Cimanga K, De Bruyne T, Pieters L, Vlietinck AJ, Turger CA. In vitro and in vivo antiplasmodial activity of cryptolepine and related alkaloids from *Cryptolepis sanguinolenta*. *J Nat Prod.* 1997 Jul;60(7):688-91. PMID:9249972

Clark DL, Chrisey LA, Campbell JR, Davidson EA. Non-sequence-specific antimalarial activity of oligodeoxynucleotides. *Mol Biochem Parasitol.* 1994 Jan;63(1):129-34. PMID:8183311

Clark IA, Allison AC, Cox FE. Protection of mice against Babesia and Plasmodium with BCG. *Nature.* 1976 Jan 29;259(5541):309-11. PMID:765838

Clark IA, Budd AC, Hsue G, Haymore BR, Joyce AJ, Thorner R, Krause PJ. Absence of erythrocyte sequestration in a case of babesiosis in a splenectomized human patient. *Malar J.* 2006 Aug 4;5:69. PMID:16887045

Clark IA, Cox FE, Allison AC. Protection of mice against Babesia spp. and Plasmodium spp. with killed *Corynebacterium parvum*. *Parasitology.* 1977 Feb;74(1):9-18. PMID:320544

Clark IA. Resistance to Babesia spp. and Plasmodium sp. in mice pretreated with an extract of *Coxiella burnetii*. *Infect Immun.* 1979 May;24(2):319-25. PMID:378850

Clark RL. Effects of artemisinins on reticulocyte count and relationship to possible embryotoxicity in confirmed and unconfirmed malarial patients. *Birth Defects Res A Clin Mol Teratol.* 2011 Nov 28. [Epub ahead of print]. PMID:22125126

Cliff J, Lewin S, Woelk G, Fernandes B, Mariano A, Sevane E, Daniels K, Matinhure S, Oxman A, Lavis J. Policy development in malaria vector management in Mozambique, South Africa and Zimbabwe. *Health Policy Plan.* 2010 Sep;25(5):372-83. Epub 2010 Feb 21. PMID:20176574

Clyde DF, McCarthy VC, Rebert CC, Miller RM. Prophylactic activity of a phenanthrene methanol (WR 33063) and a quinoline methanol (WR 30090) in human malaria. *Antimicrob Agents Chemother.* 1973 Feb;3(2):220-3. PMID:4597716

Clyde DF, Shute GT, McCarthy VC, Sangalang RP. Characterization of a drug resistant strain of *Plasmodium falciparum* from the Philippines. *J Trop Med Hyg.* 1971 May;74(5):101-5. PMID:4931686

Clyde DF. The problem of drug-resistant malaria. *Am J Trop Med Hyg.* 1972 Sep;21(5):736-43. PMID:4561521

Cockburn IA, Chen YC, Overstreet MG, Lees JR, van Rooijen N, Farber DL, Zavala F. Prolonged antigen presentation is required for optimal CD8+ T cell responses against malaria liver stage parasites. *PLoS Pathog.* 2010 May 6;6(5):e1000877. PMID:20463809

Cocquyt K, Cos P, Herdewijn P, Maes L, Van den Steen PE, Laekeman G. *Ajuga remota* Benth.: from ethnopharmacology to phytomedical perspective in the treatment of malaria. *Phytomedicine.* 2011 Nov 15;18(14):1229-37. Epub 2011 Oct 19. PMID:22015320

Codd A, Teuscher F, Kyle DE, Cheng Q, Gatton ML. Artemisinin-induced parasite dormancy: a plausible mechanism for treatment failure. *Malar J.* 2011 Mar 8;10:56. PMID:21385409

Cohen J, Benns S, Vekemans J, Leach A. [The malaria vaccine candidate RTS,S/AS is in phase III clinical trials].[Article in French]. *Ann Pharm Fr.* 2010 Nov;68(6):370-9. Epub 2010 Oct 13. PMID:21073995

Cohen S, Butcher GA. Serum antibody in acquired malarial immunity. *Trans R Soc Trop Med Hyg.* 1971;65(2):125-35. PMID:4934028

Coleman RE, Clavin AM, Milhous WK. Gametocytocidal and sporontocidal activity of antimalarials against Plasmodium berghei ANKA in ICR Mice and Anopheles stephensi mosquitoes. *Am J Trop Med Hyg.* 1992 Feb;46(2):169-82. PMID:1539752

Coleman RE. Sporontocidal activity of the antimalarial WR-238605 against Plasmodium berghei ANKA in Anopheles stephensi. *Am J Trop Med Hyg.* 1990 Mar;42(3):196-205. PMID:2180334

Collett MG. Survey of canine babesiosis in South Africa. *J S Afr Vet Assoc.* 2000 Sep;71(3):180-6. PMID:11205168

Collins WE, Contacos PG, Garnham PC, Warren M, Skinner JC. Plasmodium hylobati: a malaria parasite of the gibbon. *J Parasitol.* 1972 Feb;58(1):123-8. PMID:4335047

Collins WE, Contacos PG, Skinner JC, Chin W, Guinn E. Fluorescent antibody studies on simian malaria. I. Development of antibodies to Plasmodium knowlesi. *Am J Trop Med Hyg.* 1967 Jan;16(1):1-6. PMID:4960484

Collins WE, Contacos PG. Immunization of monkeys against Plasmodium cynomolgi by X-irradiated sporozoites. *Nat New Biol.* 1972 Apr 12;236(67):176-7. PMID:4624244

Collins WE, Jeffrey GM, Skinner JC. Fluorescent Antibody Studies In Human Malaria. II. Development And Persistence Of Antibodies To Plasmodium Falciparum. Am J Trop Med Hyg. 1964 Mar;13:256-60. PMID:14125876

Collins WE, Skinner JC, Contacos PG, Guinn EG. Fluorescent-antibody studies on simian malaria. II. Development of antibodies to Plasmodium cynomolgi. Am J Trop Med Hyg. 1967 May;16(3):267-72. PMID:4960704

Colly LP, Nesbit JW. Fatal acute babesiosis in a juvenile wild dog (*Lycaon pictus*). J S Afr Vet Assoc. 1992 Mar;63(1):36-8. PMID:1569540

Combrink MP, Troskie PC, Du Plessis F, Latif AA. Serological responses to Babesia bovis vaccination in cattle previously infected with Babesia bigemina. Vet Parasitol. 2010 May 28;170(1-2):30-6. Epub 2010 Feb 18. PMID:20207488

Combrink MP, Troskie PC. Effect of diminazene block treatment on live redwater vaccine reactions. Onderstepoort J Vet Res. 2004 Jun;71(2):113-7. PMID:15373333

Commins MA, Goodger BV, Wright IG. Proteinases in the lysate of bovine erythrocytes infected with Babesia bovis: initial vaccination studies. Int J Parasitol. 1985 Oct;15(5):491-5. PMID:3905658

Congpuong K, Bualombai P, Banmairuoi V, Na-Bangchang K. Compliance with a three-day course of artesunate-mefloquine combination and baseline anti-malarial treatment in an area of Thailand with highly multidrug resistant falciparum malaria. Malar J. 2010 Feb 4;9:43. PMID:20132537

Conly GN. The impact of malaria on economic development. A case study. Am J Trop Med Hyg. 1972 Sep;21(5):668-74. PMID:5074689

Conrad PA, Kjemtrup AM, Carreno RA, Thomford J, Wainwright K, Eberhard M, Quick R, Telford SR 3rd, Herwaldt BL. Description of Babesia duncani n.sp. (Apicomplexa: Babesiidae) from humans and its differentiation from other piroplasms. *Int J Parasitol.* 2006 Jun;36(7):779-89. Epub 2006 May 4. PMID:16725142

Cooke BM, Mohandas N, Coppel RL. The malaria-infected red blood cell: structural and functional changes. *Adv Parasitol.* 2001;50:1-86. PMID:11757330

Cooper PE, Watson PM. Discontinuation of redwater treatments. *Vet Rec.* 1989 Jun 17;124(24):643. PMID:2773215

Cooper RD, Milhous WK, Rieckmann KH. The efficacy of WR238605 against the blood stages of a chloroquine resistant strain of Plasmodium vivax. *Trans R Soc Trop Med Hyg.* 1994 Nov-Dec;88(6):691-2. PMID:7886774

Corash L. Inactivation of infectious pathogens in labile blood components: meeting the challenge. *Transfus Clin Biol.* 2001 Jun;8(3):138-45. PMID:11499954

Corash L. Inactivation of viruses, bacteria, protozoa and leukocytes in platelet and red cell concentrates. *Vox Sang.* 2000;78 Suppl 2:205-10. PMID: 10938954

Corash L. Inactivation of viruses, bacteria, protozoa, and leukocytes in platelet concentrates. *Vox Sang.* 1998;74 Suppl 2:173-6. PMID:9704443

Corash L. New technologies for the inactivation of infectious pathogens in cellular blood components and the development of platelet substitutes. *Baillieres Best Pract Res Clin Haematol.* 2000 Dec;13(4):549-63. PMID:11102276

Corbett KD, Berger JM. Structure of the ATP-binding domain of Plasmodium falciparum Hsp90. *Proteins.* 2010 Oct;78(13):2738-44. PMID:20635416

Corpelet C, Vacher P, Coudore F, Laurichesse H, Conort N, Souweine B. Role of quinine in life-threatening Babesia divergens infection successfully treated with clindamycin. Eur J Clin Microbiol Infect Dis. 2005 Jan;24(1):74-5. PMID:15616840

Corradetti A. Some remarks on the use of avian malaria parasites in research. Ann Parasitol Hum Comp. 1973 Mar-Apr;48(2):217-9. PMID:4785849

Corrier DE, Vizcaino O, Terry M, Betancourt A, Kuttler KL, Carson CA, Trevino G, Ristic M. Mortality, weight loss and anaemia in Bos taurus calves exposed to Boophilus microplus ticks in the tropics of Colombia. Trop Anim Health Prod. 1979 Nov;11(4):215-21. PMID:552671

Corrier DE, Wagner GG, Kuttler KL. Viability and virulence of Babesia rodhaini eight years after cryogenic preservation with dimethyl sulfoxide. Vet Parasitol. 1985 Jun;18(1):71-3. PMID:4049729

Corrier DE, Wagner GG. Comparison of the effect of T-2 toxin with that of dexamethasone or cyclophosphamide on resistance to Babesia microti infection in mice. Am J Vet Res. 1988 Nov;49(11):2000-3. PMID:3247926

Costa-Júnior LM, Rabelo EM, Martins Filho OA, Ribeiro MF. Comparison of different direct diagnostic methods to identify Babesia bovis and Babesia bigemina in animals vaccinated with live attenuated parasites. Vet Parasitol. 2006 Jun 30;139(1-3):231-6. Epub 2006 Mar 31. PMID:16580136

Cottrell BJ, Playfair JH, de Sousa B. Plasmodium yoelii and Plasmodium vinckeii: the effects of nonspecific immunostimulation on murine malaria. Exp Parasitol. 1977 Oct;43(1):45-53. PMID:330190

Covell G. A brief review of the history and development of the more important antimalarial drugs. Indian J Malariol. 1947 Jun;1(2):231-41. PMID:18901444

Cox FE. Heterologous immunity between piroplasms and malaria parasites: the simultaneous elimination of Plasmodium vinckei and Babesia microti from the blood of doubly infected mice. *Parasitology*. 1978 Feb;76(1):55-60. PMID:622306

Cox HW, Saleh SM. Anemia and thrombocytopenia from *Corynebacterium parvum*-stimulated resistance against malaria, trypanosomiasis, and babesiosis. *J Parasitol*. 1983 Aug;69(4):654-9. PMID:6355427

Cramer JP, López-Vélez R, Burchard GD, Grobusch MP, de Vries PJ. Treatment of imported severe malaria with artesunate instead of quinine—more evidence needed? *Malar J*. 2011 Sep 7;10:256. PMID:21899729

Cranwell MP. Efficacy of long-acting oxytetracycline for the prevention of tick-borne fever in calves. *Vet Rec*. 1990 Apr 7;126(14):334-6. PMID:2339491

Criado-Fornelio A, Martínez-Marcos A, Buling-Saraña A, Barbero-Carretero JC. Presence of *Mycoplasma haemofelis*, *Mycoplasma haemominutum* and piroplasmids in cats from southern Europe: a molecular study. *Vet Microbiol*. 2003 Jun 10;93(4):307-17. PMID:12713893

Criado-Fornelio A. A review of nucleic-acid-based diagnostic tests for *Babesia* and *Theileria*, with emphasis on bovine piroplasms. *Parassitologia*. 2007 May;49 Suppl 1:39-44. PMID:17691606

Crockett M, Kain KC. Tafenoquine: a promising new antimalarial agent. *Expert Opin Investig Drugs*. 2007 May;16(5):705-15. PMID:17461742

Crompton PD, Pierce SK, Miller LH. Advances and challenges in malaria vaccine development. *J Clin Invest*. 2010 Dec 1;120(12):4168-78. Epub 2010 Dec 1. PMID:21123952

Cui X, Wang Y, Kokudo N, Fang D, Tang W. Traditional Chinese medicine and related active compounds against hepatitis B virus infection. *Biosci Trends*. 2010 Apr;4(2):39-47. PMID:20448340

Cunha BA, Cohen YZ, McDermott B. Fever of unknown origin (FUO) due to babesiosis in a immunocompetent host. *Heart Lung.* 2008 Nov-Dec;37(6):481-4. Epub 2008 Sep 30. PMID:18992633

Cunha BA, Nausheen S, Szalda D. Pulmonary complications of babesiosis: case report and literature review. *Eur J Clin Microbiol Infect Dis.* 2007 Jul;26(7):505-8. PMID:17558489

Cunnington AJ, de Souza JB, Walther M, Riley EM. Malaria impairs resistance to *Salmonella* through heme- and heme oxygenase-dependent dysfunctional granulocyte mobilization. *Nat Med.* 2011 Dec 18. [Epub ahead of print]. PMID:22179318

Curley JM, Mody RM, Gasser RA Jr. Malaria caused by *Plasmodium vivax* complicated by acalculous cholecystitis. *Am J Trop Med Hyg.* 2011 Jul;85(1):42-9. PMID:21734122

Czajkowsky DM, Salanti A, Ditlev SB, Shao Z, Ghumra A, Rowe JA, Pleass RJ. IgM, Fc mu Rs, and malarial immune evasion. *J Immunol.* 2010 May 1;184(9):4597-603. PMID:20410497

da Silva RA, Corrêa Fdo N, Botteon Rde C, Botteon Pde T. [Natural infection by hemoparasites in calves submitted to chemoprophylaxis at 30 days of age].[Article in Portuguese]. *Rev Bras Parasitol Vet.* 2007 Jul-Sep;16(3):163-5. PMID:18078605

D'Acquarica I, Gasparrini F, Kotoni D, Pierini M, Villani C, Cabri W, Di Mattia M, Giorgi F. Stereodynamic investigation of labile stereogenic centres in dihydroartemisinin. *Molecules.* 2010 Mar 5;15(3):1309-23. PMID:20335983

D'Acremont V, Greub G, Genton B. [Rapid diagnostic tests (RDT): the cure-all for the practitioner?].[Article in French]. *Rev Med Suisse.* 2011 May 11;7(294):984-6, 988-90. PMID:21692310

Dahlbäck M, Nielsen MA, Salanti A. Can any lessons be learned from the ambiguous glycan binding of PfEMP1 domains? *Trends Parasitol.* 2010 May;26(5):230-5. Epub 2010 Feb 26. PMID:20189879

Dahlström S, Ferreira PE, Veiga MI, Sedighi N, Wiklund L, Mårtensson A, Färnert A, Sisowath C, Osório L, Darban H, Andersson B, Kaneko A, Conseil G, Björkman A, Gil JP. Plasmodium falciparum multidrug resistance protein 1 and artemisinin-based combination therapy in Africa. *J Infect Dis.* 2009 Nov 1;200(9):1456-64. PMID:19807279

Dai M, Reznik SE, Spray DC, Weiss LM, Tanowitz HB, Gulinello M, Desruisseaux MS. Persistent cognitive and motor deficits after successful antimalarial treatment in murine cerebral malaria. *Microbes Infect.* 2010 Dec;12(14-15):1198-207. Epub 2010 Aug 26. PMID:20800692

Dalgliesh RJ, Callow LL, Mellors LT, McGregor W. Development of a highly infective Babesia bigemina vaccine of reduced virulence. *Aust Vet J.* 1981 Jan;57(1):8-11. PMID:7236153

Dalgliesh RJ, Jorgensen WK, de Vos AJ. Australian frozen vaccines for the control of babesiosis and anaplasmosis in cattle--a review. *Trop Anim Health Prod.* 1990 Feb;22(1):44-52. PMID:2181745

Dalgliesh RJ, Mellors LT. Survival of the parasitic protozoan, Babesia bigemina, in blood cooled at widely different rates to -196 degrees C. *Int J Parasitol.* 1974 Apr;4(2):169-72. PMID:4822484

Dalgliesh RJ. Dimethyl sulphoxide in the low-temperature preservation of Babesia bigemina. *Res Vet Sci.* 1971 Sep;12(5):469-71. PMID:4999644

Dalgliesh RJ. Effects of low temperature preservation and route of inoculation on infectivity of Babesia bigemina in blood diluted with glycerol. *Res Vet Sci.* 1972 Nov;13(6):540-5. PMID:4630813

Dalgliesh RJ. Field observations on Babesia argentina vaccination in Queensland. *Aust Vet J.* 1968 Mar;44(3):103-4. PMID:5689432

Danner R, Chaudhari SN, Rosenberger J, Surls J, Richie TL, Brumeau TD, Casares S. Expression of HLA class II molecules in humanized NOD.Rag1KO.IL2RgcKO mice is critical for development and function of human T and B cells. *PLoS One.* 2011;6(5):e19826. Epub 2011 May 17. PMID:21611197

Dantas-Torres F, Figueredo LA. Canine babesiosis: a Brazilian perspective. *Vet Parasitol.* 2006 Nov 5;141(3-4):197-203. Epub 2006 Sep 8. PMID:16962707

Dantas-Torres F. The brown dog tick, *Rhipicephalus sanguineus* (Latreille, 1806) (Acari: Ixodidae): from taxonomy to control. *Vet Parasitol.* 2008 Apr 15;152(3-4):173-85. Epub 2008 Jan 3. PMID:18280045

Dantrakool A, Somboon P, Hashimoto T, Saito-Ito A. Identification of a new type of Babesia species in wild rats (*Bandicota indica*) in Chiang Mai Province, Thailand. *J Clin Microbiol.* 2004 Feb;42(2):850-4. PMID:14766871

Dao AH. Human babesiosis. *Compr Ther.* 1996 Nov;22(11):713-8. PMID:8978977

DaRe JT, Kouri DP, Zimmerman PA, Thomas PJ. Differentiating *Plasmodium falciparum* alleles by transforming Cartesian X,Y data to polar coordinates. *BMC Genet.* 2010 Jun 29;11:57. PMID:20587031

Das A, Ravindran TS. Factors affecting treatment-seeking for febrile illness in a malaria endemic block in Boudh district, Orissa, India: policy implications for malaria control. *Malar J.* 2010 Dec 30;9:377. PMID:21192825

Das Gupta RK, Thakor HG, Sonal GS, Dhillon GP. New perspectives of malaria control in India under World Bank Project. *J Indian Med Assoc.* 2009 Dec;107(12):870, 879-80, 882-3. PMID:20509472

Das MK, Lumb V, Mittra P, Singh SS, Dash AP, Sharma YD. High chloroquine treatment failure rates and predominance of mutant genotypes associated with chloroquine and antifolate resistance among falciparum malaria patients from the island of Car Nicobar, India. *J Antimicrob Chemother.* 2010 Jun;65(6):1258-61. Epub 2010 Apr 2. PMID:20363804

Dassonneville L, Bonjean K, De Pauw-Gillet MC, Colson P, Houssier C, Quetin-Leclercq J, Angenot L, Bailly C. Stimulation of topoisomerase II-mediated DNA cleavage by three DNA-intercalating plant alkaloids: cryptolepine, matadine, and serpentine. *Biochemistry.* 1999 Jun 15;38(24):7719-26. PMID:10387011

Dassonneville L, Lansiaux A, Wattelet A, Wattez N, Mahieu C, Van Miert S, Pieters L, Bailly C. Cytotoxicity and cell cycle effects of the plant alkaloids cryptolepine and neocryptolepine: relation to drug-induced apoptosis. *Eur J Pharmacol.* 2000 Dec 1;409(1):9-18. PMID:11099695

Dattani JJ, Rajput DK, Moid N, Highland HN, George LB, Desai KR. Ameliorative effect of curcumin on hepatotoxicity induced by chloroquine phosphate. *Environ Toxicol Pharmacol.* 2010 Sep;30(2):103-9. Epub 2010 May 20. PMID:21787638

Dauvillée D, Delhaye S, Gruyer S, Slomianny C, Moretz SE, d'Hulst C, Long CA, Ball SG, Tomavo S. Engineering the chloroplast targeted malarial vaccine antigens in Chlamydomonas starch granules. *PLoS One.* 2010 Dec 15;5(12):e15424. PMID:21179538

Davidson RN, Wall RA. Prevention and management of infections in patients without a spleen. *Clin Microbiol Infect.* 2001 Dec;7(12):657-60. PMID:11843905

Davis SP, Amrein M, Gillrie MR, Lee K, Muruve DA, Ho M. Plasmodium falciparum-induced CD36 clustering rapidly strengthens cytoadherence via p130CAS-mediated actin cytoskeletal rearrangement. *FASEB J.* 2011 Nov 21. [Epub ahead of print]. PMID:22106368

Dawson PA, Cochran DA, Emmerson BT, Gordon RB. Inhibition of *Plasmodium falciparum* hypoxanthine-guanine phosphoribosyltransferase mRNA by antisense oligodeoxynucleotide sequence. *Mol Biochem Parasitol.* 1993 Jul;60(1):153-6. PMID:8366890

de Almeida RR, Souto RN, Bastos CN, da Silva MH, Maia JG. Chemical variation in *Piper aduncum* and biological properties of its dillapiole-rich essential oil. *Chem Biodivers.* 2009 Sep;6(9):1427-34. PMID:19774604

de Caprariis D, Dantas-Torres F, Capelli G, Mencke N, Stanneck D, Breitschwerdt EB, Otranto D. Evolution of clinical, haematological and biochemical findings in young dogs naturally infected by vector-borne pathogens. *Vet Microbiol.* 2011 Apr 21;149(1-2):206-12. Epub 2010 Oct 16. PMID:21106311

de Cassan SC, Forbes EK, Douglas AD, Milicic A, Singh B, Gupta P, Chauhan VS, Chitnis CE, Gilbert SC, Hill AV, Draper SJ. The requirement for potent adjuvants to enhance the immunogenicity and protective efficacy of protein vaccines can be overcome by prior immunization with a recombinant adenovirus. *J Immunol.* 2011 Sep 1;187(5):2602-16. Epub 2011 Aug 3. PMID:21813775

de Jong YP, Rice CM, Ploss A. New horizons for studying human hepatotropic infections. *J Clin Invest.* 2010 Mar 1;120(3):650-3. Epub 2010 Feb 22. PMID:20179350

de la Fuente J, Rodríguez M, Montero C, Redondo M, García-García JC, Méndez L, Serrano E, Valdés M, Enríquez A, Canales M, Ramos E, Boué O, Machado H, Lleonart R. Vaccination against ticks (*Boophilus* spp.): the experience with the Bm86-based vaccine Gavac. *Genet Anal.* 1999 Nov;15(3-5):143-8. PMID:10596754

de la Fuente J, Rodríguez M, Redondo M, Montero C, García-García JC, Méndez L, Serrano E, Valdés M, Enriquez A, Canales M, Ramos E, Boué O, Machado H, Lleonart R, de Armas CA, Rey S, Rodríguez JL, Artiles M, García L. Field studies and cost-effectiveness analysis of vaccination with Gavac against the cattle tick *Boophilus microplus*. *Vaccine*. 1998 Feb;16(4):366-73. PMID:9607057

de Sousa A, Rabariaona LP, Ndiaye JL, Sow D, Ndyiae M, Hassan J, Lambo N, Adovohekpe P, Guidetti F, Recht J, Affo A. Acceptability of coupling Intermittent Preventive Treatment in infants with the Expanded Programme on Immunization in three francophone countries in Africa. *Trop Med Int Health*. 2011 Nov 29. [Epub ahead of print]. PMID:22128893

de Sousa BC, Cunha C. Development of mathematical models for the analysis of hepatitis delta virus viral dynamics. *PLoS One*. 2010 Sep 16;5(9). pii: e12512. PMID:20862328

De Souza CM, Silva ED, Ano Bom AP, Bastos RC, Nascimento HJ, Da Silva Junior JG. Evaluation of an ELISA for canine leishmaniasis immunodiagnostic using recombinant proteins. *Parasite Immunol*. 2012 Jan;34(1):1-7. PMID:21929686

de Souza JB, Okomo U, Alexander ND, Aziz N, Owens BM, Kaur H, Jasseh M, Muangnoicharoen S, Sumariwalla PF, Warhurst DC, Ward SA, Conway DJ, Ulloa L, Tracey KJ, Foxwell BM, Kaye PM, Walther M. Oral activated charcoal prevents experimental cerebral malaria in mice and in a randomized controlled clinical trial in man did not interfere with the pharmacokinetics of parenteral artesunate. *PLoS One*. 2010 Apr 15;5(4):e9867. PMID:20419161

de Souza NB, Carmo AM, Lagatta DC, Alves MJ, Fontes AP, Coimbra ES, da Silva AD, Abramo C. 4-aminoquinoline analogues and its platinum (II) complexes as antimalarial agents. *Biomed Pharmacother*. 2011 Jul;65(4):313-6. Epub 2011 May 30. PMID:21704476

De Vos AJ, Bessenger R, Fourie CG. Virulence and heterologous strain immunity of South African and Australian Babesia bovis strains with reduced pathogenicity. *Onderstepoort J Vet Res.* 1982 Sep;49(3):133-6. PMID:7177589

De Vos AJ, Bock RE. Vaccination against bovine babesiosis. *Ann N Y Acad Sci.* 2000;916:540-5. PMID:11193669

de Vos AJ. Epidemiology and control of bovine babesiosis in South Africa. *J S Afr Vet Assoc.* 1979 Dec;50(4):357-62. PMID:576018

de Waal DT, Combrink MP. Live vaccines against bovine babesiosis. *Vet Parasitol.* 2006 May 31;138(1-2):88-96. Epub 2006 Feb 28. PMID:16504404

Deiana S, Watanabe A, Yamasaki Y, Amada N, Arthur M, Fleming S, Woodcock H, Dorward P, Pigliacampo B, Close S, Platt B, Riedel G. Plasma and brain pharmacokinetic profile of cannabidiol (CBD), cannabidivarine (CBDV),  $\Delta(9)$ -tetrahydrocannabivarin (THCV) and cannabigerol (CBG) in rats and mice following oral and intraperitoneal administration and CBD action on obsessive-compulsive behaviour. *Psychopharmacology (Berl).* 2011 Jul 28. [Epub ahead of print]. PMID:21796370

Delbecq S, Precigout E, Schetters T, Gorenflo A. Babesia divergens: cloning of a Ran binding protein 1 homologue. *Vet Parasitol.* 2003 Jul 29;115(3):205-11. PMID:12935735

Della-Giustina D, Laird TW Jr, Smith T. Transfusion-acquired babesiosis in a nonendemic area. *Mil Med.* 2005 Apr;170(4):295-6. PMID:15916297

Dennig HK. [Babesia galagolata n.sp., a Babesia of the galago (Galago crassicaudatus) (author's transl)].[Article in German]. *Z Parasitenkd.* 1973 Jul 16;41(4):281-90. PMID:4742782

Depinay N, Franetich JF, Grüner AC, Mauduit M, Chavatte JM, Luty AJ, van Gemert GJ, Sauerwein RW, Siksik JM, Hannoun L, Mazier D, Snounou G, Rénia L. Inhibitory effect of TNF- $\alpha$  on malaria pre-erythrocytic stage development: influence of host hepatocyte/parasite combinations. *PLoS One*. 2011 Mar 4;6(3):e17464. PMID:21394207

Deplaine G, Lavazec C, Bischoff E, Natalang O, Perrot S, Guillotte-Blisnick M, Coppée JY, Pradines B, Mercereau-Puijalon O, David PH. Artesunate tolerance in transgenic Plasmodium falciparum parasites overexpressing a tryptophan-rich protein. *Antimicrob Agents Chemother*. 2011 Jun;55(6):2576-84. Epub 2011 Apr 4. PMID:21464256

Derieg NJ, Sangaumpha A, Bruederle LP. Genetic diversity and endemism in North American Carex section Ceratocystis (Cyperaceae). *Am J Bot*. 2008 Oct;95(10):1287-96. PMID:21632333

Desai M, Dellicour S. Effects of malaria and its treatment in early pregnancy. *Lancet Infect Dis*. 2011 Dec 12. [Epub ahead of print]. PMID:22169410

Deschermeier C, Hecht LS, Bach F, Rützel K, Stanway RR, Nagel A, Seeber F, Heussler VT. Mitochondrial lipoic acid scavenging is essential for Plasmodium berghei liver stage development. *Cell Microbiol*. 2011 Nov 30. [Epub ahead of print]. PMID:22128915

de-Thé G, Geser A. [Prospective epidemiologic studies and the nature of the association between Epstein-Barr virus (EBV) and Burkitt's lymphoma (BL)]. [Article in French]. *C R Acad Sci Hebd Seances Acad Sci D*. 1976 Apr 5;282(14):1387-90. PMID:181158

Devine GJ, Killeen GF. The potential of a new larviciding method for the control of malaria vectors. *Malar J*. 2010 May 25;9:142. PMID:20500865

Deye GA, Miller RS, Miller L, Salas CJ, Tosh D, Macareo L, Smith BL, Fracisco S, Clemens EG, Murphy J, Sousa JC, Dumler JS, Magill AJ. Prolonged Protection Provided by a Single Dose of Atovaquone-Proguanil for the Chemoprophylaxis of Plasmodium falciparum Malaria in a Human Challenge Model. *Clin Infect Dis.* 2011 Nov 3. [Epub ahead of print]. PMID:22052893

Dhanawat M, Das N, Nagarwal RC, Shrivastava SK. Antimalarial drug development: past to present scenario. *Mini Rev Med Chem.* 2009 Oct;9(12):1447-69. PMID:19929818

Dharia NV, Plouffe D, Bopp SE, González-Páez GE, Lucas C, Salas C, Soberon V, Bursulaya B, Kochel TJ, Bacon DJ, Winzeler EA. Genome scanning of Amazonian Plasmodium falciparum shows subtelomeric instability and clindamycin-resistant parasites. *Genome Res.* 2010 Nov;20(11):1534-44. Epub 2010 Sep 9. PMID:20829224

Dhiman S, Goswami D, Rabha B, Gopalakrishnan R, Baruah I, Singh L. Malaria epidemiology along Indo-Bangladesh border in Tripura State, India. *Southeast Asian J Trop Med Public Health.* 2010 Nov;41(6):1279-89. PMID:21329299

Diawara HZ, Gbaguidi F, Evrard B, Leclercq JQ, Moudachirou M, Debrus B, Hubert P, Rozet E. Validation, transfer and measurement uncertainty estimation of an HPLC-UV method for the quantification of artemisinin in hydro alcoholic extracts of Artemisia annua L. *J Pharm Biomed Anal.* 2011 Aug 25;56(1):7-15. Epub 2011 Apr 21. PMID:21570794

Dicko A, Doumbo O. Efficacy of RTS,S malaria vaccine given with EPI vaccines. *Lancet Infect Dis.* 2011 Oct;11(10):722-3. Epub 2011 Jul 22. PMID:21782518

Dicko A, Toure SO, Traore M, Sagara I, Toure OB, Sissoko MS, Diallo AT, Rogier C, Salomon R, de Sousa A, Doumbo OK. Increase in EPI vaccines coverage after implementation of intermittent preventive treatment of malaria in infant with Sulfadoxine -pyrimethamine in the district of Kolokani, Mali: results from a cluster randomized control trial. *BMC Public Health.* 2011 Jul 18;11:573. PMID:21767403

Diggs CL, Osler AG. Humoral immunity in rodent malaria. III: Studies on the site of antibody action. *J Immunol.* 1975 Apr;114(4):1243-7. PMID:1090670

Dimmock CK, Bell K. Haemolytic disease of the newborn in calves. *Aust Vet J.* 1970 Feb;46(2):44-7. PMID:5463721

Dimmock CK. Blood group antibody production in cattle by a vaccine against Babesia argentina. *Res Vet Sci.* 1973 Nov;15(3):305-9. PMID:4792010

Dinter D, Gajski G, Garaj-Vrhovac V. An alkaline comet assay study on the antimalarial drug atovaquone in human peripheral blood lymphocytes: a study based on clinically relevant concentrations. *J Appl Toxicol.* 2011 Jul 7. [Epub ahead of print]. PMID:21735454

Diou J, Tardif MR, Barat C, Tremblay MJ. Dendritic cells derived from hemozoin-loaded monocytes display a partial maturation phenotype that promotes HIV-1 trans-infection of CD4+ T cells and virus replication. *J Immunol.* 2010 Mar 15;184(6):2899-907. Epub 2010 Feb 10. PMID:20147629

Dippmann AK, Bienzle U, Harms G, Mockenhaupt FP. pfmdr1 mutations in imported African Plasmodium falciparum isolates. *Trans R Soc Trop Med Hyg.* 2008 Nov;102(11):1148-50. Epub 2008 May 29. PMID:18513774

Distiller GB, Little F, Barnes KI. Nonlinear mixed effects modeling of gametocyte carriage in patients with uncomplicated malaria. *Malar J.* 2010 Feb 26;9:60. PMID:20187935

Djimdé AA, Fofana B, Sagara I, Sidibe B, Toure S, Dembele D, Dama S, Ouologuem D, Dicko A, Doumbo OK. Efficacy, safety, and selection of molecular markers of drug resistance by two ACTs in Mali. *Am J Trop Med Hyg.* 2008 Mar;78(3):455-61. PMID:18337343

Dlamini SV, Beshir K, Sutherland CJ. Markers of anti-malarial drug resistance in *Plasmodium falciparum* isolates from Swaziland: identification of pfmdr1-86F in natural parasite isolates. *Malar J.* 2010 Mar 3;9:68. PMID:20199676

DoAmaral JR, French FA, Blanz EJ Jr, French DA. Antimalarial activity of guanylhydrazone salts of aromatic ketones. 2. Development of active polyhalo derivatives. *J Med Chem.* 1971 Sep;14(9):862-6. PMID:5140015

Dobaño C, Quelhas D, Quintó L, Puyol L, Serra-Casas E, Mayor A, Nhampossa T, Macete E, Aide P, Mandomando I, Sanz S, Puniya SK, Singh B, Gupta P, Bhattacharya A, Chauhan VS, Aponte JJ, Chitnis CE, Alonso PL, Menéndez C. Age-Dependent IgG Subclass Responses to *Plasmodium falciparum* EBA-175 are Differentially Associated with Incidence of Malaria in Mozambican Children. *Clin Vaccine Immunol.* 2011 Dec 14. [Epub ahead of print]. PMID:22169088

Dobroszycki J, Herwaldt BL, Boctor F, Miller JR, Linden J, Eberhard ML, Yoon JJ, Ali NM, Tanowitz HB, Graham F, Weiss LM, Wittner M. A cluster of transfusion-associated babesiosis cases traced to a single asymptomatic donor. *JAMA.* 1999 Mar 10;281(10):927-30. PMID:10078490

Dodd JD, Aquino SL, Sharma A. Babesiosis: CT and hematologic findings. *J Thorac Imaging.* 2007 Aug;22(3):271-3. PMID:17721341

Dodd RY. Current risk for transfusion transmitted infections. *Curr Opin Hematol.* 2007 Nov;14(6):671-6. PMID:17898573

Dodd RY. Emerging pathogens in transfusion medicine. *Clin Lab Med.* 2010 Jun;30(2):499-509. Epub 2010 May 6. PMID:20513567

Dodd RY. Transmission of parasites by blood transfusion. *Vox Sang.* 1998;74 Suppl 2:161-3. PMID:9704440

Dondorp AM, Fairhurst RM, Slutsker L, Macarthur JR, M D JG, Guerin PJ, Wellemes TE, Ringwald P, Newman RD, Plowe CV. The threat of artemisinin-resistant malaria. *N Engl J Med.* 2011 Sep 22;365(12):1073-5. PMID:21992120

Dondorp AM, Fanello CI, Hendriksen IC, Gomes E, Seni A, Chhaganlal KD, Bojang K, Olaosebikan R, Anunobi N, Maitland K, Kivaya E, Agbenyega T, Nguah SB, Evans J, Gesase S, Kahabuka C, Mtobe G, Nadjm B, Deen J, Mwanga-Amumpaire J, Nansumba M, Karema C, Umulisa N, Uwimana A, Mokuolu OA, Adedoyin OT, Johnson WB, Tshefu AK, Onyamboko MA, Sakulthaew T, Ngum WP, Silamut K, Stepniewska K, Woodrow CJ, Bethell D, Wills B, Oneko M, Peto TE, von Seidlein L, Day NP, White NJ; AQUAMAT group. Artesunate versus quinine in the treatment of severe falciparum malaria in African children (AQUAMAT): an open-label, randomised trial. *Lancet.* 2010 Nov 13;376(9753):1647-57. Epub 2010 Nov 7. PMID:21062666

Dondorp AM, Nosten F, Yi P, Das D, Phyo AP, Tarning J, Lwin KM, Ariey F, Hanpithakpong W, Lee SJ, Ringwald P, Silamut K, Imwong M, Chotivanich K, Lim P, Herdman T, An SS, Yeung S, Singhasivanon P, Day NP, Lindegardh N, Socheat D, White NJ. Artemisinin resistance in Plasmodium falciparum malaria. *N Engl J Med.* 2009 Jul 30;361(5):455-67. PMID:19641202

Dorman SE, Cannon ME, Telford SR 3rd, Frank KM, Churchill WH. Fulminant babesiosis treated with clindamycin, quinine, and whole-blood exchange transfusion. *Transfusion.* 2000 Mar;40(3):375-80. PMID:10738042

Douradinha B, Doolan DL. Harnessing immune responses against Plasmodium for rational vaccine design. *Trends Parasitol.* 2011 Jun;27(6):274-83. Epub 2011 Apr 30. PMID:21531627

Dow GS, Gettayacamin M, Hansukjariya P, Imerbsin R, Komcharoen S, Sattabongkot J, Kyle D, Milhous W, Cozens S, Kenworthy D, Miller A, Veazey J, Ohrt C. Radical curative efficacy of tafenoquine combination regimens in Plasmodium cynomolgi-infected Rhesus monkeys (*Macaca mulatta*). *Malar J.* 2011 Jul 29;10:212. PMID:21801400

Dowling DP, Ilies M, Olszewski KL, Portugal S, Mota MM, Llinás M, Christianson DW. Crystal structure of arginase from *Plasmodium falciparum* and implications for L-arginine depletion in malarial infection. *Biochemistry.* 2010 Jul 6;49(26):5600-8. PMID:20527960

Dowsett KF, Dimmock CK, Hill MW. Haemolytic disease in new born calves. *Aust Vet J.* 1978 Feb;54(2):65-7. PMID:566099

Doyle E, Fowles SE, Summerfield S, White TJ. Rapid determination of tafenoquine in small volume human plasma samples by high-performance liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2002 Mar 25;769(1):127-32. PMID:11936685

Drame PM, Poinsignon A, Besnard P, Le Mire J, Dos-Santos MA, Sow CS, Cornelie S, Foumane V, Toto JC, Sembene M, Boulanger D, Simondon F, Fortes F, Carnevale P, Remoue F. Human antibody response to *Anopheles gambiae* saliva: an immuno-epidemiological biomarker to evaluate the efficacy of insecticide-treated nets in malaria vector control. *Am J Trop Med Hyg.* 2010 Jul;83(1):115-21. PMID:20595489

Draper SJ, Biswas S, Spencer AJ, Remarque EJ, Capone S, Naddeo M, Dicks MD, Faber BW, de Cassan SC, Folgori A, Nicosia A, Gilbert SC, Hill AV. Enhancing blood-stage malaria subunit vaccine immunogenicity in rhesus macaques by combining adenovirus, poxvirus, and protein-in-adjuvant vaccines. *J Immunol.* 2010 Dec 15;185(12):7583-95. Epub 2010 Nov 22. PMID:21098232

Dreyer K, Fourie LJ, Kok DJ. The efficacy of used engine oil against ticks on cattle. *Onderstepoort J Vet Res.* 1998 Dec;65(4):275-9. PMID:10192839

Dua VK, Pandey AC, Dash AP. Adulticidal activity of essential oil of Lantana camara leaves against mosquitoes. Indian J Med Res. 2010 Mar;131:434-9. PMID:20418559

Duda RB, Anarfi JK, Adanu RM, Seffah J, Darko R, Hill AG. The health of the “older women” in Accra, Ghana: results of the Women’s Health Study of Accra. J Cross Cult Gerontol. 2011 Sep;26(3):299-314. PMID:21695397

Duh D, Jelovsek M, Avsic-Zupanc T. Evaluation of an indirect fluorescence immunoassay for the detection of serum antibodies against Babesia divergens in humans. Parasitology. 2007 Feb;134(Pt 2):179-85. Epub 2006 Oct 11. PMID:17032478

Duncan CJ, Sheehy SH, Ewer KJ, Douglas AD, Collins KA, Halstead FD, Elias SC, Lillie PJ, Rausch K, Aebig J, Miura K, Edwards NJ, Poulton ID, Hunt-Cooke A, Porter DW, Thompson FM, Rowland R, Draper SJ, Gilbert SC, Fay MP, Long CA, Zhu D, Wu Y, Martin LB, Anderson CF, Lawrie AM, Hill AV, Ellis RD. Impact on malaria parasite multiplication rates in infected volunteers of the protein-in-adjuvant vaccine AMA1-C1/Alhydrogel+CPG 7909. PLoS One. 2011;6(7):e22271. Epub 2011 Jul 22. PMID:21799809

Dunn MA, Quinn TC, Terwedow HA Jr. Pre-erythrocytic rodent malaria, Plasmodium berghei--prevention of development in the ethionine fatty liver. Am J Trop Med Hyg. 1972 May;21(3):288-92. PMID:5025613

Duthaler U, Smith TA, Keiser J. In vivo and in vitro sensitivity of *Fasciola hepatica* to triclabendazole combined with artesunate, artemether, or OZ78. Antimicrob Agents Chemother. 2010 Nov;54(11):4596-604. Epub 2010 Aug 23. PMID:20733042

Dutta S, Sullivan JS, Grady KK, Haynes JD, Komisar J, Batchelor AH, Soisson L, Diggs CL, Heppner DG, Lanar DE, Collins WE, Barnwell JW. High antibody titer against apical membrane antigen-1 is required to protect against malaria in the Aotus model. PLoS One. 2009 Dec 3;4(12):e8138. PMID:19997632

Dvoraková HM, Dvorácková M. [Babesiosis, a little known zoonosis]. [Article in Czech]. Epidemiol Mikrobiol Imunol. 2007 Nov;56(4):176-80. PMID:18072299

Dy FJ. Present status of malaria control in Asia. Bull World Health Organ. 1954;11(4-5):725-63. PMID:13209318

Dye C, Bourdin Trunz B, Lönnroth K, Roglic G, Williams BG. Nutrition, diabetes and tuberculosis in the epidemiological transition. PLoS One. 2011;6(6):e21161. Epub 2011 Jun 21. PMID:21712992

East IJ, Zakrzewski H, Gale KR, Leatch G, Dimmock CM, Thomas MB, Waltisbuhl DJ. Vaccination against Babesia bovis: T cells from protected and unprotected animals show different cytokine profiles. Int J Parasitol. 1997 Dec;27(12):1537-45. PMID:9467739

Eberhard ML, Walker EM, Steurer FJ. Survival and infectivity of Babesia in blood maintained at 25 C and 2-4 C. J Parasitol. 1995 Oct;81(5):790-2. PMID:7472878

Echaide IE, de Echaide ST, Guglielmone AA. Live and soluble antigens for cattle protection to Babesia bigemina. Vet Parasitol. 1993 Dec;51(1-2):35-40. PMID:8128585

Eder AF, Dy BA, Barton J, Kennedy JM, Benjamin RJ. The American Red Cross Hemovigilance Program: advancing the safety of blood donation and transfusion. Immunohematology. 2009;25(4):179-85. PMID:20406027

Edstein MD, Kocisko DA, Brewer TG, Walsh DS, Eamsila C, Charles BG. Population pharmacokinetics of the new antimalarial agent tafenoquine in Thai soldiers. Br J Clin Pharmacol. 2001 Dec;52(6):663-70. PMID:11736877

Edstein MD, Kocisko DA, Walsh DS, Eamsila C, Charles BG, Rieckmann KH. Plasma concentrations of tafenoquine, a new long-acting antimalarial agent, in thai soldiers receiving monthly prophylaxis. Clin Infect Dis. 2003 Dec 15;37(12):1654-8. Epub 2003 Nov 20. PMID:14689348

Edstein MD, Nasveld PE, Kocisko DA, Kitchener SJ, Gatton ML, Rieckmann KH. Gender differences in gastrointestinal disturbances and plasma concentrations of tafenoquine in healthy volunteers after tafenoquine administration for post-exposure vivax malaria prophylaxis. *Trans R Soc Trop Med Hyg.* 2007 Mar;101(3):226-30. Epub 2006 Jun 30. PMID:16814823

Edstein MD, Walsh DS, Eamsila C, Sasiprapha T, Nasveld PE, Kitchener S, Rieckmann KH. Malaria prophylaxis/radical cure: recent experiences of the Australian Defence Force. *Med Trop (Mars).* 2001;61(1):56-8. PMID:11584657

Efferth T, Giaisi M, Merling A, Krammer PH, Li-Weber M. Artesunate induces ROS-mediated apoptosis in doxorubicin-resistant T leukemia cells. *PLoS One.* 2007 Aug 1;2(8):e693. PMID:17668070

Egdell HG, Stanfield JP. Paediatric neurology in Africa: a Ugandan report. *Br Med J.* 1972 Feb 26;1(5799):548-52. PMID:5015052

Eisele TP, Larsen D, Steketee RW. Protective efficacy of interventions for preventing malaria mortality in children in Plasmodium falciparum endemic areas. *Int J Epidemiol.* 2010 Apr;39 Suppl 1:i88-101. PMID:20348132

Eisele TP, Miller JM, Moonga HB, Hamainza B, Hutchinson P, Keating J. Malaria infection and anemia prevalence in Zambia's Luangwa District: an area of near-universal insecticide-treated mosquito net coverage. *Am J Trop Med Hyg.* 2011 Jan;84(1):152-7. PMID:21212219

El Bardicy S, El Sayed I, Yousif F, Van der Veken P, Haemers A, Augustyns K, Pieters L. Schistosomicidal and molluscicidal activities of aminoalkylamino substituted neo- and norneocryptolepine derivatives. *Pharm Biol.* 2012 Feb;50(2):134-40. PMID:22338119

El Sahly HM, Patel SM, Atmar RL, Lanford TA, Dube T, Thompson D, Sim BK, Long C, Keitel WA. Safety and immunogenicity of a recombinant nonglycosylated erythrocyte binding antigen 175 Region II malaria vaccine in healthy adults living in an area where malaria is not endemic. *Clin Vaccine Immunol.* 2010 Oct;17(10):1552-9. Epub 2010 Aug 11. PMID:20702657

El-Bahnasawy MM, Morsy TA. Egyptian human babesiosis and general review. *J Egypt Soc Parasitol.* 2008 Apr;38(1):265-72. PMID:19143136

Ellis RD, Sagara I, Doumbo O, Wu Y. Blood stage vaccines for Plasmodium falciparum: current status and the way forward. *Hum Vaccin.* 2010 Aug;6(8):627-34. PMID:20519960

Ellis RD, Fay MP, Sagara I, Dicko A, Miura K, Guindo MA, Guindo A, Sissoko MS, Doumbo OK, Diallo D. Anaemia in a phase 2 study of a blood stage falciparum malaria vaccine. *Malar J.* 2011 Jan 19;10:13. PMID:21247484

Ellis RD, Sagara I, Durbin A, Dicko A, Shaffer D, Miller L, Assadou MH, Kone M, Kamate B, Guindo O, Fay MP, Diallo DA, Doumbo OK, Emanuel EJ, Millum J. Comparing the understanding of subjects receiving a candidate malaria vaccine in the United States and Mali. *Am J Trop Med Hyg.* 2010 Oct;83(4):868-72. PMID:20889881

Elmes NJ, Nasveld PE, Kitchener SJ, Kocisko DA, Edstein MD. The efficacy and tolerability of three different regimens of tafenoquine versus primaquine for post-exposure prophylaxis of Plasmodium vivax malaria in the Southwest Pacific. *Trans R Soc Trop Med Hyg.* 2008 Nov;102(11):1095-101. Epub 2008 Jun 9. PMID:18541280

Emmerson FR, Knott SG, Callow LL. Vaccination with Babesia argentina in 5 beef herds in south-eastern Queensland. *Aust Vet J.* 1976 Oct;52(10):451-4. PMID:1016135

Enato EF, Sounyo AA, Einarson TR. Medication utilization and illness management study in Nigeria. *Ann Pharmacother.* 2011 Jul;45(7-8):924-30. Epub 2011 Jun 28. PMID:21712507

Englund L, Pringle J. New diseases and increased risk of diseases in companion animals and horses due to transport. *Acta Vet Scand Suppl.* 2003-2004;100:19-25. PMID:16429803

Enosse S, Magnussen P, Abacassamo F, Gómez-Olivé X, Rønn AM, Thompson R, Alifrangis M. Rapid increase of Plasmodium falciparum dhfr/dhps resistant haplotypes, after the adoption of sulphadoxine-pyrimethamine as first line treatment in 2002, in southern Mozambique. *Malar J.* 2008 Jul 1;7:115. PMID:18590577

Enwere OO. Herbs in orthodox practice: a view by medical students. *Afr J Tradit Complement Altern Med.* 2009 Mar 7;6(2):203-6. PMID:20209013

Erah PO, Aghayere PA, Suleman IA, Osahon TP. Treatment of uncomplicated malaria in Africa: evaluation of randomized clinical trials. *Nig Q J Hosp Med.* 2010 Oct-Dec;20(4):214-22. PMID:21913531

Erbsloh JK. Babesiosis in the newborn foal. *J Reprod Fertil Suppl.* 1975 Oct;(23):725-6. PMID:1060872

Erol E, Kumar N, Carson CA. Immunogenicity of recombinant Babesia microti hsp70 homologue in mice. *Int J Parasitol.* 1999 Feb;29(2):263-6. PMID:10221626

Erp EE, Smith RD, Ristic M, Osorno BM. Optimization of the suspension culture method for in vitro cultivation of Babesia bovis. *Am J Vet Res.* 1980 Dec;41(12):2059-62. PMID:7212439

Esimone CO, Omeje EO, Okoye FB, Obonga WO, Onah BU. Evidence for the spectroscopic determination of artesunate in dosage form. *J Vector Borne Dis.* 2008 Dec;45(4):281-6. PMID:19248654

Eskow ES, Krause PJ, Spielman A, Freeman K, Aslanzadeh J. Southern extension of the range of human babesiosis in the eastern United States. *J Clin Microbiol.* 1999 Jun;37(6):2051-2. PMID:10325378

Esteve M, Loras C, García-Planella E. Inflammatory bowel disease in travelers: choosing the right vaccines and check-ups. *World J Gastroenterol.* 2011 Jun 14;17(22):2708-14. PMID:21734778

Evenson DA, Perry E, Kloster B, Hurley R, Stroncek DF. Therapeutic apheresis for babesiosis. *J Clin Apher.* 1998;13(1):32-6. PMID:9590496

Ezzelarab M, Yeh P, Wagner R, Cooper DK. Babesia as a complication of immunosuppression following pig-to-baboon heart transplantation. *Xenotransplantation.* 2007 Mar;14(2):162-5. PMID:17381691

Falagas ME, Klempner MS. Babesiosis in patients with AIDS: a chronic infection presenting as fever of unknown origin. *Clin Infect Dis.* 1996 May;22(5):809-12. PMID:8722936

Fall B, Diawara S, Sow K, Baret E, Diatta B, Fall KB, Mbaye PS, Fall F, Diémé Y, Rogier C, Wade B, Bercion R, Pradines B. Ex vivo susceptibility of Plasmodium falciparum isolates from Dakar, Senegal, to seven standard anti-malarial drugs. *Malar J.* 2011 Oct 20;10:310. PMID:22014157

Famanta A, Diakite M, Diawara SI, Diakité SA, Doumbia S, Traoré K, Konaté DS, Doumbia M, Keita AS, Thiéro D, Traoré SF, Doumbia S, Tounkara A. [Prevalence of maternal and placental malaria and of neonatal low birth weight in a semi-urban area of Bamako (Mali)]. [Article in French]. *Sante.* 2011 Jan-Mar;21(1):3-7. PMID:21700554

Fanello CI, Karema C, Ngamije D, Uwimana A, Ndhindwa V, Van Overmeir C, Van Doren W, Curtis J, D'Alessandro U. A randomised trial to assess the efficacy and safety of chlorproguanil/dapsone + artesunate for the treatment of uncomplicated Plasmodium falciparum malaria. *Trans R Soc Trop Med Hyg.* 2008 May;102(5):412-20. Epub 2008 Mar 6. PMID:18328518

Farenhorst M, Knols BG. A novel method for standardized application of fungal spore coatings for mosquito exposure bioassays. *Malar J.* 2010 Jan 20;9:27. PMID:20089180

Farrance CE, Rhee A, Jones RM, Musiychuk K, Shamloul M, Sharma S, Mett V, Chichester JA, Streatfield SJ, Roeffen W, van de Vegte-Bolmer M, Sauerwein RW, Tsuboi T, Muratova OV, Wu Y, Yusibov V. A plant-produced Pfs230 vaccine candidate blocks transmission of Plasmodium falciparum. *Clin Vaccine Immunol*. 2011 Aug;18(8):1351-7. Epub 2011 Jun 29. PMID:21715576

Farzad E, Cator M, Giulivi A, Zhang J. Physician survey on knowledge and reporting practices of transfusion-transmitted infections in Canada. *Can J Public Health*. 2004 Nov-Dec;95(6):451-5. PMID:15622796

Fasan PO. The control of malaria in a holoendemic region. *Niger Med J*. 1973 Jul;3(3):124-7. PMID:16366343

Faucher B, Zaegel O, Niang A, Ba Fall K, Mbaye PS. [Permanent deafness following typhoid fever: case report from Dakar, Senegal]. [Article in French]. *Med Trop (Mars)*. 2009 Feb;69(1):73-4. PMID:19499740

Fawole OI, Akinboye DO, Falade CO, Arulogun OS, Adeniyi JD. Case management of childhood fever by traditional healers in southwest Nigeria: identification of training and collaborative needs. *Int Q Community Health Educ*. 2007-2008;28(4):319-35. PMID:19193526

Fawole OI, Onadeko MO. Knowledge and home management of malaria fever by mothers and care givers of under five children. *West Afr J Med*. 2001 Apr-Jun;20(2):152-7. PMID:11768016

Faye A, Manga NM, Seck I, Niang K, Leye MM, Diagne-Camara M, Diongue M, Ba M, Ndiaye P, Tal-Dia A. [Access to intermittent preventive treatment (IPT) in a situation of abolition of user's fee: role of economic welfare]. [Article in French]. *Bull Soc Pathol Exot*. 2011 Dec 6. [Epub ahead of print]. PMID:22147304

Faye B, Ndiaye JL, Ndiaye D, Dieng Y, Faye O, Gaye O. Efficacy and tolerability of four antimalarial combinations in the treatment of uncomplicated Plasmodium falciparum malaria in Senegal. *Malar J*. 2007 Jun 14;6:80. PMID:17570848

Feachem RG. The Global Fund: getting the reforms right. *Lancet*. 2011 Nov 19;378(9805):1764-5. PMID:22098844

Fedosov DA, Pan W, Caswell B, Gompper G, Karniadakis GE. Predicting human blood viscosity in silico. *Proc Natl Acad Sci U S A*. 2011 Jul 19;108(29):11772-7. Epub 2011 Jul 5. PMID:21730178

Fehintola FA, Balogun ST, Adeoye SB. Intermittent Preventive Treatment during Pregnancy with Sulphadoxine-Pyrimethamine May Promote Plasmodium falciparum Gametocytogenesis. *Med Princ Pract*. 2012;21(1):63-7. Epub 2011 Oct 21. PMID:22025224

Fell E. An update on Lyme disease and other tick-borne illnesses. *Nurse Pract*. 2000 Oct;25(10):38-40, 43-4, 47-8 passim; quiz 56-7. PMID:11068777

Fendel R, Brandts C, Rudat A, Kreidenweiss A, Steur C, Appelmann I, Ruehe B, Schröder P, Berdel WE, Kremsner PG, Mordmüller B. Hemolysis is associated with low reticulocyte production index and predicts blood transfusion in severe malarial anemia. *PLoS One*. 2010 Apr 6;5(4):e10038. PMID:20386613

Feng TS, Guantai EM, Nell M, van Rensburg CE, Ncokazi K, Egan TJ, Hoppe HC, Chibale K. Effects of highly active novel artemisinin-chloroquine hybrid compounds on  $\beta$ -hematin formation, parasite morphology and endocytosis in *Plasmodium falciparum*. *Biochem Pharmacol*. 2011 Aug 1;82(3):236-47. Epub 2011 May 8. PMID:21596024

Fernandes Fde F, Freitas Ede P. Analysis of the use of fenthion via epicutaneous in dogs for *Rhipicephalus sanguineus* control. *Rev Soc Bras Med Trop*. 2001 Jul-Aug;34(4):339-42. PMID:11562726

Fernández-Villegas A, Pinazo MJ, Marañón C, Thomas MC, Posada E, Carrilero B, Segovia M, Gascon J, López MC. Short-term follow-up of chagasic patients after benznidazole treatment using multiple serological markers. *BMC Infect Dis*. 2011 Jul 31;11:206. PMID:21801456

Fernando D, Rodrigo C, Rajapakse S. Primaquine in vivax malaria: an update and review on management issues. *Malar J.* 2011 Dec 12;10(1):351. [Epub ahead of print]. PMID:22152065

Ferreira ID, Martinelli A, Rodrigues LA, do Carmo EL, do Rosário VE, Póvoa MM, Cravo P. Plasmodium falciparum from Pará state (Brazil) shows satisfactory in vitro response to artemisinin derivatives and absence of the S769N mutation in the ERCA-type PfATPase6. PMID:18304266

Fidock DA. Drug discovery: Priming the antimalarial pipeline. *Nature.* 2010 May 20;465(7296):297-8. PMID:20485420

Figueroa JV, Alvarez JA, Rojas EE, Ramos JA, Mosqueda JJ, Cantó GJ, Vega CA, Buening GM. Use of a duplex PCR/DNA probe assay to monitor Babesia bovis and Babesia bigemina in cattle during a vaccination trial. *Rev Latinoam Microbiol.* 1998 Jan-Jun;40(1-2):39-44. PMID:10932733

Figueroa JV, Buening GM. In vitro inhibition of multiplication of Babesia bigemina by using monoclonal antibodies. *J Clin Microbiol.* 1991 May;29(5):997-1003. PMID:2056067

Filbin MR, Mylonakis EE, Callegari L, Legome E. Babesiosis. *J Emerg Med.* 2001 Jan;20(1):21-4. PMID:11165832

Finerty JF, Krehl EP. Cyclophosphamide pretreatment and protection against malaria. *Infect Immun.* 1976 Oct;14(4):1103-5. PMID:791863

Fink E, Dann O. [Further development of the Roehl test for testing antimalarial agents on Plasmodium cathemerium in the canary by intravenous administration].[Article in German]. *Z Tropenmed Parasitol.* 1967 Dec;18(4):466-74. PMID:5613461

Fink E. Assessment of causal prophylactic activity in Plasmodium berghei yoelii and its value for the development of new antimalarial drugs. *Bull World Health Organ.* 1974;50(3-4):213-22. PMID: 4155355

Fish L, Leibovich B, Krigel Y, McElwain T, Shkap V. Vaccination of cattle against *B. bovis* infection with live attenuated parasites and non-viable immunogens. *Vaccine*. 2008 Dec 19;26 Suppl 6:G29-33. PMID:19178890

Fish L, Pipano E, Indrakamhang P. Lyophilised bovine serum as a substitute for frozen serum in the cultivation of *Babesia bigemina* and *B bovis*. *Res Vet Sci*. 1992 Jan;52(1):115-6. PMID:1553430

Flateau C, Le Loup G, Pialoux G. Consequences of HIV infection on malaria and therapeutic implications: a systematic review. *Lancet Infect Dis*. 2011 Jul;11(7):541-56. PMID:21700241

Flateau C. [Artemether-lumefantrine: another choice for the treatment of malaria in pregnant women].[Article in French]. *Med Mal Infect*. 2011 May;41(5):276-7. PMID:21728261

Flaxman AD, Fullman N, Otten MW Jr, Menon M, Cibulskis RE, Ng M, Murray CJ, Lim SS. Rapid scaling up of insecticide-treated bed net coverage in Africa and its relationship with development assistance for health: a systematic synthesis of supply, distribution, and household survey data. *PLoS Med*. 2010 Aug 17;7(8):e1000328. PMID:20808957

Fleck SL, Robinson BL, Peters W. The chemotherapy of rodent malaria. LIV. Combinations of 'Fenozan B07' (Fenozan-50F), a difluorinated 3,3'-spirocyclopentane 1,2,4-trioxane, with other drugs against drug-sensitive and drug-resistant parasites. *Ann Trop Med Parasitol*. 1997 Jan;91(1):33-9. PMID:9093427

Flegg JA, Guerin PJ, White NJ, Stepniewska K. Standardizing the measurement of parasite clearance in falciparum malaria: the parasite clearance estimator. *Malar J*. 2011 Nov 10;10:339. PMID:22074219

Fletcher TI, Wigg JL, Rolls PJ, de Vos AJ. Viability assays of intra-erythrocytic organisms using fluorescent dyes. *Vet Parasitol*. 2009 Jul 7;163(1-2):144-7. Epub 2009 Mar 31. PMID:19380205

Floch H. [Development of the malaria campaign in French Guiana from 1950 to 1954].[Article in French]. *Publ Inst Pasteur Guyane Fr Inini.* 1954 Nov;15(345):1-8. PMID:14377655

Florent I, Maréchal E, Gascuel O, Bréhélin L. Bioinformatic strategies to provide functional clues to the unknown genes in *Plasmodium falciparum* genome. *Parasite.* 2010 Dec;17(4):273-83. PMID:21275233

Flores W, Chang J, Barillas E. Rapid assessment of the performance of malaria control strategies implemented by countries in the Amazon subregion using adequacy criteria: case study. *Malar J.* 2011 Dec 20;10(1):379. [Epub ahead of print]. PMID:22185638

Florescu D, Sordillo PP, Glyptis A, Zlatanic E, Smith B, Polsky B, Sordillo E. Splenic infarction in human babesiosis: two cases and discussion. *Clin Infect Dis.* 2008 Jan 1;46(1):e8-11. PMID:18171204

Florin-Christensen M, Schnittger L, Dominguez M, Mesplet M, Rodríguez A, Ferreri L, Asenzo G, Wilkowsky S, Farber M, Echaide I, Suarez C. Search for *Babesia bovis* vaccine candidates. *Parassitologia.* 2007 May;49 Suppl 1:9-12. PMID:17691600

Folarin OA, Bustamante C, Gbotosho GO, Sowunmi A, Zalis MG, Oduola AM, Happi CT. In vitro amodiaquine resistance and its association with mutations in pfcrt and pfmdr1 genes of *Plasmodium falciparum* isolates from Nigeria. *Acta Trop.* 2011 Dec;120(3):224-30. Epub 2011 Sep 6. PMID:21920347

Fonjungo PN, Kebede Y, Messele T, Ayana G, Tibesso G, Abebe A, Nkengasong JN, Kenyon T. Laboratory equipment maintenance: A critical bottleneck for strengthening health systems in sub-Saharan Africa? *J Public Health Policy.* 2011 Nov 10. [Epub ahead of print]. PMID:22071568

Foppa IM, Krause PJ, Spielman A, Goethert H, Gern L, Brand B, Telford SR 3rd. Entomologic and serologic evidence of zoonotic transmission of *Babesia microti*, eastern Switzerland. *Emerg Infect Dis.* 2002 Jul;8(7):722-6. PMID:12095442

Fort DM, Litvak J, Chen JL, Lu Q, Phuan PW, Cooper R, Bierer DE. Isolation and unambiguous synthesis of cryptolepinone: An oxidation artifact of cryptolepine. *J Nat Prod.* 1998 Dec;61(12):1528-30. PMID:9868157

Four Artemisinin-Based Combinations (4ABC) Study Group. A Head-to-Head Comparison of Four Artemisinin-Based Combinations for Treating Uncomplicated Malaria in African Children: A Randomized Trial. *PLoS Med.* 2011 Nov;8(11):e1001119. Epub 2011 Nov 8. PMID:22087077

Fowler JL, Ruff MD, Fernau RC, Furusho Y. Babesia gibsoni: chemotherapy in dogs. *Am J Vet Res.* 1972 Jun;33(6):1109-14. PMID:5022393

Fox LM, Wingerter S, Ahmed A, Arnold A, Chou J, Rhein L, Levy O. Neonatal babesiosis: case report and review of the literature. *Pediatr Infect Dis J.* 2006 Feb;25(2):169-73. PMID:16462298

Frank M, Lehnert N, Mayengue PI, Gabor J, Dal-Bianco M, Kombila DU, Ngoma GM, Supan C, Lell B, Ntoumi F, Grobusch MP, Dietz K, Kremsner PG. A thirteen-year analysis of Plasmodium falciparum populations reveals high conservation of the mutant pfcrt haplotype despite the withdrawal of chloroquine from national treatment guidelines in Gabon. *Malar J.* 2011 Oct 17;10:304. PMID:22004584

Freeman MJ, Kirby BM, Panciera DL, Henik RA, Rosin E, Sullivan LJ. Hypotensive shock syndrome associated with acute Babesia canis infection in a dog. *J Am Vet Med Assoc.* 1994 Jan 1;204(1):94-6. PMID:8125828

Frerichs WM, Allen PC, Holbrook AA. Equine piroplasmosis (*Babesia equi*): therapeutic trials of imidocarb dihydrochloride in horses and donkeys. *Vet Rec.* 1973 Jul 21;93(3):73-5. PMID:4748680

Frerichs WM, Holbrook AA. Treatment of equine piroplasmosis (B caballi) with imidocarb dipropionate. *Vet Rec.* 1974 Aug 31;95(9):188-9. PMID:4450446

Friedhoff KT. [Piroplasmas of horses--impact on the international horse trade].[Article in German]. Berl Munch Tierarztl Wochenschr. 1982 Oct 1;95(19):368-74. PMID:6756387

Friesen J, Borrmann S, Matuschewski K. Induction of antimalaria immunity by pyrimethamine prophylaxis during exposure to sporozoites is curtailed by parasite resistance. Antimicrob Agents Chemother. 2011 Jun;55(6):2760-7. Epub 2011 Mar 28. PMID:21444698

Friesen J, Silvie O, Putrianti ED, Hafalla JC, Matuschewski K, Borrmann S. Natural immunization against malaria: causal prophylaxis with antibiotics. Sci Transl Med. 2010 Jul 14;2(40):40ra49. PMID:20630856

Froberg MK, Dannen D, Bakken JS. Babesiosis and HIV. Lancet. 2004 Feb 28;363(9410):704. PMID:15001329

Froberg MK, Dannen D, Bernier N, Shieh WJ, Guarner J, Zaki S. Case report: spontaneous splenic rupture during acute parasitemia of Babesia microti. Ann Clin Lab Sci. 2008 Autumn;38(4):390-2. PMID:18988934

Frölich S, Entzeroth R, Wallach M. Comparison of protective immune responses to apicomplexan parasites. J Parasitol Res. 2012;2012:852591. Epub 2011 Aug 18. PMID:21876783

Fukumoto S, Tamaki Y, Igarashi I, Suzuki H, Xuan X. Immunogenicity and growth inhibitory efficacy of the prime-boost immunization regime with DNA followed by recombinant vaccinia virus carrying the P29 gene of Babesia gibsoni in dogs. Exp Parasitol. 2009 Dec;123(4):296-301. Epub 2009 Aug 25. PMID:19712674

Fukumoto S, Tamaki Y, Okamura M, Bannai H, Yokoyama N, Suzuki T, Igarashi I, Suzuki H, Xuan X. Prime-boost immunization with DNA followed by a recombinant vaccinia virus expressing P50 induced protective immunity against Babesia gibsoni infection in dogs. Vaccine. 2007 Jan 26;25(7):1334-41. Epub 2006 Oct 10. PMID:17055131

Fukumoto S, Tamaki Y, Shirafuji H, Harakawa S, Suzuki H, Xuan X. Immunization with recombinant surface antigen P50 of Babesia gibsoni expressed in insect cells induced parasite growth inhibition in dogs. *Clin Diagn Lab Immunol.* 2005 Apr;12(4):557-9. PMID:15817768

Fukumoto S, Xuan X, Igarashi I, Zhang S, Mugisha J, Ogata T, Nagasawa H, Fujisaki K, Suzuki N, Mikami T. Morphological changes of Babesia gibsoni grown in canine red blood cell-substituted severe combined immune deficiency mice. *J Parasitol.* 2000 Oct;86(5):956-8. PMID:11128518

Fukumoto S, Xuan X, Kadota K, Igarashi I, Sugimoto C, Fujisaki K, Nagasawa H, Mikami T, Suzuki H. High-level expression of truncated surface antigen P50 of Babesia gibsoni in insect cells by baculovirus and evaluation of its immunogenicity and antigenicity. *Clin Diagn Lab Immunol.* 2003 Jul;10(4):596-601. PMID:12853391

Fukumoto S, Xuan X, Takabatake N, Igarashi I, Sugimoto C, Fujisaki K, Nagasawa H, Mikami T, Suzuki H. Inhibitory effect of antiserum to surface antigen P50 of Babesia gibsoni on growth of parasites in severe combined immunodeficiency mice given canine red blood cells. *Infect Immun.* 2004 Mar;72(3):1795-8. PMID:14977989

Gachohi JM, Ngumi PN, Kitala PM, Skilton RA. Estimating seroprevalence and variation to four tick-borne infections and determination of associated risk factors in cattle under traditional mixed farming system in Mbeere District, Kenya. *Prev Vet Med.* 2010 Jul 1;95(3-4):208-23. PMID: 20434227

Gahutu JB, Musemakweri A, Harms G, Mockenhaupt FP. Prevalence of classic erythrocyte polymorphisms among 749 children in southern highland Rwanda. *Trans R Soc Trop Med Hyg.* 2012 Jan;106(1):63-5. Epub 2011 Oct 20. PMID:22018599

Gajski G, Dinter D, Garaj-Vrhovac V. In vitro effect of the antimalarial drug proguanil hydrochloride on viability and DNA damage in human peripheral blood lymphocytes. *Environ Toxicol Pharmacol.* 2010 Nov;30(3):257-63. Epub 2010 Jul 16. PMID:21787658

Galay RL, Maeda H, Aung KM, Umemiya-Shirafuji R, Xuan X, Igarashi I, Tsuji N, Tanaka T, Fujisaki K. Anti-babesial activity of a potent peptide fragment derived from longicin of *Haemaphysalis longicornis*. *Trop Anim Health Prod.* 2011 Nov 20. [Epub ahead of print]. PMID:22102016

Gallagher LG, Chau S, Owaisi AS, Konczyk M, Bishop HS, Arguin PM, Trenholme GM. An 84-year-old woman with fever and dark urine. *Clin Infect Dis.* 2009 Jul 15;49(2):278, 310-1. PMID:19538064

Gama BE, Pereira-Carvalho GA, Lutucuta Kosi FJ, Almeida de Oliveira NK, Fortes F, Rosenthal PJ, Daniel-Ribeiro CT, de Fátima Ferreira-da-Cruz M. Plasmodium falciparum isolates from Angola show the StctVMNT haplotype in the pfcrt gene. *Malar J.* 2010 Jun 18;9:174. PMID:20565881

Gamo FJ, Sanz LM, Vidal J, de Cozar C, Alvarez E, Lavandera JL, Vanderwall DE, Green DV, Kumar V, Hasan S, Brown JR, Peishoff CE, Cardon LR, Garcia-Bustos JF. Thousands of chemical starting points for antimalarial lead identification. *Nature.* 2010 May 20;465(7296):305-10. PMID:20485427

Gandhi A, Garg K, Wadhwa N. Neonatal Plasmodium vivax malaria: an overlooked entity. *J Infect Dev Ctries.* 2011 Jul 4;5(6):489-92. PMID:21727650

Gangopadhyay R, Karoshi M, Keith L. Anemia and pregnancy: A link to maternal chronic diseases. *Int J Gynaecol Obstet.* 2011 Nov;115 Suppl 1:S11-5. PMID:22099433

Garcia LS. Malaria. *Clin Lab Med.* 2010 Mar;30(1):93-129. PMID:20513543

Garnham PC, Warren M, Killick-Kendrick R. The action of 'terramycin' on the primary exoerythrocytic development of *Plasmodium vivax* and *Plasmodium cynomolgi ceylonensis*. *J Trop Med Hyg.* 1971 Feb;74(2):32-5. PMID:4993964

Garren H. Gene Based Vaccines: Optimising Development and Delivery - A marcus evans Conference. IDrugs. 2010 Nov;13(11):759-61. PMID:21046520

Garrett-Jones C, Gramiccia G. Evidence of the development of resistance to DDT by Anopheles sacharovi in the Levant. Bull World Health Organ. 1954;11(4-5):865-83. PMID:13209325

Gary AT, Webb JA, Hegarty BC, Breitschwerdt EB. The low seroprevalence of tick-transmitted agents of disease in dogs from southern Ontario and Quebec. Can Vet J. 2006 Dec;47(12):1194-200. PMID:17217089

Gautam A, Ahmed T, Batra V, Paliwal J. Pharmacokinetics and pharmacodynamics of endoperoxide antimalarials. Curr Drug Metab. 2009 Mar;10(3):289-306. PMID:19442090

Gbotosho GO, Happi CT, Sijuade AO, Sowunmi A, Oduola AM. A simple cost-effective high performance liquid chromatographic assay of sulphadoxine in whole blood spotted on filter paper for field studies. Malar J. 2009 Oct 24;8:238. PMID:19852850

Gbotosho GO, Okuboyejo T, Happi CT, Sowunmi A. Fall in Hematocrit per 1000 Parasites Cleared From Peripheral Blood: A Simple Method for Estimating Drug-Related Fall in Hematocrit After Treatment of Malaria Infections. Am J Ther. 2011 Oct 17. [Epub ahead of print]. PMID:22020083

Gbotosho GO, Sowunmi A, Happi CT, Okuboyejo TM. Plasmodium falciparum gametocyte carriage, sex ratios and asexual parasite rates in Nigerian children before and after a treatment protocol policy change instituting the use of artemisinin-based combination therapies. Mem Inst Oswaldo Cruz. 2011 Sep;106(6):685-90. PMID:22012222

Gear JH. The occurrence and diagnosis of malaria. S Afr Med J. 1974 May 25;48(25):1078-84. PMID:4602110

Gebresilassie FE, Mariam DH. Factors influencing people's willingness-to-buy insecticide-treated bednets in Arbaminch Zuria District, southern Ethiopia. *J Health Popul Nutr.* 2011 Jun;29(3):200-6. PMID:21766555

Gemma S, Travagli V, Savini L, Novellino E, Campiani G, Butini S. Malaria chemotherapy: recent advances in drug development. *Recent Pat Antiinfect Drug Discov.* 2010 Nov 1;5(3):195-225. PMID:20738242

Gerber MA, Shapiro ED, Krause PJ, Cable RG, Badon SJ, Ryan RW. The risk of acquiring Lyme disease or babesiosis from a blood transfusion. *J Infect Dis.* 1994 Jul;170(1):231-4. PMID:8014507

Gerena Y, Gonzalez-Pons M, Serrano AE. Cytofluorometric detection of rodent malaria parasites using red-excited fluorescent dyes. *Cytometry A.* 2011 Nov;79(11):965-72. Epub 2011 Aug 25. PMID:22015734

German PI, Aweeka FT. Clinical pharmacology of artemisinin-based combination therapies. *Clin Pharmacokinet.* 2008;47(2):91-102. PMID:18193915

Gern L, Lienhard R, Péter O. [Diseases and pathogenic agents transmitted by ticks in Switzerland].[Article in French]. *Rev Med Suisse.* 2010 Oct 13;6(266):1906-9. PMID:21089555

Gero AM, Wood AM. New nucleoside transport pathways induced in the host erythrocyte membrane of malaria and Babesia infected cells. *Adv Exp Med Biol.* 1991;309A:169-72. PMID:1789200

Gething PW, Smith DL, Patil AP, Tatem AJ, Snow RW, Hay SI. Climate change and the global malaria recession. *Nature.* 2010 May 20;465(7296):342-5. PMID:20485434

Geurts N, Opdenakker G, Van den Steen PE. Matrix metalloproteinases as therapeutic targets in protozoan parasitic infections. *Pharmacol Ther.* 2011 Nov 28. [Epub ahead of print]. PMID:22138604

Gharoro EP, Igbafe AA. Pattern of drug use amongst antenatal patients in Benin City, Nigeria. *Med Sci Monit.* 2000 Jan-Feb;6(1):84-7. PMID:11208289

Gholizadeh S, Basseri HR, Zakeri S, Ladoni H, Djadid ND. Cloning, expression and transmission-blocking activity of anti-PvWARP, malaria vaccine candidate, in Anopheles stephensi mysorensis. *Malar J.* 2010 Jun 11;9:158. PMID:20537198

Ghosh SK, Chakaravarthy P, Panch SR, Krishnappa P, Tiwari S, Ojha VP, Manjushree R, Dash AP. Comparative efficacy of two poeciliid fish in indoor cement tanks against chikungunya vector Aedes aegypti in villages in Karnataka, India. *BMC Public Health.* 2011 Jul 28;11:599. PMID:21798018

Ghumra A, Khunrae P, Ataide R, Raza A, Rogerson SJ, Higgins MK, Rowe JA. Immunisation with recombinant PfEMP1 domains elicits functional rosette-inhibiting and phagocytosis-inducing antibodies to Plasmodium falciparum. *PLoS One.* 2011 Jan 31;6(1):e16414. PMID:21305024

Gibbons S, Fallah F, Wright CW. Cryptolepine hydrochloride: a potent antimycobacterial alkaloid derived from *Cryptolepis sanguinolenta*. *Phytother Res.* 2003 Apr;17(4):434-6. PMID:12722159

Giha HA. Artemisinin derivatives for treatment of uncomplicated Plasmodium falciparum malaria in Sudan: too early for too much hope. *Parasitol Res.* 2010 Feb;106(3):549-52. Epub 2009 Dec 15. PMID:20012990

Gilbert IH, Leroy D, Frearson JA. Finding new hits in neglected disease projects: target or phenotypic based screening? *Curr Top Med Chem.* 2011;11(10):1284-91. PMID:21401505

Gill AC, Cowman AF, Stewart NP, Kemp DJ, Timms P. Babesia bovis: molecular and biological characteristics of cloned parasite lines. *Exp Parasitol.* 1987 Apr;63(2):180-8. PMID:3032666

Gillet J, Herman F. [Development of Plasmodium berghei berghei in mice embryos].[Article in French]. *C R Seances Soc Biol Fil.* 1971;165(9):2029-31. PMID:4263149

Ginsburg H, Deharo E. A call for using natural compounds in the development of new antimalarial treatments - an introduction. *Malar J.* 2011 Mar 15;10 Suppl 1:S1. [Epub ahead of print]. PMID:21411010

Giri S, Sykes EA, Jennings TL, Chan WC. Rapid screening of genetic biomarkers of infectious agents using quantum dot barcodes. *ACS Nano.* 2011 Mar 22;5(3):1580-7. Epub 2011 Feb 28. PMID:21355538

Gitau EN, Kokwaro GO, Newton CR, Ward SA. Global proteomic analysis of plasma from mice infected with *Plasmodium berghei* ANKA using two dimensional gel electrophoresis and matrix assisted laser desorption ionization-time of flight mass spectrometry. *Malar J.* 2011 Jul 26;10:205. PMID:21791037

Gleason NN, Wolf RE. Entopolypoides macaci (Babesiidae) in *Macaca mulatta*. *J Parasitol.* 1974 Oct;60(5):844-7. PMID:4214908

Gleckman RA, Roth RM. Fever following abdominal surgery. Unusual infectious causes. *Postgrad Med.* 1986 Feb 1;79(2):287-94. PMID:3945600

Goel S, Gowda DC. How specific is *Plasmodium falciparum* adherence to chondroitin 4-sulfate? *Trends Parasitol.* 2011 Sep;27(9):375-81. Epub 2011 Apr 18. PMID:21507719

Goel S, Valiyaveettil M, Achur RN, Goyal A, Mattei D, Salanti A, Trenholme KR, Gardiner DL, Gowda DC. Dual stage synthesis and crucial role of cytoadherence-linked asexual gene 9 in the surface expression of malaria parasite var proteins. *Proc Natl Acad Sci U S A.* 2010 Sep 21;107(38):16643-8. Epub 2010 Sep 7. PMID:20823248

Goethert HK, Telford SR 3rd. Enzootic transmission of *Babesia divergens* among cottontail rabbits on Nantucket Island, Massachusetts. *Am J Trop Med Hyg.* 2003 Nov;69(5):455-60. PMID:14695079

Goheen MP, Bartlett MS, Shaw MM, Queener SF, Smith JW. Effects of 8-aminoquinolines on the ultrastructural morphology of *Pneumocystis carinii*. *Int J Exp Pathol.* 1993 Aug;74(4):379-87. PMID:8398811

Gohil S, Kats LM, Sturm A, Cooke BM. Recent insights into alteration of red blood cells by Babesia bovis: moovin' forward. *Trends Parasitol.* 2010 Dec;26(12):591-9. Epub 2010 Jul 2. PMID:20598944

Golightly LM, Hirschhorn LR, Weller PF. Fever and headache in a splenectomized woman. *Rev Infect Dis.* 1989 Jul-Aug;11(4):629-37. PMID:2772469

Gonçalves PM, Passos LM, Ribeiro MF. Detection of IgM antibodies against Babesia bovis in cattle. *Vet Parasitol.* 1999 Mar 22;82(1):11-7. PMID:10223346

González EF, Todorovic RA, Thompson KC. Immunization against anaplasmosis and babesiosis: Part I. Evaluation of immunization using minimum infective doses under laboratory conditions. *Tropenmed Parasitol.* 1976 Dec;27(4):427-37. PMID:1006801

González IJ. [Metacaspases and their role in the life cycle of human protozoan parasites].[Article in Spanish]. *Biomedica.* 2009 Sep;29(3):485-93. PMID:20436999

González-Bulnes P, Bobenchik AM, Augagneur Y, Cerdan R, Vial HJ, Llebaria A, Ben Mamoun C. PG12, a phospholipid analog with potent antimalarial activity, inhibits Plasmodium falciparum CTP:phosphocholine cytidylyltransferase activity. *J Biol Chem.* 2011 Aug 19;286(33):28940-7. Epub 2011 Jun 25. PMID:21705805

Goo YK, Terkawi MA, Jia H, Aboge GO, Ooka H, Nelson B, Kim S, Sunaga F, Namikawa K, Igarashi I, Nishikawa Y, Xuan X. Artesunate, a potential drug for treatment of Babesia infection. *Parasitol Int.* 2010 Sep;59(3):481-6. Epub 2010 Jun 9. PMID:20541037

Goodger BV, Commins MA, Waltisbuhl DJ, Wright IG, Rode-Bramanis K. Babesia bovis: immunity induced by vaccination with a lipid enriched fraction. *Int J Parasitol.* 1990 Aug;20(5):685-7. PMID:2228430

Goodger BV, Commins MA, Wright IG, Mirre GB, Waltisbuhl DJ, White M. Babesia bovis: vaccination trial with a dominant immunodiffusion antigen in splenectomised calves. *Z Parasitenkd.* 1986;72(6):715-22. PMID:3099492

Goodger BV, Commins MA, Wright IG, Waltisbuhl DJ, Mirre GB. Successful homologous vaccination against Babesia bovis using a heparin-binding fraction of infected erythrocytes. *Int J Parasitol.* 1987 Apr;17(4):935-40. PMID:3583543

Goodger BV, Waltisbuhl DJ, Commins MA, Wright IG. Babesia bovis: dextran sulphate as an adjuvant for and precipitant of protective immunogens. *Int J Parasitol.* 1992 Jul;22(4):465-9. PMID:1644521

Goodger BV, Waltisbuhl DJ, Wright IG, Mahoney DF, Commins MA. Babesia bovis--analysis and vaccination trial with the cryoprecipitable immune complex. *Vet Immunol Immunopathol.* 1987 Jan;14(1):57-65. PMID:3103316

Goodger BV, Waltisbuhl DJ, Wright IG, White M. Babesia bovis: analysis of and preliminary vaccination studies with a defined infected erythrocyte membrane binding antigen. *Int J Parasitol.* 1992 Jul;22(4):533-5. PMID:1644530

Goodger BV, Wright IG, Mahoney DF. The use of pathophysiological reactions to assess the efficacy of the immune response to Babesia bovis in cattle. *Z Parasitenkd.* 1981;66(1):41-8. PMID:6172907

Goodger BV, Wright IG, Waltisbuhl DJ, Mirre GB. Babesia bovis: successful vaccination against homologous challenge in splenectomised calves using a fraction of haemagglutinating antigen. *Int J Parasitol.* 1985 Apr;15(2):175-9. PMID:3997349

Goodger BV, Wright IG, Waltisbuhl DJ. The lysate from bovine erythrocytes infected with Babesia bovis. Analysis of antigens and a report on their immunogenicity when polymerized with glutaraldehyde. *Z Parasitenkd.* 1983;69(4):473-82. PMID:6414195

Goodman AL, Draper SJ. Blood-stage malaria vaccines - recent progress and future challenges. *Ann Trop Med Parasitol.* 2010 Apr;104(3):189-211. PMID:20507694

Goodyer L, Rice L, Martin A. Choice of and adherence to prophylactic antimalarials. *J Travel Med.* 2011 Jul-Aug;18(4):245-9. PMID:21722235

Gordon S, Cordon RA, Mazdzer EJ, Valigorsky JM, Blagg NA, Barnes SJ. Adult respiratory distress syndrome in babesiosis. *Chest.* 1984 Oct;86(4):633-4. PMID:6541117

Gorenflo A, Bazin C, Ambroise-Thomas P. [Human babesiosis. Treatment of severe forms].[Article in French]. *Presse Med.* 1987 Jun 13;16(22):1099. PMID:2955343

Gorenflo A, Brasseur P, Bonmarchand G, Laneele D, Simonin D. [2 cases of severe human babesiosis treated successfully].[Article in French]. *Presse Med.* 1990 Feb 24;19(7):335. PMID:2138308

Gorenflo A, Moubri K, Precigout E, Carcy B, Schetters TP. Human babesiosis. *Ann Trop Med Parasitol.* 1998 Jun;92(4):489-501. PMID:9683900

Gorenflo A, Precigout E, Bissuel G, Lecointre O, Brasseur P, Vidor E, L'Hostis M, Schrevel J. Identification of major Babesia divergens polypeptides that induce protection against homologous challenge in gerbils. *Infect Immun.* 1990 Dec;58(12):4076-82. PMID:2254031

Gorenflo A, Precigout E, Valentin A, Bissuel G, Carcy B, Brasseur P, Moreau Y, Schrevel J. Babesia divergens vaccine. *Mem Inst Oswaldo Cruz.* 1992;87 Suppl 3:279-81. PMID:1343703

Govindarajan M, Sivakumar R, Rajeswari M, Yogalakshmi K. Chemical composition and larvicidal activity of essential oil from *Mentha spicata* (Linn.) against three mosquito species. *Parasitol Res.* 2011 Dec 6. [Epub ahead of print]. PMID:22139403

Grabowski EF, Giardina PJ, Goldberg D, Masur H, Read SE, Hirsch RL, Benach JL. Babesiosis transmitted by a transfusion of frozen-thawed blood. *Ann Intern Med.* 1982 Apr;96(4):466-7. PMID:7199884

Graham HA, Palczuk NC, Stauber LA. Immunity to exoerythrocytic forms of malaria. II. Passive transfer of immunity to exoerythrocytic forms. *Exp Parasitol.* 1973 Dec;34(3):372-81. PMID:4773576

Graham HA, Stauber LA, Palczuk NC, Barnes WD. Immunity to exoerythrocytic forms of malaria. I. Course of infection of *Plasmodium fallax* in turkeys. *Exp Parasitol.* 1973 Dec;34(3):364-71. PMID:4773575

Graham SM. Nontyphoidal salmonellosis in Africa. *Curr Opin Infect Dis.* 2010 Oct;23(5):409-14. PMID:20736739

Gray GD, Phillips RS. Suppression of primary and secondary antibody responses and inhibition of antigen priming during *Babesia microti* infections in mice. *Parasite Immunol.* 1983 Mar;5(2):123-34. PMID:6844029

Gray GD, Phillips RS. Use of sorbitol in the cryopreservation of babesia. *Res Vet Sci.* 1981 May;30(3):388-9. PMID:7255935

Gray J, Zintl A, Hildebrandt A, Hunfeld KP, Weiss L. Zoonotic babesiosis: overview of the disease and novel aspects of pathogen identity. *Ticks Tick Borne Dis.* 2010 Mar;1(1):3-10. Epub 2009 Dec 24. PMID:21771506

Gray JS, Gannon P. Preliminary development of a live drug-controlled vaccine against bovine babesiosis using the Mongolian gerbil, *Meriones unguiculatus*. *Vet Parasitol.* 1992 May;42(3-4):179-88. PMID:1496778

Gray JS, Langley RJ, Brophy PO, Gannon P. Vaccination against bovine babesiosis with drug-controlled live parasites. *Vet Rec.* 1989 Sep 30;125(14):369-72. PMID:2683338

Gray JS, Pudney M. Activity of atovaquone against *Babesia microti* in the Mongolian gerbil, *Meriones unguiculatus*. *J Parasitol.* 1999 Aug;85(4):723-8. PMID:10461956

Graz B, Willcox ML, Diakite C, Falquet J, Dackuo F, Sidibe O, Giani S, Diallo D. Argemone mexicana decoction versus artesunate-amodiaquine for the management of malaria in Mali: policy and public-health implications. *Trans R Soc Trop Med Hyg.* 2010 Jan;104(1):33-41. Epub 2009 Sep 5. PMID:19733875

Greenwood B. Anti-malarial drugs and the prevention of malaria in the population of malaria endemic areas. *Malar J.* 2010 Dec 13;9 Suppl 3:S2. PMID:21144082

Greenwood B, Bojang K, Tagbor H, Pagnoni F. Combining community case management and intermittent preventive treatment for malaria. *Trends Parasitol.* 2011 Nov;27(11):477-80. Epub 2011 Jul 27. PMID:21802363

Greenwood B, Salisbury D, Hill AV. Vaccines and global health. *Philos Trans R Soc Lond B Biol Sci.* 2011 Oct 12;366(1579):2733-42. PMID:21893534

Greenwood B. Anti-malarial drugs and the prevention of malaria in the population of malaria endemic areas. *Malar J.* 2010 Dec 13;9 Suppl 3:S2. PMID:21144082

Gregory KG, Peters W. The chemotherapy of rodent malaria. IX. Causal prophylaxis. I. A method for demonstrating drug action on exo-erythrocytic stages. *Ann Trop Med Parasitol.* 1970 Mar;64(1):15-24. PMID:5485706

Grellier P, Benach J, Labaied M, Charneau S, Gil H, Monsalve G, Alfonso R, Sawyer L, Lin L, Steiert M, Dupuis K. Photochemical inactivation with amotosalen and long-wavelength ultraviolet light of Plasmodium and Babesia in platelet and plasma components. *Transfusion.* 2008 Aug;48(8):1676-84. Epub 2008 May 22. PMID:18503613

Grellier P, Santus R, Mouray E, Agmon V, Mazière JC, Rigomier D, Dagan A, Gatt S, Schrével J. Photosensitized inactivation of Plasmodium falciparum- and Babesia divergens-infected erythrocytes in whole blood by lipophilic pheophorbide derivatives. *Vox Sang.* 1997;72(4):211-20. PMID:9228710

Griffing SM, Mixson-Hayden T, Sridaran S, Alam MT, McCollum AM, Cabezas C, Marquiño Quezada W, Barnwell JW, De Oliveira AM, Lucas C, Arrospide N, Escalante AA, Bacon DJ, Udhayakumar V. South American Plasmodium falciparum after the malaria eradication era: clonal population expansion and survival of the fittest hybrids. *PLoS One.* 2011;6(9):e23486. Epub 2011 Sep 16. PMID:21949680

Grima KM. Therapeutic apheresis in hematological and oncological diseases. *J Clin Apher.* 2000;15(1-2):28-52. PMID:10767050

Grimberg BT. Methodology and application of flow cytometry for investigation of human malaria parasites. *J Immunol Methods.* 2011 Mar 31;367(1-2):1-16. Epub 2011 Feb 4. PMID:21296083

Grimble RF, Tappia PS. Modulation of pro-inflammatory cytokine biology by unsaturated fatty acids. *Z Ernährungswiss.* 1998;37 Suppl 1:57-65. PMID:9558730

Grosse SD, Odame I, Atrash HK, Amendah DD, Piel FB, Williams TN. Sickle cell disease in Africa a neglected cause of early childhood mortality. *Am J Prev Med.* 2011 Dec;41(6 Suppl 4):S398-405. PMID:22099364

Grover WH, Bryan AK, Diez-Silva M, Suresh S, Higgins JM, Manalis SR. Measuring single-cell density. *Proc Natl Acad Sci U S A.* 2011 Jul 5;108(27):10992-6. Epub 2011 Jun 20. PMID:21690360

Gruber M, Wernsdorfer G, Satimai W, Wiedermann U, Congpuong K, Wernsdorfer WH. Pharmacodynamic interaction between mefloquine and retinol in Plasmodium falciparum in vitro. *Wien Klin Wochenschr.* 2009 Oct;121 Suppl 3:27-31. PMID:19915813

Guan G, Chauvin A, Luo J, Inoue N, Moreau E, Liu Z, Gao J, Thekisoe OM, Ma M, Liu A, Dang Z, Liu J, Ren Q, Jin Y, Sugimoto C, Yin H. The development and evaluation of a loop-mediated isothermal amplification (LAMP) method for detection of Babesia spp. infective to sheep and goats in China. *Exp Parasitol.* 2008 Sep;120(1):39-44. Epub 2008 Apr 18. PMID:18504039

Guan G, Chauvin A, Yin H, Luo J, Moreau E. Course of infection by Babesia sp. BQ1 (Lintan) and *B. divergens* in sheep depends on the production of IFNgamma and IL10. *Parasite Immunol.* 2010 Feb;32(2):143-52. PMID:20070828

Guay D. Update on clindamycin in the management of bacterial, fungal and protozoal infections. *Expert Opin Pharmacother.* 2007 Oct;8(14):2401-44. PMID:17927492

Gubernot DM, Lucey CT, Lee KC, Conley GB, Holness LG, Wise RP. Babesia infection through blood transfusions: reports received by the US Food and Drug Administration, 1997-2007. *Clin Infect Dis.* 2009 Jan 1;48(1):25-30. PMID:19035776

Gubernot DM, Nakhasi HL, Mied PA, Asher DM, Epstein JS, Kumar S. Transfusion-transmitted babesiosis in the United States: summary of a workshop. *Transfusion.* 2009 Dec;49(12):2759-71. Epub 2009 Oct 10. PMID:19821952

Guerrero FD, Miller RJ, Rousseau ME, Sunkara S, Quackenbush J, Lee Y, Nene V. BmiGI: a database of cDNAs expressed in *Boophilus microplus*, the tropical/southern cattle tick. *Insect Biochem Mol Biol.* 2005 Jun;35(6):585-95. Epub 2005 Mar 27. PMID:15857764

Guglielmone AA, de Echaide ST, Pérez y Santaella M, Iglesias JA, Vanzini VR, Lugaresi CI, Dellepiane EL. Cross-sectional estimation of Babesia bovis antibody prevalence in an area of Argentina used for extensive cattle breeding as an aid to control babesiosis. *Prev Vet Med.* 1997 May;30(2):151-4. PMID:9234418

Guglielmone AA, Lugaresi CI, Volpogni MM, Anziani OS, Vanzini VR. Babesial antibody dynamics after cattle immunisation with live vaccines, measured with an indirect immunofluorescence test. *Vet Parasitol.* 1997 Jun;70(1-3):33-9. PMID:9195707

Guha-Sapir D, van Panhuis WG. Health impact of the 2004 Andaman Nicobar earthquake and tsunami in Indonesia. *Prehosp Disaster Med.* 2009 Nov-Dec;24(6):493-9. PMID:20301065

Guiguemde WA, Shelat AA, Bouck D, Duffy S, Crowther GJ, Davis PH, Smithson DC, Connelly M, Clark J, Zhu F, Jiménez-Díaz MB, Martinez MS, Wilson EB, Tripathi AK, Gut J, Sharlow ER, Bathurst I, El Mazouni F, Fowble JW, Forquer I, McGinley PL, Castro S, Angulo-Barturen I, Ferrer S, Rosenthal PJ, Derisi JL, Sullivan DJ, Lazo JS, Roos DS, Riscoe MK, Phillips MA, Rathod PK, Van Voorhis WC, Avery VM, Guy RK. Chemical genetics of Plasmodium falciparum. *Nature.* 2010 May 20;465(7296):311-5. PMID:20485428

Guilbride DL, Gawlinski P, Guilbride PD. Why functional pre-erythrocytic and bloodstage malaria vaccines fail: a meta-analysis of fully protective immunizations and novel immunological model. *PLoS One.* 2010 May 19;5(5):e10685. PMID:20502667

Guittat L, Alberti P, Rosu F, Van Miert S, Thetiot E, Pieters L, Gabelica V, De Pauw E, Ottaviani A, Riou JF, Mergny JL. Interactions of cryptolepine and neocryptolepine with unusual DNA structures. *Biochimie.* 2003 May;85(5):535-47. PMID:12763313

Julia-Nuss M, Mundhalia A, Gakhar SK. Effect of anti-fat body antibodies on reproductive capacity of mosquito Anopheles stephensi and transmission blocking of Plasmodium vivax. *Indian J Exp Biol.* 2011 Jul;49(7):479-82. PMID:21800498

Gummow B, Swan GE, Du Preez JL. A bioequivalence and pharmacokinetic evaluation of two commercial diminazene aceturate formulations administered intramuscularly to cattle. *Onderstepoort J Vet Res.* 1994 Dec;61(4):317-26. PMID:7501363

Guo J, Guiguemde AW, Bentura-Marciano A, Clark J, Haynes RK, Chan WC, Wong HN, Hunt N, Guy RK, Golenser J. Synthesis of Artemiside and Its Effects in Combination with Conventional Drugs, Against Severe Murine Malaria. *Antimicrob Agents Chemother*. 2011 Oct 17. [Epub ahead of print]. PMID:22006004

Gupta P, Hurley RW, Helseth PH, Goodman JL, Hammerschmidt DE. Pancytopenia due to hemophagocytic syndrome as the presenting manifestation of babesiosis. *Am J Hematol*. 1995 Sep;50(1):60-2. PMID:7668227

Gutman J, Green M, Durand S, Rojas OV, Ganguly B, Quezada WM, Utz GC, Slutsker L, Ruebush TK 2nd, Bacon DJ. Mefloquine pharmacokinetics and mefloquine-artesunate effectiveness in Peruvian patients with uncomplicated Plasmodium falciparum malaria. *Malar J*. 2009 Apr 9;8:58. PMID:19358697

Gutman JD, Kotton CN, Kratz A. Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 29-2003. A 60-year-old man with fever, rigors, and sweats. *N Engl J Med*. 2003 Sep 18;349(12):1168-75. PMID:13679532

Gutteridge WE. Antimalarial drugs currently in development. *J R Soc Med*. 1989;82 Suppl 17:63-6; discussion 66-8. PMID:2693729

Gwadz RW. Successful immunization against the sexual stages of Plasmodium gallinaceum. *Science*. 1976 Sep 17;193(4258):1150-1. PMID:959832

Hadden CE, Sharaf MHM, Guido JE, Robins RH, Tackie AN, Phoebe CH Jr, Schiff PL Jr, Martin GE. 11-Isopropylcryptolepine: A novel alkaloid isolated from cryptolepis sanguinolenta characterized using submicro NMR techniques. *J Nat Prod*. 1999 Feb;62(2):238-40. PMID:10075749

Hadj-Kaddour K, Carcy B, Vallet A, Randazzo S, Delbecq S, Kleuskens J, Schetters T, Gorenflo A, Precigout E. Recombinant protein Bd37 protected gerbils against heterologous challenges with isolates of Babesia divergens polymorphic for the bd37 gene. *Parasitology*. 2007 Feb;134(Pt 2):187-96. Epub 2006 Oct 13. PMID:17038236

Hafalla JC, Silvie O, Matuschewski K. Cell biology and immunology of malaria. *Immunol Rev*. 2011 Mar;240(1):297-316. PMID:21349101

Hagimori I, Machida H, Goi R, Mencke N. Efficacy of imidacloprid/permethrin and fipronil/(S)-methoprene combinations against *Haemaphysalis longicornis* ticks evaluated under in vitro and in vivo conditions. *Parasitol Res*. 2005 Oct;97 Suppl 1:S120-6. PMID:16228268

Hale BR, Owusu-Agyei S, Fryauff DJ, Koram KA, Adjuik M, Oduro AR, Prescott WR, Baird JK, Nkrumah F, Ritchie TL, Franke ED, Binka FN, Horton J, Hoffman SL. A randomized, double-blind, placebo-controlled, dose-ranging trial of tafenoquine for weekly prophylaxis against *Plasmodium falciparum*. *Clin Infect Dis*. 2003 Mar 1;36(5):541-9. Epub 2003 Feb 14. PMID:12594633

Hamer SA, Tsao JI, Walker ED, Mansfield LS, Foster ES, Hickling GJ. Use of tick surveys and serosurveys to evaluate pet dogs as a sentinel species for emerging Lyme disease. *Am J Vet Res*. 2009 Jan;70(1):49-56. PMID:19119948

Hampton T. Antimalarial drugs--here and on the horizon. *JAMA*. 2007 May 23;297(20):2185-6. PMID:17519403

Han JI, Lee SJ, Jang HJ, Na KJ. Asymptomatic Babesia microti-like parasite infection in wild raccoon dogs (*Nyctereutes procyonoides*) in South Korea. *J Wildl Dis*. 2010 Apr;46(2):632-5. PMID:20688664

Hanafi-Bojd AA, Vatandoost H, Oshaghi MA, Eshraghian MR, Haghdoost AA, Abedi F, Zamani G, Sedaghat MM, Rashidian A, Madani AH, Raeisi A. Knowledge, attitudes and practices regarding malaria control in an endemic area of southern Iran. *Southeast Asian J Trop Med Public Health.* 2011 May;42(3):491-501. PMID:21706926

Hanafusa Y, Onuma M, Kamiyama T. Partial protection of severe combined immunodeficient mice against infection with Babesia microti by in vitro-generated CD4+ T cell clones. *J Vet Med Sci.* 1998 Apr;60(4):401-4. PMID:9592710

Handel TM, Horuk R. Duffy antigen inhibitors: useful therapeutics for malaria? *Trends Parasitol.* 2010 Jul;26(7):329-33. Epub 2010 Apr 9. PMID:20382562

Hanefeld J. The impact of Global Health Initiatives at national and sub-national level – a policy analysis of their role in implementation processes of antiretroviral treatment (ART) roll-out in Zambia and South Africa. *AIDS Care.* 2010;22 Suppl 1:93-102. PMID:20680864

Hansen G, Heitmann A, Witt T, Li H, Jiang H, Shen X, Heussler VT, Rennenberg A, Hilgenfeld R. Structural basis for the regulation of cysteine-protease activity by a new class of protease inhibitors in Plasmodium. *Structure.* 2011 Jul 13;19(7):919-29. PMID:21742259

Hanssen E, Knoechel C, Klonis N, Abu-Bakar N, Deed S, LeGros M, Larabell C, Tilley L. Cryo transmission X-ray imaging of the malaria parasite, *P. falciparum*. *J Struct Biol.* 2011 Jan;173(1):161-8. Epub 2010 Sep 6. PMID:20826218

Hansford CF. The use of antimalarial drugs. *S Afr Med J.* 1974 Jun 22;48(30):1314-6. PMID:4605355

Hanson J, Hasan MM, Royakers AA, Alam S, Charunwathana P, Maude RJ, Douthwaite ST, Yunus EB, Mantha ML, Schultz MJ, Faiz MA, White NJ, Day NP, Dondorp AM. Laboratory prediction of the requirement for renal replacement in acute falciparum malaria. *Malar J.* 2011 Aug 3;10:217. PMID:21813009

Hao GF, Li H, Sun Y, Ge RP, Qiao GQ, Li B, Tian WZ, Shi NX, Yang XY. [Detection of tick and tick-borne pathogen in some ports of Inner Mongolia]. [Article in Chinese]. Zhonghua Liu Xing Bing Xue Za Zhi. 2009 Apr;30(4):365-7. PMID: 19731529

Haque A, Best SE, Amante FH, Mustafah S, Desbarrieres L, de Labastida F, Sparwasser T, Hill GR, Engwerda CR. CD4+ natural regulatory T cells prevent experimental cerebral malaria via CTLA-4 when expanded in vivo. PLoS Pathog. 2010 Dec 9;6(12):e1001221. PMID:21170302

Haque A, Best SE, Ammerdorffer A, Desbarrieres L, de Oca MM, Amante FH, de Labastida Rivera F, Hertzog P, Boyle GM, Hill GR, Engwerda CR. Type I interferons suppress CD4+ T-cell-dependent parasite control during blood-stage Plasmodium infection. Eur J Immunol. 2011 Sep;41(9):2688-98. Epub 2011 Aug 8. PMID:21674481

Haque A, Best SE, Unosson K, Amante FH, de Labastida F, Anstey NM, Karupiah G, Smyth MJ, Heath WR, Engwerda CR. Granzyme B expression by CD8+ T cells is required for the development of experimental cerebral malaria. J Immunol. 2011 Jun 1;186(11):6148-56. Epub 2011 Apr 27. PMID:21525386

Harandi AM, Medaglini D, Shattock RJ; Working Group convened by EUROPRISE. Vaccine adjuvants: a priority for vaccine research. Vaccine. 2010 Mar 11;28(12):2363-6. Epub 2010 Jan 9. PMID:20064476

Harijanto PN. Malaria treatment by using artemisinin in Indonesia. Acta Med Indones. 2010 Jan;42(1):51-6. PMID:20305333

Harrington WE, Mutabingwa TK, Kabyemela E, Fried M, Duffy PE. Intermittent treatment to prevent pregnancy malaria does not confer benefit in an area of widespread drug resistance. Clin Infect Dis. 2011 Aug 1;53(3):224-30. PMID:21765070

Harris P, Price S, Senthuran S, Cochupanachimootil J, Norton R. Automated erythrocytapheresis for severe falciparum malaria. *Intern Med J.* 2011 Jan;41(1a):60-3. PMID:21265962

Harrison KA, Ibeziako PA. Maternal anaemia and fetal birthweight. *J Obstet Gynaecol Br Commonw.* 1973 Sep;80(9):798-804. PMID:4743068

Harvey WT, Martz D. Motor neuron disease recovery associated with IV ceftriaxone and anti-Babesia therapy. *Acta Neurol Scand.* 2007 Feb;115(2):129-31. PMID:17212618

Harwin RM. Gametocytes, sporozoites and liver schizonts. *S Afr Med J.* 1974 Jun 1;48(26):1123-4. PMID:4135674

Häselbarth K, Kurz M, Hunfeld KP, Krieger G. [Babesiosis in an immunocompromised German patient].[Article in German]. *Med Klin (Munich).* 2008 Feb 15;103(2):104-7. PMID:18270666

Häselbarth K, Tenter AM, Brade V, Krieger G, Hunfeld KP. First case of human babesiosis in Germany - Clinical presentation and molecular characterisation of the pathogen. *Int J Med Microbiol.* 2007 Jun;297(3):197-204. Epub 2007 Mar 12. PMID:17350888

Hashemi-Fesharki R. Ovine and caprine babesiosis in Iran: treatment with imidocarb. *Vet Rec.* 1991 Oct 26;129(17):383-4. PMID:1746117

Hassan V, Arash R, Mehdi J, Ahmad R, Ali HB, Wali YA, Ali D, Abdulrasool M, Abbas P. Demonstration of malaria situation analysis, stratification and planning in Minab District, southern Iran. *Asian Pac J Trop Med.* 2011 Jan;4(1):67-71. Epub 2011 Jan 15. PMID:21771420

Hatcher JC, Greenberg PD, Antique J, Jimenez-Lucho VE. Severe babesiosis in Long Island: review of 34 cases and their complications. *Clin Infect Dis.* 2001 Apr 15;32(8):1117-25. Epub 2001 Mar 26. PMID:11283800

Hawkes M, Opoka RO, Namasopo S, Miller C, Conroy AL, Serghides L, Kim H, Thampi N, Liles WC, John CC, Kain KC. Nitric oxide for the adjunctive treatment of severe malaria: hypothesis and rationale. *Med Hypotheses*. 2011 Sep;77(3):437-44. Epub 2011 Jul 13. PMID:21745716

Hawkes M, Opoka RO, Namasopo S, Miller C, Thorpe KE, Lavery JV, Conroy AL, Liles WC, John CC, Kain KC. Inhaled nitric oxide for the adjunctive therapy of severe malaria: protocol for a randomized controlled trial. *Trials*. 2011 Jul 13;12:176. PMID:21752262

Hawking F. Entopolypoides macaci, a Babesia-like parasite in *Cercopithecus* monkeys. *Parasitology*. 1972 Aug;65(1):89-109. PMID:4626455

Haynes RK, Chan WC, Wong HN, Li KY, Wu WK, Fan KM, Sung HH, Williams ID, Prosperi D, Melato S, Coghi P, Monti D. Facile oxidation of leucomethylene blue and dihydroflavins by artemisinins: relationship with flavoenzyme function and antimalarial mechanism of action. *ChemMedChem*. 2010 Aug 2;5(8):1282-99. PMID:20629071

Heal KG, Taylor-Robinson AW. Tomatine adjuvmentation of protective immunity to a major pre-erythrocytic vaccine candidate of malaria is mediated via CD8+ T cell release of IFN-gamma. *J Biomed Biotechnol*. 2010;2010:834326. Epub 2010 Mar 11. PMID:20300588

Healy GR. Babesia infections in man. *Hosp Pract*. 1979 Jun;14(6):107-11, 115-6. PMID:376427

Heidari S, Mofenson LM, Hobbs CV, Cotton MF, Marlink R, Katabira E. Unresolved Antiretroviral Treatment Management Issues in HIV-Infected Children. *J Acquir Immune Defic Syndr*. 2011 Dec 1. [Epub ahead of print]. PMID:22138766

Heidari S, Mofenson LM, Hobbs CV, Cotton MF, Marlink R, Katabira E. Unresolved Antiretroviral Treatment Management Issues in HIV-Infected Children. *J Acquir Immune Defic Syndr*. 2011 Nov 30. [Epub ahead of print]. PMID:22134147

Held J, Zanger P, Issifou S, Kremsner PG, Mordmüller B. In vitro activity of tigecycline in Plasmodium falciparum culture-adapted strains and clinical isolates from Gabon. *Int J Antimicrob Agents*. 2010 Jun;35(6):587-9. Epub 2010 Mar 15. PMID:20227854

Hemmer RM, Wozniak EJ, Lowenstein LJ, Plopper CG, Wong V, Conrad PA. Endothelial cell changes are associated with pulmonary edema and respiratory distress in mice infected with the WA1 human Babesia parasite. *J Parasitol*. 1999 Jun;85(3):479-89. PMID:10386441

Hemshekhar M, Sebastin Santhosh M, Kemparaju K, Girish KS. Emerging Roles of Anacardic Acid and Its Derivatives: A Pharmacological Overview. *Basic Clin Pharmacol Toxicol*. 2011 Nov 21. [Epub ahead of print]. PMID:22103711

Henschler R, Seifried E, Mufti N. Development of the S-303 Pathogen Inactivation Technology for Red Blood Cell Concentrates. *Transfus Med Hemother*. 2011;38(1):33-42. Epub 2011 Jan 31. PMID:21779204

Hensen B, Paintain LS, Shretta R, Bruce J, Jones C, Webster J. Taking stock: provider prescribing practices in the presence and absence of ACT stock. *Malar J*. 2011 Aug 3;10:218. PMID:21812948

Hentrich B, Böse R, Doherr M. Cryopreservation of Babesia caballi cultures. *Int J Parasitol*. 1994 Apr;24(2):253-4. PMID:8026902

Hentrich B, Böse R. Cryopreservation of Babesia divergens from jirds as a live vaccine for cattle. *Int J Parasitol*. 1993 Sep;23(6):771-6. PMID:8300287

Herbas MS, Ueta YY, Ichikawa C, Chiba M, Ishibashi K, Shichiri M, Fukumoto S, Yokoyama N, Takeya M, Xuan X, Arai H, Suzuki H. Alpha-tocopherol transfer protein disruption confers resistance to malarial infection in mice. *Malar J*. 2010 Apr 19;9:101. PMID:20403155

Herman JH, Ayache S, Olkowska D. Autoimmunity in transfusion babesiosis: a spectrum of clinical presentations. *J Clin Apher*. 2010;25(6):358-61. Epub 2010 Sep 7. PMID:20824620

Herman R, Shiroishi T, Buckler CE. Viral interference with exoerythrocytic forms of malaria (*Plasmodium gallinaceum*) in ovo. *J Infect Dis.* 1973 Aug;128(2):148-55. PMID:4353044

Herman R, Shiroishi T. *Plasmodium gallinaceum*: selective immunosuppression by cyclophosphamide in preerythrocytic malaria. *Exp Parasitol.* 1973 Oct;34(2):295-305. PMID:4583057

Hermanowska-Szpakowicz T, Skotarczak B, Kondrusik M, Rymaszewska A, Sawczuk M, Maciejewska A, Adamska M, Pancewicz S, Zajkowska J. Detecting DNAs of *Anaplasma phagocytophilum* and *Babesia* in the blood of patients suspected of Lyme disease. *Ann Agric Environ Med.* 2004;11(2):351-4. PMID:15627349

Herod E, Clark IA, Allison AC. Protection of mice against haemoprotozoan *Babesia microti* with *Brucella abortus* strain 19. *Clin Exp Immunol.* 1978 Mar;31(3):518-23. PMID:95914

Herwaldt BL, Cacciò S, Gherlinzoni F, Aspöck H, Slemenda SB, Piccaluga P, Martinelli G, Edelhofer R, Hollenstein U, Poletti G, Pampiglione S, Löschenberger , Tura S, Pieniazek NJ. Molecular characterization of a non-*Babesia divergens* organism causing zoonotic babesiosis in Europe. *Emerg Infect Dis.* 2003 Aug;9(8):942-8. PMID:12967491

Herwaldt BL, Kjemtrup AM, Conrad PA, Barnes RC, Wilson M, McCarthy MG, Sayers MH, Eberhard ML. Transfusion-transmitted babesiosis in Washington State: first reported case caused by a WA1-type parasite. *J Infect Dis.* 1997 May;175(5):1259-62. PMID:9129100

Herwaldt BL, Linden JV, Bosserman E, Young C, Olkowska D, Wilson M. Transfusion-associated babesiosis in the United States: a description of cases. *Ann Intern Med.* 2011 Oct 18;155(8):509-19. Epub 2011 Sep 5. PMID:21893613

Herwaldt BL, McGovern PC, Gerwel MP, Easton RM, MacGregor RR. Endemic babesiosis in another eastern state: New Jersey. *Emerg Infect Dis.* 2003 Feb;9(2):184-8. PMID:12603988

Herwaldt BL, Neitzel DF, Gorlin JB, Jensen KA, Perry EH, Peglow WR, Slemenda SB,

Won KY, Nace EK, Pieniazek NJ, Wilson M. Transmission of Babesia microti in Minnesota through four blood donations from the same donor over a 6-month period. *Transfusion*. 2002 Sep;42(9):1154-8. PMID:12430672

Herwaldt BL, Springs FE, Roberts PP, Eberhard ML, Case K, Persing DH, Agger WA. Babesiosis in Wisconsin: a potentially fatal disease. *Am J Trop Med Hyg*. 1995 Aug;53(2):146-51. PMID:7677215

Heyman P, Cochez C, Hofhuis A, van der Giessen J, Sprong H, Porter SR, Losson B, Saegerman C, Donoso-Mantke O, Niedrig M, Papa A. A clear and present danger: tick-borne diseases in Europe. *Expert Rev Anti Infect Ther*. 2010 Jan;8(1):33-50. PMID:20014900

Hien TT, Truong NT, Minh NH, Dat HD, Dung NT, Hue NT, Dung TK, Tuan PQ, Campbell JI, Farrar JJ, Day JN. A randomized controlled pilot study of artesunate versus triclabendazole for human fascioliasis in central Vietnam. *Am J Trop Med Hyg*. 2008 Mar;78(3):388-92. PMID:18337331

Higuchi M, Okumura J, Aoyama A, Suryawati S, Porter J. Application of standard treatment guidelines in rural community health centres, Timor-Leste. *Health Policy Plan*. 2011 Jul 11. [Epub ahead of print]. PMID:21746735

Hildebrandt A, Hunfeld KP, Baier M, Krumbholz A, Sachse S, Lorenzen T, Kiehntopf M, Fricke HJ, Straube E. First confirmed autochthonous case of human Babesia microti infection in Europe. *Eur J Clin Microbiol Infect Dis*. 2007 Aug;26(8):595-601. PMID:17587072

Hill AV. Vaccines against malaria. *Philos Trans R Soc Lond B Biol Sci*. 2011 Oct 12;366(1579):2806-14. PMID:21893544

Hill K, Amouzou A. Trends in Child Mortality, 1960 to 2000. In: Jamison DT, Feachem RG, Makgoba MW, Bos ER, Baingana FK, Hofman KJ, Rogo KO, editors. Disease and Mortality in Sub-Saharan Africa. 2nd edition. Washington(DC): World Bank; 2006. Chapter 3. PMID:21290657

Hilton E, DeVoti J, Benach JL, Halluska ML, White DJ, Paxton H, Dumler JS. Seroprevalence and seroconversion for tick-borne diseases in a high-risk population in the northeast United States. *Am J Med.* 1999 Apr;106(4):404-9. PMID:10225242

Hinaidy HK. [Bovine babesiosis in Austria. IV. Studies with killed vaccines].[Article in German]. *Berl Munch Tierarztl Wochenschr.* 1981 Apr 1;94(7):121-5. PMID:7247917

Hines SA, Palmer GH, Jasmer DP, Goff WL, McElwain TF. Immunization of cattle with recombinant Babesia bovis merozoite surface antigen-1. *Infect Immun.* 1995 Jan;63(1):349-52. PMID:7806376

Hjelm K, Mufunda E. Zimbabwean diabetics' beliefs about health and illness: an interview study. *BMC Int Health Hum Rights.* 2010 May 12;10:7. PMID:20462425

Hobbs C, Duffy P. Drugs for malaria: something old, something new, something borrowed. *F1000 Biol Rep.* 2011;3:24. Epub 2011 Nov 1. PMID:22076126

Hodel EM, Marfurt J, Müller D, Rippert A, Borrmann S, Müller I, Reeder JC, Siba P, Genton B, Beck HP. Lack of multiple copies of pfmdr1 gene in Papua New Guinea. *Trans R Soc Trop Med Hyg.* 2008 Nov;102(11):1151-3. Epub 2008 Jul 2. PMID:18599099

Hohenschild S. [Babesiosis--a dangerous infection for splenectomized children and adults].[Article in German]. *Klin Padiatr.* 1999 May-Jun;211(3):137-40. PMID:10412122

Hollenberg D, Zkus D, Cook T, Xu XW. Re-positioning the role of traditional, complementary and alternative medicine as essential health knowledge in global health: do they still have a role to play? *World Health Popul.* 2008;10(4):62-75. PMID:19550163

Holman PJ, Backlund BB, Wilcox AL, Stone R, Stricklin AL, Bardin KE. Detection of a large unnamed Babesia piroplasm originally identified in dogs in North Carolina in a dog with no history of travel to that state. *J Am Vet Med Assoc.* 2009 Oct 1;235(7):851-4. PMID:19793016

Holman PJ, Frerichs WM, Chieves L, Wagner GG. Culture confirmation of the carrier status of Babesia caballi-infected horses. *J Clin Microbiol.* 1993 Mar;31(3):698-701. PMID:8458966

Holman PJ, Petrini K, Rhyan J, Wagner GG. In vitro isolation and cultivation of a Babesia from an American woodland caribou (*Rangifer tarandus caribou*). *J Wildl Dis.* 1994 Apr;30(2):195-200. PMID:7913142

Holman PJ, Snowden KF. Canine hepatozoonosis and babesiosis, and feline cytauxzoonosis. *Vet Clin North Am Small Anim Pract.* 2009 Nov;39(6):1035-53, v. PMID:19932361

Holman PJ, Spencer AM, Droleskey RE, Goethert HK, Telford SR 3rd. In vitro cultivation of a zoonotic Babesia sp. isolated from eastern cottontail rabbits (*Sylvilagus floridanus*) on Nantucket Island, Massachusetts. *J Clin Microbiol.* 2005 Aug;43(8):3995-4001. PMID:16081941

Holman PJ, Spencer AM, Telford SR 3rd, Goethert HK, Allen AJ, Knowles DP, Goff WL. Comparative infectivity of Babesia divergens and a zoonotic Babesia divergens-like parasite in cattle. *Am J Trop Med Hyg.* 2005 Nov;73(5):865-70. PMID:16282295

Holman PJ, Waldrup KA, Droleskey RE, Corrier DE, Wagner GG. In vitro growth of Babesia bovis in white-tailed deer (*Odocoileus virginianus*) erythrocytes. *J Parasitol.* 1993 Apr;79(2):233-7. PMID:8459334

Holman PJ, Waldrup KA, Wagner GG. In vitro cultivation of a Babesia isolated from a white-tailed deer (*Odocoileus virginianus*). *J Parasitol.* 1988 Feb;74(1):111-5. PMID:3357095

Holtel A, Troye-Blomberg M, Penas-Jimenez I. EU-funded malaria research under the 6th and 7th Framework Programmes for research and technological development. *Malar J.* 2011 Jan 14;10:11. PMID:21235784

Homer MJ, Aguilar-Delfin I, Telford SR 3rd, Krause PJ, Persing DH. Babesiosis. *Clin Microbiol Rev.* 2000 Jul;13(3):451-69. PMID:10885987

Homer MJ, Lodes MJ, Reynolds LD, Zhang Y, Douglass JF, McNeill PD, Houghton RL, Persing DH. Identification and characterization of putative secreted antigens from *Babesia microti*. *J Clin Microbiol.* 2003 Feb;41(2):723-9. PMID:12574273

Hopkins A. Beyond providing drugs, the mectizan ® donation creating paradigm shifts in health care and health systems strengthening. *Curr Pharm Biotechnol.* 2011 Oct 31. [Epub ahead of print]. PMID:22039801

Horii T, Shirai H, Jie L, Ishii KJ, Palacpac NQ, Tougan T, Hato M, Ohta N, Bobogare A, Arakaki N, Matsumoto Y, Namazue J, Ishikawa T, Ueda S, Takahashi M. Evidences of protection against blood-stage infection of *Plasmodium falciparum* by the novel protein vaccine SE36. *Parasitol Int.* 2010 Sep;59(3):380-6. Epub 2010 May 20. PMID:20493274

Hornok S, Edelhofer R, Szotáczky I, Hajtós I. *Babesia divergens* becoming extinct in cattle of Northeast Hungary: new data on the past and present situation. *Acta Vet Hung.* 2006 Dec;54(4):493-501. PMID:17278721

Horowitz ML, Coletta F, Fein AM. Delayed onset adult respiratory distress syndrome in babesiosis. *Chest.* 1994 Oct;106(4):1299-301. PMID:7924525

Hotez P. Enlarging the “Audacious Goal”: Elimination of the World’s high prevalence neglected tropical diseases. *Vaccine*. 2011 Dec 19. [Epub ahead of print]. PMID:22188933

Houghton RL, Homer MJ, Reynolds LD, Sleath PR, Lodes MJ, Berardi V, Leiby DA, Persing DH. Identification of Babesia microti-specific immunodominant epitopes and development of a peptide EIA for detection of antibodies in serum. *Transfusion*. 2002 Nov;42(11):1488-96. PMID:12421223

Howard AF, N’Guessan R, Koenraadt CJ, Asidi A, Farenhorst M, Akogbéto M, Knols BG, Takken W. First report of the infection of insecticide-resistant malaria vector mosquitoes with an entomopathogenic fungus under field conditions. *Malar J*. 2011 Feb 2;10:24. PMID:21288359

Howard N, Durrani N, Sanda S, Beshir K, Hallett R, Rowland M. Clinical trial of extended-dose chloroquine for treatment of resistant falciparum malaria among Afghan refugees in Pakistan. *Malar J*. 2011 Jun 23;10:171. PMID:21699697

Hsu LY, Jin J, Ang BS, Kurup A, Tambyah PA. Hand hygiene and infection control survey pre- and peri-H1N1-2009 pandemic: knowledge and perceptions of final year medical students in Singapore. *Singapore Med J*. 2011 Jul;52(7):486-90. PMID:21808958

Huang HL, Chiu TY, Huang KC, Cheng SY, Yao CA, Lee LT. Travel-related mosquito-transmitted disease questionnaire survey among health professionals in Taiwan. *J Travel Med*. 2011 Jan-Feb;18(1):34-8. Epub 2010 Dec 9. PMID:21199140

Huang X, Xuan X, Yokoyama N, Katayama Y, Anzai T, Igarashi I. Evaluation of enzyme-linked immunosorbent assays with recombinant antigens for the serodiagnosis of equine Babesia infections. *Vet Parasitol*. 2006 Aug 31;140(1-2):158-61. Epub 2006 Apr 18. PMID:16621293

Huffman SA, Veen J, Hennink MM, McFarland DA. Exploitation, vulnerability to tuberculosis and access to treatment among Uzbek labor migrants in Kazakhstan. *Soc Sci Med.* 2011 Aug 24. [Epub ahead of print]. PMID:22094009

Hughes CC, Hunter JM. Disease and “development” in Africa. *Soc Sci Med.* 1970 Apr;3(4):443-93. PMID:5483543

Hughes LM, Lanteri CA, O’Neil MT, Johnson JD, Gribble GW, Trumppower BL. Design of anti-parasitic and anti-fungal hydroxy-naphthoquinones that are less susceptible to drug resistance. *Mol Biochem Parasitol.* 2011 May;177(1):12-9. Epub 2011 Jan 18. PMID:21251932

Hughes WT, Oz HS. Successful prevention and treatment of babesiosis with atovaquone. *J Infect Dis.* 1995 Oct;172(4):1042-6. PMID:7561178

Hugoson G, Vennström R, Henriksson K. The occurrence of bovine leukosis following the introduction of babesiosis vaccination. *Bibl Haematol.* 1968;30:157-61. PMID:5695478

Hugoson G. Studies on lymphocytosis in regions with high and low incidences of bovine leukosis and babesiosis. *Bibl Haematol.* 1970;(36):537-43. PMID:5538363.

Huijben S, Nelson WA, Wargo AR, Sim DG, Drew DR, Read AF. Chemotherapy, within-host ecology and the fitness of drug-resistant malaria parasites. *Evolution.* 2010 Oct;64(10):2952-68. Epub 2010 Aug 19. PMID:20584075

Humeniuk R, Kaczmarek L, Peczyńska-Czoch W, Marcinkowska E. Cytotoxicity and cell cycle effects of novel indolo[2,3-b]quinoline derivatives. *Oncol Res.* 2003;13(5):269-77. PMID:12688678

Hunfeld KP, Allwinn R, Peters S, Kraiczy P, Brade V. Serologic evidence for tick-borne pathogens other than *Borrelia burgdorferi* (TOBB) in Lyme borreliosis patients from midwestern Germany. *Wien Klin Wochenschr.* 1998 Dec 23;110(24):901-8. PMID:10048174

Hunfeld KP, Brade V. Zoonotic Babesia: possibly emerging pathogens to be considered for tick-infested humans in Central Europe. *Int J Med Microbiol.* 2004 Apr;293 Suppl 37:93-103. PMID:15146990

Hunfeld KP, Hildebrandt A, Gray JS. Babesiosis: recent insights into an ancient disease. *Int J Parasitol.* 2008 Sep;38(11):1219-37. Epub 2008 Mar 20. PMID:18440005

Hunfeld KP, Lambert A, Kampen H, Albert S, Epe C, Brade V, Tenter AM. Seroprevalence of Babesia infections in humans exposed to ticks in Midwestern Germany. *J Clin Microbiol.* 2002 Jul;40(7):2431-6. PMID:12089258

Hunt P, Afonso A, Creasey A, Culleton R, Sidhu AB, Logan J, Valderramos SG, McNae I, Cheesman S, do Rosario V, Carter R, Fidock DA, Cravo P. Gene encoding a deubiquitinating enzyme is mutated in artesunate- and chloroquine-resistant rodent malaria parasites. *Mol Microbiol.* 2007 Jul;65(1):27-40. PMID:17581118

Hunt PW. Molecular diagnosis of infections and resistance in veterinary and human parasites. *Vet Parasitol.* 2011 Aug 4;180(1-2):12-46. Epub 2011 May 27. PMID:21700392

Hutchings CL, Li A, Fernandez KM, Fletcher T, Jackson LA, Molloy JB, Jorgensen WK, Lim CT, Cooke BM. New insights into the altered adhesive and mechanical properties of red blood cells parasitized by Babesia bovis. *Mol Microbiol.* 2007 Aug;65(4):1092-105. Epub 2007 Jul 19. PMID:17640278

Huthmacher C, Hoppe A, Bulik S, Holzhütter HG. Antimalarial drug targets in Plasmodium falciparum predicted by stage-specific metabolic network analysis. *BMC Syst Biol.* 2010 Aug 31;4:120. PMID:20807400

Huwer M, Schwarzmaier A, Hamel HD, Will R. [The occurrence of Babesia divergens in the Freiburg i. Br. district and piroplasmosis prevention trials in cattle].[Article in German]. *Berl Munch Tierarztl Wochenschr.* 1994 Jun;107(6):198-202. PMID:8067991

Hwang J, Alemayehu BH, Hoos D, Melaku Z, Tekleyohannes SG, Teshi T, Birhanu SG, Demeke L, Gobena K, Kassa M, Jima D, Reithinger R, Nettey H, Green M, Malone JL, Kachur SP, Filler S. In vivo efficacy of artemether-lumefantrine against uncomplicated Plasmodium falciparum malaria in Central Ethiopia. *Malar J.* 2011 Jul 28;10:209. PMID:21798054

Hwang SJ, Yamasaki M, Nakamura K, Sasaki N, Murakami M, Wickramasekara Rajapakshage BK, Ohta H, Maede Y, Takiguchi M. Development and characterization of a strain of Babesia gibsoni resistant to diminazene aceteturate in vitro. *J Vet Med Sci.* 2010 Jun;72(6):765-71. Epub 2010 Feb 16. PMID:20160418

Ibanga IA, Nwokocha CR. Malaria: morbidity, mortality and its associated complications. *West Indian Med J.* 2011 Jan;60(1):1-2. PMID:21809702

Ibidapo CA. Perception of causes of malaria and treatment-seeking behaviour of nursing mothers in a rural community. *Aust J Rural Health.* 2005 Aug;13(4):214-8. PMID:16048462

Idowu ET, Mafe MA, Otubanjo OA, Adeneye AK. Herbal remedy in the treatment of malaria: cross sectional survey of residents of Lagos State, Nigeria. *Afr J Med Med Sci.* 2006 Jun;35(2):149-53. PMID:17209310

Idowu OR, Peggins JO, Brewer TG, Kelley C. Metabolism of a candidate 8-aminoquinoline antimalarial agent, WR 238605, by rat liver microsomes. *Drug Metab Dispos.* 1995 Jan;23(1):1-17. PMID:7720510

Igarashi I, Njonge FK, Kaneko Y, Nakamura Y. Babesia bigemina: in vitro and in vivo effects of curdlan sulfate on growth of parasites. *Exp Parasitol.* 1998 Nov;90(3):290-3. PMID:9806875

Igarashi I, Suzuki R, Waki S, Tagawa Y, Seng S, Tum S, Omata Y, Saito A, Nagasawa H, Iwakura Y, Suzuki N, Mikami T, Toyoda Y. Roles of CD4(+) T cells and gamma interferon in protective immunity against Babesia microti infection in mice. *Infect Immun.* 1999 Aug;67(8):4143-8. PMID:10417185

Ijarotimi SO, Agbedahunsi JM, Onyeji CO, Adewunmi CO. Chemotherapeutic interaction between *Khaya grandifoliola* (WELW) CDC stem bark extract and two anti-malarial drugs in mice. *Afr J Tradit Complement Altern Med.* 2010;7(4):370-6. Epub 2010 Jul 3. PMID:21731168

Ilchmann G. [New findings on the immunology of protozoan blood parasitoses in domestic animals]. [Article in German]. *Beitr Trop Landwirtsch Veterinarmed.* 1978;16(3):305-12. PMID:373747

Imam M, Devi YS, Verma AK, Chauhan VS. Comparative Immunogenicities of full-length *Plasmodium falciparum* merozoite surface protein 3 and a 24-kilodalton N-terminal fragment. *Clin Vaccine Immunol.* 2011 Aug;18(8):1221-8. Epub 2011 Jun 1. PMID:21632889

Imbahale SS, Fillinger U, Githeko A, Mukabana WR, Takken W. An exploratory survey of malaria prevalence and people's knowledge, attitudes and practices of mosquito larval source management for malaria control in western Kenya. *Acta Trop.* 2010 Sep;115(3):248-56. Epub 2010 Apr 24. PMID:20399739

Imwong M, Dondorp AM, Nosten F, Yi P, Mungthin M, Hanchana S, Das D, Phyo AP, Lwin KM, Pukrittayakamee S, Lee SJ, Saisung S, Koecharoen K, Nguon C, Day NP, Socheat D, White NJ. Exploring the contribution of candidate genes to artemisinin resistance in *Plasmodium falciparum*. *Antimicrob Agents Chemother.* 2010 Jul;54(7):2886-92. Epub 2010 Apr 26. PMID:20421395

Infectious Diseases Chapter, Indian Academy of Pediatrics, Kundu R, Ganguly N, Ghosh TK. Collaborators: Shah RC, Kundu R, Nandy A, Ugra D, Narain NP, Shah NK, Ganguly N, Choudhury P, Shivananda, Ghosh TK, Govindaraj M. Management of malaria in children: update 2008. *Indian Pediatr.* 2008 Sep;45(9):731-5. PMID:18820376

Innocent E, Joseph CC, Gikonyo NK, Nkunya MH, Hassanali A. Constituents of the essential oil of *Suregada zanzibariensis* leaves are repellent to the mosquito, *Anopheles gambiae* s.s. *J Insect Sci.* 2010;10:57. PMID:20569134

Inoue M, Culleton RL. The intradermal route for inoculation of sporozoites of rodent malaria parasites for immunological studies. *Parasite Immunol.* 2011 Feb;33(2):137-42. PMID:21226727

Institute of Medicine (US) Forum on Microbial Threats. Antibiotic Resistance: Implications for Global Health and Novel Intervention Strategies: Workshop Summary. Washington (DC): National Academies Press (US); 2010. PMID:21595116

Ioset JR, Chang S. Drugs for Neglected Diseases initiative model of drug development for neglected diseases: current status and future challenges. *Future Med Chem.* 2011 Sep;3(11):1361-71. PMID:21879842

Irvin AD. Control of tick-borne diseases. *Int J Parasitol.* 1987 Feb;17(2):649-57. PMID:3294675

Irwin PJ. Canine babesiosis. *Vet Clin North Am Small Anim Pract.* 2010 Nov;40(6):1141-56. PMID:20933141

Irwin PJ. Canine babesiosis: from molecular taxonomy to control. *Parasit Vectors.* 2009 Mar 26;2 Suppl 1:S4. PMID:19426443

Isacchi B, Bergonzi MC, Grazioso M, Righeschi C, Pietretti A, Severini C, Bilia AR. Artemisinin and artemisinin plus curcumin liposomal formulations: Enhanced antimalarial efficacy against Plasmodium berghei-infected mice. *Eur J Pharm Biopharm.* 2011 Nov 28. [Epub ahead of print]. PMID:22142592

Isah AY, Amanabo MA, Ekele BA. Prevalence of malaria parasitemia amongst asymptomatic pregnant women attending a Nigerian teaching hospital. *Ann Afr Med.* 2011 Apr-Jun;10(2):171-4. PMID:21691026

Iseki H, Takabatake N, Ota N, Ishigame T, Yokoyama N, Igarashi I. Babesia: the protective effects of killed Propionibacterium acnes on the infections of two rodent Babesia parasites in mice. *Exp Parasitol.* 2008 Apr;118(4):543-8. Epub 2007 Nov 19. PMID:18164706

Ishengoma DS, Francis F, Mmbando BP, Lusingu JP, Magistrado P, Alifrangis M, Theander TG, Bygbjerg IC, Lemnge MM. Accuracy of malaria rapid diagnostic tests in community studies and their impact on treatment of malaria in an area with declining malaria burden in north-eastern Tanzania. *Malar J.* 2011 Jun 26;10:176. PMID:21703016

Israili ZH, Lyoussi B. Ethnopharmacology of the plants of genus Ajuga. *Pak J Pharm Sci.* 2009 Oct;22(4):425-62. PMID:19783524

Ito S, Shimura K. A double screening trial for the development of drugs against *Theileria sergenti* in cattle using *Babesia rodhaini* and *Plasmodium berghei* in mice. *Nihon Juigaku Zasshi.* 1985 Feb;47(1):101-9. PMID:3884864

Ittarat I, Webster HK, Yuthavong Y. High-performance liquid chromatographic determination of dihydroorotate dehydrogenase of *Plasmodium falciparum* and effects of antimalarials on enzyme activity. *J Chromatogr.* 1992 Nov 6;582(1-2):57-64. PMID:1491058

Iwatsuki M, Takada S, Mori M, Ishiyama A, Namatame M, Nishihara-Tsukashima A, Nonaka K, Masuma R, Otoguro K, Shiomi K, Omura S. In vitro and in vivo antimalarial activity of puberulic acid and its new analogs, viticolins A-C, produced by *Penicillium* sp. FKI-4410. *J Antibiot (Tokyo).* 2011 Feb;64(2):183-8. Epub 2010 Nov 10. PMID:21063422

Iwelunmor J, Idris O, Adelakun A, Airhihenbuwa CO. Child malaria treatment decisions by mothers of children less than five years of age attending an outpatient clinic in south-west Nigeria: an application of the PEN-3 cultural model. *Malar J.* 2010 Dec 8;9:354. PMID:21143854

Jack RM, Ward PA. *Babesia rodhaini* interactions with complement: relationship to parasitic entry into red cells. *J Immunol.* 1980 Apr;124(4):1566-73. PMID:6767771

Jack RM, Ward PA. The role in vivo of C3 and the C3b receptor in babesial infection in the rat. *J Immunol.* 1980 Apr;124(4):1574-8. PMID:6965951

Jackson LA, Waldron SJ, Weier HM, Nicoll CL, Cooke BM. Babesia bovis: culture of laboratory-adapted parasite lines and clinical isolates in a chemically defined medium. *Exp Parasitol.* 2001 Nov;99(3):168-74. PMID:11846527

Jacobs RL, Koontz LC. Plasmodium berghei: development of resistance to clindamycin and minocycline in mice. *Exp Parasitol.* 1976 Aug;40(1):116-23. PMID:780118

Jacobs RT, Plattner JJ, Keenan M. Boron-based drugs as antiprotozoals. *Curr Opin Infect Dis.* 2011 Dec;24(6):586-92. PMID:22001943

Jacoby GA, Hunt JV, Kosinski KS, Demirjian ZN, Huggins C, Etkind P, Marcus LC, Spielman A. Treatment of transfusion-transmitted babesiosis by exchange transfusion. *N Engl J Med.* 1980 Nov 6;303(19):1098-100. PMID:7191475

Jahangir A, Kolbert C, Edwards W, Mitchell P, Dumler JS, Persing DH. Fatal pancarditis associated with human granulocytic Ehrlichiosis in a 44-year-old man. *Clin Infect Dis.* 1998 Dec;27(6):1424-7. PMID:9868655

Jahiel RI, Nussenzweig RS, Vanderberg J, Vilcek J. Anti-malarial effect of interferon inducers at different stages of development of Plasmodium berghei in the mouse. *Nature.* 1968 Nov 16;220(5168):710-1. PMID:5688147

Jahiel RI, Vilcek J, Nussenzweig R, Vanderberg J. Interferon inducers protect mice against plasmodium berghei malaria. *Science.* 1968 Aug 23;161(3843):802-4. PMID:5663811

Jain R, Jordanova R, Müller IB, Wrenger C, Groves MR. Purification, crystallization and preliminary X-ray analysis of the aspartate aminotransferase of Plasmodium falciparum. *Acta Crystallogr Sect F Struct Biol Cryst Commun.* 2010 Apr 1;66(Pt 4):409-12. Epub 2010 Mar 31. PMID:20383010

Jambou R, Le Bras J, Randrianarivelojosia M. Pitfalls in new artemisinin-containing antimalarial drug development. *Trends Parasitol.* 2011 Feb;27(2):82-90. Epub 2010 Oct 26. PMID:21030307

James B. Control of malaria cycle. *Lancet.* 1968 Apr 6;1(7545):758. PMID:4170998

James MA, Kuttler KL, Levy MG, Ristic M. Antibody kinetics in response to vaccination against Babesia bovis. *Am J Vet Res.* 1981 Nov;42(11):1999-2001. PMID:7337297

James MA. Antibody levels during bovine hemoparasitic diseases: trypanosomiasis, anaplasmosis, and babesiosis. *Acta Cient Venez.* 1983;34(3-4):185-90. PMID:6399967

James MA. Application of exoantigens of Babesia and Plasmodium in vaccine development. *Trans R Soc Trop Med Hyg.* 1989;83 Suppl:67-72. PMID:2696163

Jansen KM, Duffull SB, Tarning J, Lindegardh N, White NJ, Simpson JA. Optimal designs for population pharmacokinetic studies of oral artesunate in patients with uncomplicated falciparum malaria. *Malar J.* 2011 Jul 1;10:181. PMID:21722356

Jansen FH. Effectiveness of ACTs in cases of resistance to partner drugs. *Lancet Infect Dis.* 2011 Jul;11(7):498-9. PMID:21700240

Jansen FH. Intermittent preventive therapy for malaria: arguments in favour of artesunate and sulphamethoxypyrazine - pyrimethamine combination. *Malar J.* 2011 Mar 29;10:70. PMID:21443809

Jayaseelan C, Rahuman AA, Rajakumar G, Vishnu Kirthi A, Santhoshkumar T, Marimuthu S, Bagavan A, Kamaraj C, Zahir AA, Elango G. Synthesis of pediculocidal and larvicidal silver nanoparticles by leaf extract from heartleaf moonseed plant, *Tinospora cordifolia* Miers. *Parasitol Res.* 2011 Jul;109(1):185-94. Epub 2011 Jan 7. PMID:21212979

Jefferies R, Ryan UM, Jardine J, Robertson ID, Irwin PJ. Babesia gibsoni: detection during experimental infections and after combined atovaquone and azithromycin therapy. *Exp Parasitol.* 2007 Oct;117(2):115-23. Epub 2007 Apr 3. PMID:17543304

Jeffery GM, McWilson W, Collins WE, Lobel H. Application of the indirect fluorescent antibody method in a study of malaria endemicity in Mato Grosso, Brazil. *Am J Trop Med Hyg.* 1975 May;24(3):402-11. PMID:1098491

Jeffrey HC. Morphological changes in *lasmodium vivax* in patients under treatment with chloroquine. *Trans R Soc Trop Med Hyg.* 1968;62(1):47-50. PMID:4170613

Jeneby MM, Ngeiywa M, Yole DS, Mwenda JM, Suleman MA, Carlson HE. Enzootic simian piroplasm (*Entopolypoides macaci*) in wild-caught Kenyan non-human primates. *J Med Primatol.* 2008 Dec;37(6):329-36. Epub 2008 May 27. PMID:18507704

Jenkins MC. Advances and prospects for subunit vaccines against protozoa of veterinary importance. *Vet Parasitol.* 2001 Nov 22;101(3-4):291-310. PMID:11707303

Jeong YI, Kim SH, Ju JW, Cho SH, Lee WJ, Park JW, Park YM, Lee SE. *Clonorchis sinensis*-derived total protein attenuates airway inflammation in murine asthma model by inducing regulatory T cells and modulating dendritic cell functions. *Biochem Biophys Res Commun.* 2011 Apr 22;407(4):793-800. Epub 2011 Apr 1. PMID:21440530

Jiang B, Qin L, Du Y, Peng N, Chen L, Chen Z, Chen X. Transgenic Plasmodium that expresses HIV-1 Gag elicits immunity and protects mice against vaccinia virus-gag and malarial parasites. *Vaccine.* 2010 Nov 23;28(50):7915-22. Epub 2010 Oct 8. PMID:20933565

Jirage D, Keenan SM, Waters NC. Exploring novel targets for antimalarial drug discovery: plasmodial protein kinases. *Infect Disord Drug Targets.* 2010 Jun;10(3):134-46. PMID:20334624

Jittapalapong S, Jansawan W, Barriga OO, Stich RW. Reduced incidence of Babesia bigemina infection in cattle immunized against the cattle tick, *Boophilus microplus*. *Ann N Y Acad Sci.* 2004 Oct;1026:312-8. PMID:15604511

Johnson ST, Cable RG, Tonnetti L, Spencer B, Rios J, Leiby DA. Seroprevalence of Babesia microti in blood donors from Babesia-endemic areas of the northeastern United States: 2000 through 2007. *Transfusion.* 2009 Dec;49(12):2574-82. Epub 2009 Oct 10. PMID:19821951

Jongejan F, Fourie JJ, Chester ST, Manavella C, Mallouk Y, Pollmeier MG, Baggott D. The prevention of transmission of Babesia canis canis by *Dermacentor reticulatus* ticks to dogs using a novel combination of fipronil, amitraz and (S)-methoprene. *Vet Parasitol.* 2011 Jul 15;179(4):343-50. PMID:21777737

Jonckers TH, van Miert S, Cimanga K, Bailly C, Colson P, De Pauw-Gillet MC, van den Heuvel H, Claeys M, Lemière F, Esmans EL, Rozenski J, Quirijnen L, Maes L, Dommissé R, Lemière GL, Vlietinck A, Pieters L. Synthesis, cytotoxicity, and antiplasmodial and antitrypanosomal activity of new neocryptolepine derivatives. *J Med Chem.* 2002 Aug 1;45(16):3497-508. PMID:12139461

Jorgensen WK, De Vos AJ, Dalgliesh RJ. Comparison of immunogenicity and virulence between Babesia bigemina parasites from continuous culture and from a splenectomised calf. *Aust Vet J.* 1989 Nov;66(11):371-2. PMID:2619652

Jorgensen WK, de Vos AJ, Dalgliesh RJ. Infectivity of cryopreserved Babesia bovis, Babesia bigemina and Anaplasma centrale for cattle after thawing, dilution and incubation at 30 degrees C. *Vet Parasitol.* 1989 Jun;31(3-4):243-51. PMID:2763444

Joseph JT, Roy SS, Shams N, Visintainer P, Nadelman RB, Hosur S, Nelson J, Wormser GP. Babesiosis in Lower Hudson Valley, New York, USA. *Emerg Infect Dis.* 2011 May;17(5):843-7. PMID:21529393

Joubert KE, Kettner F, Lobetti RG, Miller DM. The effects of diminazene aceturate on systemic blood pressure in clinically healthy adult dogs. *J S Afr Vet Assoc.* 2003 Sep;74(3):69-71. PMID:15029949

Jovel IT, Mejia RE, Banegas E, Piedade R, Alger J, Fontecha G, Ferrreira PE, Veiga MI, Enamorado IG, Bjorkman A, Ursing J. Drug resistance associated genetic polymorphisms in *Plasmodium falciparum* and *Plasmodium vivax* collected in Honduras, Central America. *Malar J.* 2011 Dec 19;10(1):376. [Epub ahead of print]. PMID:22183028

Jude PJ, Dharshini S, Vinobaba M, Surendran SN, Ramasamy R. Anopheles culicifacies breeding in brackish waters in Sri Lanka and implications for malaria control. *Malar J.* 2010 Apr 21;9:106. PMID:20409313

Kabanywanyi AM, Mwita A, Sumari D, Mandike R, Mugittu K, Abdulla S. Efficacy and safety of artemisinin-based antimalarial in the treatment of uncomplicated malaria in children in southern Tanzania. *Malar J.* 2007 Nov 11;6:146. PMID:17996121

Kachan VI, Tkachova AI, Gvozdeva E, Urbanovich I, Yakusik A, Amico P, Avila-Figueroa C. Resource flows and levels of spending for the response to HIV and AIDS in Belarus. *BMC Res Notes.* 2011 Jul 21;4:248. PMID:21777473

Kachani M, Oliver RA, Brown CG, Ouhelli H, Spooner RL. Common and stage-specific antigens of *Theileria annulata*. *Vet Immunol Immunopathol.* 1992 Nov;34(3-4):221-34. PMID:1280878

Kager PA. [The treatment of falciparum malaria].[Article in Dutch]. *Ned Tijdschr Geneeskd.* 2007 Oct 6;151(40):2192-4. PMID:17969567

Kahama-Maro J, D'Acremont V, Mtasiwa D, Genton B, Lengeler C. Low quality of routine microscopy for malaria at different levels of the health system in Dar es Salaam. *Malar J.* 2011 Nov 2;10:332. PMID:22047131

Kain KC, Jassoum SB, Fong IW, Hannach B. Transfusion-transmitted babesiosis in Ontario: first reported case in Canada. *CMAJ*. 2001 Jun 12;164(12):1721-3. PMID:11450217

Kain KC, Shanks GD, Keystone JS. Malaria chemoprophylaxis in the age of drug resistance. I. Currently recommended drug regimens. *Clin Infect Dis*. 2001 Jul 15;33(2):226-34. Epub 2001 Jun 14. PMID:11418883

Kakai RM, Nasimiyu J, Odero W. Low reliability of home-based diagnosis of malaria in a rural community in western Kenya. *J Infect Dev Ctries*. 2011 Feb 1;5(1):54-8. PMID:21330741

Kalilani L, Mofolo I, Chaponda M, Rogerson SJ, Alker AP, Kwiek JJ, Meshnick SR. A randomized controlled pilot trial of azithromycin or artesunate added to sulfadoxine-pyrimethamine as treatment for malaria in pregnant women. *PLoS One*. 2007 Nov 14;2(11):e1166. PMID:18000538

Kaliyaperumal K, Mengistie E, Dagnew Z, Deboch B. Examining household possession and willingness to pay for the retreatment of ITNs with insecticides among local residences in a malaria endemic area. *East Afr J Public Health*. 2010 Dec;7(4):305-10. PMID:22066326

Kamani J, Sannusi A, Dogo AG, Tanko JT, Egwu KO, Tafarki AE, Ogo IN, Kemza S, Onovoh E, Shamaki D, Lombin LH, Catto V, Birkenheuer AJ. Babesia canis and Babesia rossi co-infection in an untraveled Nigerian dog. *Vet Parasitol*. 2010 Oct 29;173(3-4):334-5. Epub 2010 Jul 13. PMID:20705395

Kamaraj C, Bagavan A, Elango G, Zahir AA, Rajakumar G, Marimuthu S, Santhoshkumar T, Rahuman AA. Larvicidal activity of medicinal plant extracts against *Anopheles subpictus* & *Culex tritaeniorhynchus*. *Indian J Med Res*. 2011 Jul;134(1):101-6. PMID:21808141

Kamatou GP, Makunga NP, Ramogola WP, Viljoen AM. South African Salvia species: a review of biological activities and phytochemistry. *J Ethnopharmacol.* 2008 Oct 28;119(3):664-72. Epub 2008 Jul 2. PMID:18640254

Kambris Z, Blagborough AM, Pinto SB, Blagrove MS, Godfray HC, Sinden RE, Sinkins SP. Wolbachia stimulates immune gene expression and inhibits plasmodium development in *Anopheles gambiae*. *PLoS Pathog.* 2010 Oct 7;6(10):e1001143. PMID:20949079

Kamugisha E, Bujila I, Lahdo M, Pello-Esso S, Minde M, Kongola G, Naiwumbwe H, Kiwuwa S, Kaddumukasa M, Kironde F, Swedberg G. Large differences in prevalence of PfCRT and PfMDR1 mutations between Mwanza, Tanzania and Iganga, Uganda-A reflection of differences in policies regarding withdrawal of chloroquine? *Acta Trop.* 2012 Feb;121(2):148-51. Epub 2011 Nov 16. PMID:22118982

Kanagaratnam R, Misiura K, Rebowski G, Ramasamy R. Malaria merozoite surface protein antisense oligodeoxynucleotides lack antisense activity but function as polyanions to inhibit red cell invasion. *Int J Biochem Cell Biol.* 1998 Sep;30(9):979-85. PMID:9785462

Kania SA, Allred DR, Barbet AF. Babesia bigemina: host factors affecting the invasion of erythrocytes. *Exp Parasitol.* 1995 Feb;80(1):76-84. PMID:7821413

Kappe SH, Mikolajczak SA. Immunology. Another shot at a malaria vaccine. *Science.* 2011 Oct 28;334(6055):460-1. PMID:22034421

Kappe SH, Vaughan AM, Boddey JA, Cowman AF. That was then but this is now: malaria research in the time of an eradication agenda. *Science.* 2010 May 14;328(5980):862-6. PMID:20466924

Kar PK, Bhatt RM, Anvikar A, Dua VK. Malaria - change in therapeutic policy. *Indian J Med Res.* 2009 Feb;129(2):203-4. PMID:19293450

Kareru PG, Kenji GM, Gachanja AN, Keriko JM, Mungai G. Traditional medicines among the Embu and Mbeere peoples of Kenya. *Afr J Tradit Complement Altern Med.* 2006 Aug 28;4(1):75-86. PMID:20162075

Karl S, Gurarie D, Zimmerman PA, King CH, St Pierre TG, Davis TM. A sub-microscopic gametocyte reservoir can sustain malaria transmission. *PLoS One.* 2011;6(6):e20805. Epub 2011 Jun 14. PMID:21695129

Karle JM, Olmeda R, Freeman SG, Schroeder AC. Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N4-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl] -1,4-pentanediamine (WR 238,605). *J Chromatogr B Biomed Appl.* 1995 Aug 18;670(2):251-7. PMID:8548015

Karle JM, Olmeda R. Rapid and sensitive quantitative analysis of the new antimalarial N4-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl) phenoxy]-8-quinolinyl]-1,4-pentanediamine in plasma by liquid chromatography and electrochemical detection. *J Chromatogr.* 1988 Feb 26;424(2):347-56. PMID:3372627

Karunakaran KP, Yu H, Foster LJ, Brunham RC. Development of a Chlamydia trachomatis T cell Vaccine. *Hum Vaccin.* 2010 Aug;6(8):676-80. Epub 2010 Aug 1. PMID:20523121

Karunamoorthi K. Vector control: a cornerstone in the malaria elimination campaign. *Clin Microbiol Infect.* 2011 Nov;17(11):1608-16. PMID:21996100

Kasahara K, Nomura S, Subeki, Matsuura H, Yamasaki M, Yamato O, Maede Y, Katakura K, Suzuki M, Trimurningsih, Chairul, Yoshihara T. Anti-babesial compounds from Curcuma zedoaria. *Planta Med.* 2005 May;71(5):482-4. PMID:15977324

Katz TM, Miller JH, Hebert AA. Insect repellents: historical perspectives and new developments. *J Am Acad Dermatol.* 2008 May;58(5):865-71. Epub 2008 Feb 13. PMID:18272250

Kaufmann SH, Meinke AL, von Gabain A. [Novel vaccination concepts on the basis of modern insights into immunology].[Article in German]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2009 Nov;52(11):1069-82. PMID:19838650

Kaul A, Bani S, Zutshi U, Suri KA, Satti NK, Suri OP. Immunopotentiating properties of *Cryptolepis buchanani* root extract. Phytother Res. 2003 Dec;17(10):1140-4. PMID:14669245

Kauss T, Fawaz F, Guyot M, Lagueny AM, Dos Santos I, Bonini F, Olliario P, Caminiti A, Millet P. Fixed artesunate-amodiaquine combined pre-formulation study for the treatment of malaria. Int J Pharm. 2010 Jun 1. [Epub ahead of print]. PMID:20685236

Kauss T, Fawaz F, Guyot M, Lagueny AM, Dos Santos I, Bonini F, Olliario P, Caminiti A, Millet P. Fixed artesunate-amodiaquine combined pre-formulation study for the treatment of malaria. Int J Pharm. 2010 Aug 16;395(1-2):198-204. PMID:20635516

Kayano AC, Lopes SC, Bueno FG, Cabral EC, Souza-Neiras WC, Yamauchi LM, Foglio MA, Eberlin MN, Mello JC, Costa FT. In vitro and in vivo assessment of the anti-malarial activity of *Caesalpinia pluviosa*. Malar J. 2011 May 2;10:112. PMID:21535894

Kayentao K, Maiga H, Newman RD, McMorrow ML, Hoppe A, Yattara O, Traore H, Kone Y, Guirou EA, Saye R, Traore B, Djimde A, Doumbo OK. Artemisinin-based combinations versus amodiaquine plus sulphadoxine-pyrimethamine for the treatment of uncomplicated malaria in Faladje, Mali. Malar J. 2009 Jan 7;8:5. PMID:19128455

Kayode J. Conservation of indigenous medicinal botanicals in Ekiti State, Nigeria. J Zhejiang Univ Sci B. 2006 Sep;7(9):713-8. PMID:16909472

Keller TH, Shi PY, Wang QY. Anti-infectives: can cellular screening deliver? Curr Opin Chem Biol. 2011 Aug;15(4):529-33. Epub 2011 Jun 30. PMID:21723774

Keiser J, Veneziano V, Rinaldi L, Mezzino L, Duthaler U, Cringoli G. Anthelmintic activity of artesunate against *Fasciola hepatica* in naturally infected sheep. *Res Vet Sci.* 2010 Feb;88(1):107-10. Epub 2009 Jun 5. PMID:19501379

Kelter G, Steinbach D, Konkimalla VB, Tahara T, Taketani S, Fiebig HH, Efferth T. Role of transferrin receptor and the ABC transporters ABCB6 and ABCB7 for resistance and differentiation of tumor cells towards artesunate. *PLoS One.* 2007 Aug 29;2(8):e798. PMID:17726528

Kenguya-Kayondo JF, Seeley JA, Kajura-Bajenja E, Kabunga E, Mubiru E, Sembajja F, Mulder DW. Recognition, treatment seeking behaviour and perception of cause of malaria among rural women in Uganda. *Acta Trop.* 1994 Dec;58(3-4):267-73. PMID:7709865

Kern SE, Tiono AB, Makanga M, Gbadoé AD, Premji Z, Gaye O, Sagara I, Ubben D, Cousin M, Oladiran F, Sander O, Ongutu B. Community screening and treatment of asymptomatic carriers of *Plasmodium falciparum* with artemether-lumefantrine to reduce malaria disease burden: a modelling and simulation analysis. *Malar J.* 2011 Jul 29;10:210. PMID:21801345

Kerouedan D. [The Global Fund to fight HIV/AIDS, TB and Malaria 5-y: evaluation policy issues].[Article in French]. *Bull Soc Pathol Exot.* 2010 May;103(2):119-22. Epub 2010 Apr 7. PMID:20376595

Kerouedan D. [The Global Fund to fight HIV/AIDS, TB and malaria policy issues].[Article in French]. *Med Trop (Mars).* 2010 Feb;70(1):19-27. PMID:20337110

Kerschbaumer G, Wernsdorfer G, Wiedermann U, Congpuong K, Sirichaisinthop J, Wernsdorfer WH. Synergism between mefloquine and artemisinin and its enhancement by retinol in *Plasmodium falciparum* in vitro. *Wien Klin Wochenschr.* 2010 Oct;122 Suppl 3:57-60. PMID:20924698

Kessler AD, Maxey JA, Allan N. Infectious disease case: mixed malaria infection with *Plasmodium falciparum* and *Plasmodium vivax* in a deployed service member in Afghanistan. *Mil Med.* 2011 Oct;176(10):1093-5. PMID:22128640

Khai PN, Van NT, Lua TT, Huu VT, Dang DT, Huong PT, Salazar N, Sukthana Y, Singhasivanon P. The situation of malaria along the Vietnam-Lao PDR border and some related factors. *Southeast Asian J Trop Med Public Health.* 2000;31 Suppl 1:99-105. PMID:11414469

Khalacheva M. [Immunological studies of *Babesia ovis* strains isolated from various regions of Bulgaria].[Article in Bulgarian]. *Vet Med Nauki.* 1974;11(8):103-8. PMID:4446350

Khaminsou N, Kritpetcharat O, Daduang J, Charerntanyarak L, Kritpetcharat P. Genetic analysis of the merozoite surface protein-1 block 2 allelic types in *Plasmodium falciparum* clinical isolates from Lao PDR. *Malar J.* 2011 Dec 17;10(1):371. [Epub ahead of print]. PMID:22177111

Khan HM, Shujatullah F, Ashfaq M, Raza A. Changing trends in prevalence of different *Plasmodium* species with dominance of *Plasmodium falciparum* malaria infection in Aligarh (India). *Asian Pac J Trop Med.* 2011 Jan;4(1):64-6. Epub 2011 Jan 15. PMID:21771419

Khan MA, Walley JD, Munir MA, Khan MA, Khokar NG, Tahir Z, Nazir A, Shams N. District level external quality assurance (EQA) of malaria microscopy in Pakistan: pilot implementation and feasibility. *Malar J.* 2011 Feb 17;10(1):45. PMID:21324210

Kheang ST, Duong S, Olkkonen A. Increasing access to early malaria diagnosis and prompted treatment in remote cambodian villages. *Am J Public Health.* 2011 Dec;101(12):e6-8. Epub 2011 Oct 20. PMID:22021279

Khodzhaeva NM. [Age-related cytokine regulation in children with malaria].[Article in Russian]. *Med Parazitol (Mosk).* 2011 Apr-Jun;(2):25-8. PMID:21797062

Kift EV, Kredo T, Barnes KI. Parenteral artesunate access programme aims at reducing malaria fatality rates in South Africa. *S Afr Med J.* 2011 Apr;101(4):240-1. PMID:21786724

Kigadye ES, Nkwengulila G, Magesa SM, Abdulla S. Diversity, spatial and temporal abundance of *Anopheles gambiae* complex in the Rufiji River basin, south-eastern Tanzania. *Tanzan J Health Res.* 2010 Jan;12(1):68-72. PMID:20737831

Kikankie CK, Brooke BD, Knols BG, Koekemoer LL, Farenhorst M, Hunt RH, Thomas MB, Coetzee M. The infectivity of the entomopathogenic fungus Beauveria bassiana to insecticide-resistant and susceptible *Anopheles arabiensis* mosquitoes at two different temperatures. *Malar J.* 2010 Mar 8;9:71. PMID:20210990

Kilama WL. Health research ethics in malaria vector trials in Africa. *Malar J.* 2010 Dec 13;9 Suppl 3:S3. PMID:21144083

Kilian A, Boulay M, Koenker H, Lynch M. How many mosquito nets are needed to achieve universal coverage? Recommendations for the quantification and allocation of long-lasting insecticidal nets for mass campaigns. *Malar J.* 2010 Nov 18;9:330. PMID:21087460

Killeen GF, Chitnis N, Moore SJ, Okumu FO. Target product profile choices for intra-domiciliary malaria vector control pesticide products: repel or kill? *Malar J.* 2011 Jul 28;10:207. PMID:21798023

Kim CM, Blanco LB, Alhassan A, Iseki H, Yokoyama N, Xuan X, Igarashi I. Development of a rapid immunochromatographic test for simultaneous serodiagnosis of bovine babesioses caused by *Babesia bovis* and *Babesia bigemina*. *Am J Trop Med Hyg.* 2008 Jan;78(1):117-21. PMID:18187794

Kim D, Kwon S, Rhee JW, Kim KD, Kim YE, Park CS, Choi MJ, Suh JG, Kim DS, Lee Y, Kwon HJ. Production of antibodies with peptide-CpG-DNA-liposome complex without carriers. *BMC Immunol.* 2011 May 18;12:29. PMID:21592346

Kim JY, Cho SH, Joo HN, Tsuji M, Cho SR, Park IJ, Chung GT, Ju JW, Cheun HI, Lee HW, Lee YH, Kim TS. First case of human babesiosis in Korea: detection and characterization of a novel type of Babesia sp. (KO1) similar to ovine babesia. *J Clin Microbiol*. 2007 Jun;45(6):2084-7. Epub 2007 Mar 28. PMID:17392446

Kim S, Nguon C, Guillard B, Duong S, Chy S, Sum S, Nhém S, Bouchier C, Tichit M, Christophe E, Taylor WR, Baird JK, Menard D. Performance of the CareStart™ G6PD Deficiency Screening Test, a Point-of-Care Diagnostic for Primaquine Therapy Screening. *PLoS One*. 2011;6(12):e28357. Epub 2011 Dec 2. PMID:22164279

Kim TS, Kim HH, Moon SU, Lee SS, Shin EH, Oh CM, Kang YJ, Kim DK, Sohn Y, Kim H, Lee HW. The role of Pvs28 in sporozoite development in *Anopheles sinensis* and its longevity in BALB/c mice. *Exp Parasitol*. 2011 Feb;127(2):346-50. Epub 2010 Aug 27. PMID:20801117

Kim YK, Kim C, Park I, Kim HY, Choi JY, Kim JM. Therapeutic efficacy of chloroquine in *Plasmodium vivax* and the pvmdr1 polymorphisms in the Republic of Korea under mass chemoprophylaxis. *Am J Trop Med Hyg*. 2011 Apr;84(4):532-4. PMID:21460004

Kimbi HK, Fagbenro-Beyioku AF, Oyibo WA. Antimalarial herbs against chloroquine-resistant *P. yoelii nigeriensis* in mice. *Indian J Malariol*. 1998 Mar;35(1):35-8. PMID:10212890

Kinde-Gazard D, Vignon Makong J, Kossou HD, Sossa CJ. [Evaluation of the use of insecticide-treated nets and intermittent preventive treatment in three health zones in Benin].[Article in French]. *Bull Soc Pathol Exot*. 2011 Dec 16. [Epub ahead of print]. PMID:22180050

King AC. Regression of mouse sarcoma M(52)B treated with bovine fascia lata extract from animals previously inoculated with *Babesia bovis* and *B. bigemina*. *S Afr Med J*. 1980 Aug 2;58(5):191-3. PMID:7404219

Kinnamon KE, Rothe WE. Biological screening in the U.S. Army antimalarial drug development program. *Am J Trop Med Hyg.* 1975 Mar;24(2):174-8. PMID:804264

Kinung’hi SM, Mashauri F, Mwanga JR, Nnko SE, Kaatano GM, Malima R, Kishamawe C, Magesa S, Mboera LE. Knowledge, attitudes and practices about malaria among communities: comparing epidemic and non-epidemic prone communities of Muleba district, North-western Tanzania. *BMC Public Health.* 2010 Jul 5;10:395. PMID:20602778

Kirira PG, Rukunga GM, Wanyonyi AW, Muregi FM, Gathirwa JW, Muthaura CN, Omar SA, Tolo F, Mungai GM, Ndiege IO. Anti-plasmodial activity and toxicity of extracts of plants used in traditional malaria therapy in Meru and Kilifi Districts of Kenya. *J Ethnopharmacol.* 2006 Jul 19;106(3):403-7. Epub 2006 Mar 13. PMID:16530996

Kiss G. [Contagious diseases in the Austro-Hungarian Army during the First World War].[Article in Hungarian]. *Orvostort Kozl.* 2010;56(1-4):197-203. PMID:21661262

Kissou SA, Cessouma R, Barro M, Traoré H, Nacro B. [Acute renal failure and Plasmodium falciparum malaria: A case report]. [Article in French]. *Arch Pediatr.* 2011 Nov 17. [Epub ahead of print]. PMID:22100415

Kitchener S, Nasveld P, Edstein MD. Tafenoquine for the treatment of recurrent Plasmodium vivax malaria. *Am J Trop Med Hyg.* 2007 Mar;76(3):494-6. PMID:17360873

Kiurkov N. [Deep freezing of Babesia ovis in liquid nitrogen].[Article in Bulgarian]. *Vet Med Nauki.* 1977;14(6):11-5. PMID:595370

Kiurkov N. [Production of a Babesia ovis extract and its testing for antigenic properties].[Article in Bulgarian]. *Vet Med Nauki.* 1979;16(4):84-90. PMID:532096

Kiurkov N. [Soluble Babesia ovis antigen].[Article in Bulgarian]. *Vet Med Nauki.* 1979;16(3):15-22. PMID:93342

Kiurto N. [Trial of a live vaccine against babesiosis in sheep].[Article in Bulgarian]. Vet Med Nauki. 1977;14(4):25-30. PMID:929961

Kivaria FM, Ruheta MR, Mkonyi PA, Malamsha PC. Epidemiological aspects and economic impact of bovine theileriosis (East Coast fever) and its control: a preliminary assessment with special reference to Kibaha district, Tanzania. Vet J. 2007 Mar;173(2):384-90. Epub 2005 Oct 5. PMID:16169755

Kjemtrup AM, Conrad PA. A review of the small canine piroplasms from California: Babesia conradae in the literature. Vet Parasitol. 2006 May 31;138(1-2):112-7. Epub 2006 Mar 7. PMID:16522352

Kjemtrup AM, Lee B, Fritz CL, Evans C, Chervenak M, Conrad PA. Investigation of transfusion transmission of a WA1-type babesial parasite to a premature infant in California. Transfusion. 2002 Nov;42(11):1482-7. PMID:12421222

Kjemtrup AM, Wainwright K, Miller M, Penzhorn BL, Carreno RA. Babesia conradae, sp. nov., a small canine Babesia identified in California. Vet Parasitol. 2006 May 31;138(1-2):103-11. Epub 2006 Mar 9. PMID:16524663

Klinkenberg E, Onwona-Agyeman KA, McCall PJ, Wilson MD, Bates I, Verhoeff FH, Barnish G, Donnelly MJ. Cohort trial reveals community impact of insecticide-treated nets on malariometric indices in urban Ghana. Trans R Soc Trop Med Hyg. 2010 Jul;104(7):496-503. Epub 2010 Apr 24. PMID:20417945

Klonis N, Crespo-Ortiz MP, Bottova I, Abu-Bakar N, Kenny S, Rosenthal PJ, Tilley L. Artemisinin activity against Plasmodium falciparum requires hemoglobin uptake and digestion. Proc Natl Acad Sci U S A. 2011 Jul 12;108(28):11405-10. Epub 2011 Jun 27. PMID:21709259

Knight DJ. Babesia rodhaini and Plasmodium berghei. A highly active series of chlorophenoxyalkoxy-substituted diamino-dihydrotriazines against experimental infections in mice. Ann Trop Med Parasitol. 1981 Feb;75(1):1-6. PMID:7023398

Knowles JH. Editorial: American medicine and world health 1976. Ann Intern Med. 1976 Apr;84(4):483-5. PMID:1259295

Kobak S, Deveci H. Retinopathy due to antimalarial drugs in patients with connective tissue diseases: are they so innocent? A single center retrospective study. Int J Rheum Dis. 2010 Aug;13(3):e11-5. PMID:20704603

Kobylinski KC, Sylla M, Chapman PL, Sarr MD, Foy BD. Ivermectin mass drug administration to humans disrupts malaria parasite transmission in Senegalese villages. Am J Trop Med Hyg. 2011 Jul;85(1):3-5. PMID:21734116

Kocan KM. Targeting ticks for control of selected hemoparasitic diseases of cattle. Vet Parasitol. 1995 Mar;57(1-3):121-51. PMID:7597779

Koch HT, Kambeva L, Ocamo JG, Munatswa FC, Franssen FF, Uilenberg G, Dolan TT, Norval RA. Immunization of cattle against Theileria parva bovis and their exposure to natural challenge. Vet Parasitol. 1990 Nov;37(3-4):185-96. PMID:2125158

Kocisko DA, Walsh DS, Eamsila C, Edstein MD. Measurement of tafenoquine (WR 238605) in human plasma and venous and capillary blood by high-pressure liquid chromatography. Ther Drug Monit. 2000 Apr;22(2):184-9. PMID:10774631

Kok LD, Wong CK, Leung KN, Tsang SF, Fung KP, Choy YM. Activation of the anti-tumor effector cells by Radix bupleuri. Immunopharmacology. 1995 Jun;30(1):79-87. PMID:7591716

Kolabskii NA, Gaïdukov AKh, Vorob'ev VV, Sivak DA, Voevoda NI. [Combined chemoprophylaxis of babesiosis in cattle].[Article in Russian]. Veterinariia. 1973 Feb;3:71-3. PMID:4770054

Kolaczinski JH, Robinson E, Finn TP. The cost of antibiotic mass drug administration for trachoma control in a remote area of South Sudan. *PLoS Negl Trop Dis.* 2011 Oct;5(10):e1362. Epub 2011 Oct 11. PMID:22022632

Kolaczinski K, Durrani N, Rahim S, Rowland M. Sulfadoxine-pyrimethamine plus artesunate compared with chloroquine for the treatment of vivax malaria in areas co-endemic for *Plasmodium falciparum* and *P. vivax*: a randomised non-inferiority trial in eastern Afghanistan. *Trans R Soc Trop Med Hyg.* 2007 Nov;101(11):1081-7. Epub 2007 Aug 17. PMID:17707447

Kolören Z, Avşar C, Şekeroğlu ZA. [Diagnosis of protozoa by loop-mediated isothermal amplification: (LAMP)].[Article in Turkish]. *Turkiye Parazitol Derg.* 2010;34(4):207-11. PMID:21391196

Komatsu R, McLeod R, Sarkar S, Siripong N, Gupta I, Tangcharoensathien V, Brown T, Jeugmans J, Avila-Figueroa C, Atun R. Asia can afford universal access for AIDS prevention and treatment. *AIDS.* 2010 Sep;24 Suppl 3:S72-9. PMID:20926931

Kortagere S, Welsh WJ, Morrisey JM, Daly T, Ejigiri I, Sinnis P, Vaidya AB, Bergman LW. Structure-based design of novel small-molecule inhibitors of *Plasmodium falciparum*. *J Chem Inf Model.* 2010 May 24;50(5):840-9. PMID:20426475

Kosower NS, Kosower EM. Molecular basis for selective advantage of glucose-6-phosphate-dehydrogenase-deficient individuals exposed to malaria. *Lancet.* 1970 Dec 26;2(7687):1343-4. PMID:4098912

Kostense S, Mommaas B, Hendriks J, Verhoeven M, Ter Haak M, Tirion F, Wiesken E, Pau MG, Radosevic K, Goudsmit J. A peptide-based *Plasmodium falciparum* circumsporozoite assay to test for serum antibody responses to pre-erythrocyte malaria vaccines. *Clin Vaccine Immunol.* 2011 May;18(5):776-82. Epub 2011 Mar 16. PMID:21411600

Köster LS, Van Schoor M, Goddard A, Thompson PN, Matjila PT, Kjelgaard-Hansen M. C-reactive protein in canine babesiosis caused by Babesia rossi and its association with outcome. *J S Afr Vet Assoc.* 2009 Jun;80(2):87-91. PMID:19831269

Kozlov S, Waters NC, Chavchich M. Leveraging cell cycle analysis in anticancer drug discovery to identify novel plasmodial drug targets. *Infect Disord Drug Targets.* 2010 Jun;10(3):165-90. PMID:20334621

Krause PJ, Gewurz BE, Hill D, Marty FM, Vannier E, Foppa IM, Furman RR, Neuhaus E, Skowron G, Gupta S, McCalla C, Pesanti EL, Young M, Heiman D, Hsue G, Gelfand JA, Wormser GP, Dickason J, Bia FJ, Hartman B, Telford SR 3rd, Christianson D, Dardick K, Coleman M, Girotto JE, Spielman A. Persistent and relapsing babesiosis in immunocompromised patients. *Clin Infect Dis.* 2008 Feb 1;46(3):370-6. PMID:18181735

Krause PJ, Gewurz BE, Hill D, Marty FM, Vannier E, Foppa IM, Furman RR, Neuhaus E, Skowron G, Gupta S, McCalla C, Pesanti EL, Young M, Heiman D, Hsue G, Gelfand JA, Wormser GP, Dickason J, Bia FJ, Hartman B, Telford SR 3rd, Christianson D, Dardick K, da Silva RA, Corrêa Fdo N, Botteon Rde C, Botteon Pde T. [Natural infection by hemoparasites in calves submitted to chemoprophylaxis at 30 days of age]. [Article in Portuguese]. *Rev Bras Parasitol Vet.* 2007 Jul-Sep;16(3):163-5. PMID:18078605

Krause PJ, Lepore T, Sikand VK, Gadbaw J Jr, Burke G, Telford SR 3rd, Brassard P, Pearl D, Azlanzadeh J, Christianson D, McGrath D, Spielman A. Atovaquone and azithromycin for the treatment of babesiosis. *N Engl J Med.* 2000 Nov 16;343(20):1454-8. PMID:11078770

Krause PJ, Spielman A, Telford SR 3rd, Sikand VK, McKay K, Christianson D, Pollack RJ, Brassard P, Magera J, Ryan R, Persing DH. Persistent parasitemia after acute babesiosis. *N Engl J Med.* 1998 Jul 16;339(3):160-5. PMID:9664092

Krause PJ. Babesiosis diagnosis and treatment. Vector Borne Zoonotic Dis. 2003 Spring;3(1):45-51. PMID:12804380

Krause PJ. Babesiosis. Med Clin North Am. 2002 Mar;86(2):361-73. PMID:11982307

Kreidenweiss A, Kremsner PG, Mordmüller B. Comprehensive study of proteasome inhibitors against Plasmodium falciparum laboratory strains and field isolates from Gabon. Malar J. 2008 Sep 24;7:187. PMID:18816382

Kremsner P. [New preventive antimalaria drug. 3 tables, 2 months of protection. Interview by Petra Eiden].[Article in German]. MMW Fortschr Med. 2000 Sep 21;142(38):13. PMID:11050883

Kremsner PG, Taylor T, Issifou S, Kombila M, Chimalizeni Y, Kawaza K, Bouyou Akotet MK, Duscha M, Mordmüller B, Kösters K, Humberg A, Miller RS, Weina P, Duparc S, Möhrle J, Kun JF, Planche T, Teja-Isavadharm P, Simpson JA, Köhler C, Krishna S. A simplified intravenous artesunate regimen for severe malaria. J Infect Dis. 2012 Jan;205(2):312-9. Epub 2011 Dec 15. PMID:22180622

Kreuels B, Kreuzberg C, Kobbe R, Ayim-Akonor M, Apiah-Thompson P, Thompson B, Ehmen C, Adjei S, Langefeld I, Adjei O, May J. Differing effects of HbS and HbC traits on uncomplicated falciparum malaria, anemia, and child growth. Blood. 2010 Jun 3;115(22):4551-8. Epub 2010 Mar 15. PMID:20231425

Krieg AM. Mechanisms and applications of immune stimulatory CpG oligodeoxynucleotides. Biochim Biophys Acta. 1999 Dec 10;1489(1):107-16. PMID:10807001

Krishnan S, Krishnan AD, Mustafa AS, Talwar GP, Ramalingaswami V. Effect of vitamin A and undernutrition on the susceptibility of rodents to a malarial parasite Plasmodium berghei. J Nutr. 1976 Jun;106(6):784-91. PMID:818347

Kritsiriwuthinan K, Chaotheing S, Shaw PJ, Wongsombat C, Chavalitszewinkoon-Petmitr P, Kamchonwongpaisan S. Global gene expression profiling of Plasmodium falciparum in response to the anti-malarial drug pyronaridine. *Malar J.* 2011 Aug 18;10:242. PMID:21849091

Krudsood S, Looareesuwan S, Tangpukdee N, Wilairatana P, Phumratanaaprapin W, Leowattana W, Chalermrut K, Ramanathan S, Navaratnam V, Olliaro P, Vaillant M, Kiechel JR, Taylor WR. New fixed-dose artesunate-mefloquine formulation against multidrug-resistant Plasmodium falciparum in adults: a comparative phase IIb safety and pharmacokinetic study with standard-dose nonfixed artesunate plus mefloquine. *Antimicrob Agents Chemother.* 2010 Sep;54(9):3730-7. Epub 2010 Jun 14. PMID:20547795

Kudom AA, Mensah BA. The potential role of the educational system in addressing the effect of inadequate knowledge of mosquitoes on use of insecticide-treated nets in Ghana. *Malar J.* 2010 Sep 15;9:256. PMID:20843345

Kückelhaus SA, Leite JR, Muniz-Junqueira MI, Sampaio RN, Bloch C Jr, Tosta CE. Antiplasmodial and antileishmanial activities of phylloseptin-1, an antimicrobial peptide from the skin secretion of *Phyllomedusa azurea* (Amphibia). *Exp Parasitol.* 2009 Sep;123(1):11-6. Epub 2009 May 19. PMID:19460376

Kuemmerle A, Dodoo AN, Olsson S, Van Erps J, Burri C, Lalvani PS. Assessment of global reporting of adverse drug reactions for anti-malarials, including artemisinin-based combination therapy, to the WHO Programme for International Drug Monitoring. *Malar J.* 2011 Mar 9;10:57. PMID:21388536

Küttel C, Nascimento E, Demierre N, Silva T, Braschler T, Renaud P, Oliva AG. Label-free detection of Babesia bovis infected red blood cells using impedance spectroscopy on a microfabricated flow cytometer. *Acta Trop.* 2007 Apr;102(1):63-8. Epub 2007 Mar 12. PMID:17451631

Kueviakoe IM, Segbena AY, Jouault H, Vovor A, Imbert M. Hematological reference values for healthy adults in togo. ISRN Hematol. 2011;2011:736062. Epub 2010 Nov 7. PMID:22084703

Kuhner A. The impact of public health programs on economic development. Report of a study of malaria in Thailand. Int J Health Serv. 1971 Aug;1(3):285-92. PMID:5136231

Kumar S, Gupta AK, Pal Y, Dwivedi SK. In-vivo therapeutic efficacy trial with artemisinin derivative, buparvaquone and imidocarb dipropionate against Babesia equi infection in donkeys. J Vet Med Sci. 2003 Nov;65(11):1171-7. PMID:14665744

Kumar S, Kumar R, Sugimoto C. A perspective on Theileria equi infections in donkeys. Jpn J Vet Res. 2009 Feb;56(4):171-80. PMID:19358444

Kumar S, Malhotra DV, Dhar S, Nichani AK. Vaccination of donkeys against Babesia equi using killed merozoite immunogen. Vet Parasitol. 2002 May 30;106(1):19-33. PMID:11992708

Kumar S, Malhotra DV, Nichani AK. Identification of immunoreactive polypeptides of Babesia equi parasite during immunization. Vet Parasitol. 2002 Aug 22;107(4):295-301. PMID:12163241

Kumari A, Gakhar SK, Hooda V. Antibodies raised against hemolymph of Anopheles culicifacies reduce the fecundity and malaria parasite development. J Vector Borne Dis. 2009 Dec;46(4):255-60. PMID:19959850

Kung'u MW, Goodger BV, Bushell GR, Wright IG, Waltisbuhl DJ. Vaccination of cattle with dextran sulphate-binding Babesia bigemina antigens. Int J Parasitol. 1992 Aug;22(5):621-5. PMID:1399246

Kuppusamy C, Murugan K. Effects of Andrographis paniculata Nees on growth, development and reproduction of malarial vector Anopheles stephensi Liston (Diptera: Culicidae). Trop Biomed. 2010 Dec;27(3):509-16. PMID:21399593

Kurth F, Bélard S, Adegnika AA, Gaye O, Kremsner PG, Ramharter M. Do paediatric drug formulations of artemisinin combination therapies improve the treatment of children with malaria? A systematic review and meta-analysis. *Lancet Infect Dis.* 2010 Feb;10(2):125-32. PMID:20113981

Kurth F, Pongratz P, Bélard S, Mordmüller B, Kremsner PG, Ramharter M. In vitro activity of pyronaridine against *Plasmodium falciparum* and comparative evaluation of anti-malarial drug susceptibility assays. *Malar J.* 2009 Apr 23;8:79. PMID:19389221

Kusi KA, Faber BW, Thomas AW, Remarque EJ. Humoral immune response to mixed PfAMA1 alleles; multivalent PfAMA1 vaccines induce broad specificity. *PLoS One.* 2009 Dec 1;4(12):e8110. PMID:19956619

Kuttler KL, Johnson LW. Immunization of cattle with a *Babesia bigemina* antigen in Freund's complete adjuvant. *Am J Vet Res.* 1980 Apr;41(4):536-8. PMID:7406273

Kuttler KL, Levy MG, James MA, Ristic M. Efficacy of a nonviable culture-derived *Babesia bovis* vaccine. *Am J Vet Res.* 1982 Feb;43(2):281-4. PMID:7046534

Kuttler KL, Levy MG, Ristic M. Cell culture-derived *Babesia bovis* vaccine: sequential challenge exposure of protective immunity during a 6-month postvaccination period. *Am J Vet Res.* 1983 Aug;44(8):1456-9. PMID:6354014

Kuttler KL, Zaugg JL, Gipson CA. Imidocarb and parvaquone in the treatment of piroplasmosis (*Babesia equi*) in equids. *Am J Vet Res.* 1987 Nov;48(11):1613-6. PMID:3434908

Kuttler KL, Zaugg JL, Yunker CE. The pathogenicity and immunologic relationship of a virulent and a tissue-culture-adapted *Babesia bovis*. *Vet Parasitol.* 1988 Mar;27(3-4):239-44. PMID:3285573

Kuttler KL. The effect of Imidocarb treatment on Babesia in the bovine and the tick (*Boophilus microplus*). *Res Vet Sci.* 1975 Mar;18(2):198-200. PMID:1129539

Kuwayama DP, Briones RJ. Spontaneous splenic rupture caused by Babesia microti infection. *Clin Infect Dis.* 2008 May 1;46(9):e92-5. PMID:18419430

Kwansa-Bentum B, Ayi I, Suzuki T, Otchere J, Kumagai T, Anyan WK, Asahi H, Akao N, Wilson MD, Boakye DA, Ohta N. Administrative practices of health professionals and use of artesunate-amodiaquine by community members for treating uncomplicated malaria in southern Ghana: implications for artemisinin-based combination therapy deployment. *Trop Med Int Health.* 2011 Jul 10. [Epub ahead of print]. PMID:21740487

Kwansa-Bentum B, Ayi I, Suzuki T, Otchere J, Kumagai T, Anyan WK, Osei JH, Asahi H, Ofori MF, Akao N, Wilson MD, Boakye DA, Ohta N. Plasmodium falciparum isolates from southern Ghana exhibit polymorphisms in the SERCA-type PfATPase6 though sensitive to artesunate in vitro. *Malar J.* 2011 Jul 11;10:187. PMID:21745377

Kweka EJ, Mosha F, Lowassa A, Mahande AM, Kitau J, Matowo J, Mahande MJ, Massenga CP, Tenu F, Feston E, Lyatuu EE, Mboya MA, Mndeme R, Chuwa G, Temu EA. Ethnobotanical study of some of mosquito repellent plants in north-eastern Tanzania. *Malar J.* 2008 Aug 7;7:152. PMID:18687119

Kweka EJ, Mosha FW, Lowassa A, Mahande AM, Mahande MJ, Massenga CP, Tenu F, Lyatuu EE, Mboya MA, Temu EA. Longitudinal evaluation of Ocimum and other plants effects on the feeding behavioral response of mosquitoes (Diptera: Culicidae) in the field in Tanzania. *Parasit Vectors.* 2008 Oct 22;1(1):42. PMID:18945343

Kweka EJ, Nyindo M, Mosha F, Silva AG. Insecticidal activity of the essential oil from fruits and seeds of *Schinus terebinthifolia* Raddi against African malaria vectors. *Parasit Vectors.* 2011 Jul 5;4:129. PMID:21729280

Kwon Y, Kim SH, Ronderos DS, Lee Y, Akitake B, Woodward OM, Guggino WB, Smith DP, Montell C. Drosophila TRPA1 channel is required to avoid the naturally occurring insect repellent citronellal. *Curr Biol.* 2010 Sep 28;20(18):1672-8. PMID:20797863

Kyabayinze DJ, Asiimwe C, Nakanjako D, Nabakooza J, Counihan H, Tibenderana JK. Use of RDTs to improve malaria diagnosis and fever case management at primary health care facilities in Uganda. *Malar J.* 2010 Jul 12;9:200. PMID:20624312

Labarthe NV, Remião JO, Sacco AM, Maia LC. Cross-reaction of tick salivary antigens in the Boophilus microplus-cattle system. *Vet Parasitol.* 1985 Mar;17(3):259-63. PMID:3992881

Labbé AC, Loutfy MR, Kain KC. Recent Advances in the Prophylaxis and Treatment of Malaria. *Curr Infect Dis Rep.* 2001 Feb;3(1):68-76. PMID:11177733

Lacerda-Queiroz N, Rodrigues DH, Vilela MC, Rachid MA, Soriani FM, Sousa LP, Campos RD, Quesniaux VF, Teixeira MM, Teixeira AL. Platelet-activating factor receptor is essential for the development of experimental cerebral malaria. *Am J Pathol.* 2012 Jan;180(1):246-55. Epub 2011 Nov 8. PMID:22079430

LaCrue AN, Scheel M, Kennedy K, Kumar N, Kyle DE. Effects of artesunate on parasite recrudescence and dormancy in the rodent malaria model *Plasmodium vinckei*. *PLoS One.* 2011;6(10):e26689. Epub 2011 Oct 24. PMID:22039533

Laing AB. Studies on the chemotherapy of malaria. II. Pyrimethamine resistance in The Gambia. *Trans R Soc Trop Med Hyg.* 1970;64(4):569-80. PMID:4922133

Lança AS, de Sousa KP, Atouguia J, Prazeres DM, Monteiro GA, Silva MS. Trypanosoma brucei: immunisation with plasmid DNA encoding invariant surface glycoprotein gene is able to induce partial protection in experimental African trypanosomiasis. *Exp Parasitol.* 2011 Jan;127(1):18-24. Epub 2010 Jun 18. PMID:20599996

Lantos PM, Krause PJ. Babesiosis: similar to malaria but different. *Pediatr Ann.* 2002 Mar;31(3):192-7. PMID:11905293

LaRocque RC, Jentes ES. Health recommendations for international travel: a review of the evidence base of travel medicine. *Curr Opin Infect Dis.* 2011 Oct;24(5):403-9. PMID:21788892

Larocque RC, Rao SR, Lee J, Ansdell V, Yates JA, Schwartz BS, Knouse M, Cahill J, Hagmann S, Vinetz J, Connor BA, Goad JA, Oladele A, Alvarez S, Stauffer W, Walker P, Kozarsky P, Franco-Paredes C, Dismukes R, Rosen J, Hynes NA, Jacquerioz F, McLellan S, Hale D, Sofarelli T, Schoenfeld D, Marano N, Brunette G, Jentes ES, Yanni E, Sotir MJ, Ryan ET; the Global TravEpiNet Consortium. Global TravEpiNet: A National Consortium of Clinics Providing Care to International Travelers--Analysis of Demographic Characteristics, Travel Destinations, and Pretravel Healthcare of High-Risk US International Travelers, 2009-2011. *Clin Infect Dis.* 2011 Dec 5. [Epub ahead of print]. PMID:22144534

Larsen DA, Keating J, Miller J, Bennett A, Changufu C, Katebe C, Eisele TP. Barriers to insecticide-treated mosquito net possession 2 years after a mass free distribution campaign in Luangwa District, Zambia. *PLoS One.* 2010 Nov 10;5(11):e13129. PMID:21085711

Last RD, Hill JM, Matjila PT, Rème CA. A field trial evaluation of the prophylactic efficacy of amitraz-impregnated collars against canine babesiosis (*Babesia canis rossi*) in South Africa. *J S Afr Vet Assoc.* 2007 Jun;78(2):63-5. PMID:17941596

Lau AO. An overview of the *Babesia*, *Plasmodium* and *Theileria* genomes: a comparative perspective. *Mol Biochem Parasitol.* 2009 Mar;164(1):1-8. Epub 2008 Dec 6. PMID:19110007

Lau PK, Woods ML, Ratanjee SK, John GT. Artesunate is ineffective in controlling valganciclovir-resistant cytomegalovirus infection. *Clin Infect Dis.* 2011 Jan 15;52(2):279. PMID:21288859

Laufer MK, Takala-Harrison S, Dzinjalama FK, Stine OC, Taylor TE, Plowe CV. Return of chloroquine-susceptible falciparum malaria in Malawi was a reexpansion of diverse susceptible parasites. *J Infect Dis.* 2010 Sep 1;202(5):801-8. PMID:20662717

Laupattarakasem P, Houghton PJ, Hoult JR, Itharat A. An evaluation of the activity related to inflammation of four plants used in Thailand to treat arthritis. *J Ethnopharmacol.* 2003 Apr;85(2-3):207-15. PMID:12639742

Laupattarakasem P, Wangsrimongkol T, Surarit R, Hahnvajanawong C. In vitro and in vivo anti-inflammatory potential of *Cryptolepis buchanani*. *J Ethnopharmacol.* 2006 Dec 6;108(3):349-54. Epub 2006 Jun 6. PMID:16831527

Lavrado J, Moreira R, Paulo A. Indoloquinolines as scaffolds for drug discovery. *Curr Med Chem.* 2010;17(22):2348-70. PMID:20491639

Lawrence JA, de Vos AJ. Methods currently used for the control of anaplasmosis and babesiosis: their validity and proposals for future control strategies. *Parassitologia.* 1990 Apr;32(1):63-71. PMID:2284136

Lawrence JA, Malika J, Whiteland AP, Kafuwa P. Efficacy of an Australian Babesia bovis vaccine strain in Malawi. *Vet Rec.* 1993 Mar 20;132(12):295-6. PMID:8470344

Lawrence JA, Musisi FL, Mfitilodze MW, Tjornehoj K, Whiteland AP, Kafuwa PT, Chamambala KE. Integrated tick and tick-borne disease control trials in crossbred dairy cattle in Malawi. *Trop Anim Health Prod.* 1996 Nov;28(4):280-8. PMID:8983132

Lawrence JA, Whiteland AP, Malika J, Kafuwa P, Jongejan F. Use of serological response to evaluate heartwater immunization of cattle. *Rev Elev Med Vet Pays Trop.* 1993;46(1-2):211-5. PMID:8134634

Lawrence JA. Conventional vaccines for tick-borne haemoparasitic diseases of sheep and goats. *Parassitologia.* 1997 Jun;39(2):119-21. PMID:9530695

Lazarus JV, Curth N, Bridge J, Atun R. Know your epidemic, know your response: targeting HIV in Asia. *AIDS*. 2010 Sep;24 Suppl 3:S95-9. PMID:20926934

Le Port A, Watier L, Cottrell G, Ouédraogo S, Dechavanne C, Pierrat C, Rachas A, Bouscaillou J, Bouraima A, Massougbedji A, Fayomi B, Thiébaut A, Chandre F, Migot-Nabias F, Martin-Prevel Y, Garcia A, Cot M. Infections in Infants during the First 12 Months of Life: Role of Placental Malaria and Environmental Factors. *PLoS One*. 2011;6(11):e27516. Epub 2011 Nov 11. PMID:22096588

Le Roch KG, Chung DW, Ponts N. Genomics and Integrated Systems Biology in *Plasmodium falciparum*: A Path to Malaria Control and Eradication. *Parasite Immunol*. 2011 Oct 13. [Epub ahead of print]. PMID:21995286

Leary KJ, Riel MA, Roy MJ, Cantilena LR, Bi D, Brater DC, van de Pol C, Pruitt K, Kerr C, Veazey JM Jr, Beboso R, Ohrt C. A randomized, double-blind, safety and tolerability study to assess the ophthalmic and renal effects of tafenoquine 200 mg weekly versus placebo for 6 months in healthy volunteers. *Am J Trop Med Hyg*. 2009 Aug;81(2):356-62. PMID:19635898

Lee BP. Apnea, bradycardia and thrombocytopenia in a premature infant. *Pediatr Infect Dis J*. 2001 Aug;20(8):816, 820-2.  
PMID:11734753

Lee GC, Jeon ES, Le DT, Kim TS, Yoo JH, Kim HY, Chong CK. Development and Evaluation of a Rapid Diagnostic Test for *Plasmodium falciparum*, *P. vivax*, and Mixed-Species Malaria Antigens. *Am J Trop Med Hyg*. 2011 Dec;85(6):989-993. PMID:22144432

Lee S, Carson K, Rice-Ficht A, Good T. Hsp20, a novel alpha-crystallin, prevents Abeta fibril formation and toxicity. *Protein Sci*. 2005 Mar;14(3):593-601. PMID:15722443

Lee S, Carson K, Rice-Ficht A, Good T. Small heat shock proteins differentially affect Abeta aggregation and toxicity. *Biochem Biophys Res Commun.* 2006 Aug 25;347(2):527-33. Epub 2006 Jun 30. PMID:16828710

Leiby DA, Chung AP, Cable RG, Trouern-Trend J, McCullough J, Homer MJ, Reynolds LD, Houghton RL, Lodes MJ, Persing DH. Relationship between tick bites and the seroprevalence of Babesia microti and Anaplasma phagocytophila (previously Ehrlichia sp.) in blood donors. *Transfusion.* 2002 Dec;42(12):1585-91. PMID:12473139

Leiby DA, Chung AP, Gill JE, Houghton RL, Persing DH, Badon S, Cable RG. Demonstrable parasitemia among Connecticut blood donors with antibodies to Babesia microti. *Transfusion.* 2005 Nov;45(11):1804-10. PMID:16271108

Leiby DA, Gill JE. Transfusion-transmitted tick-borne infections: a cornucopia of threats. *Transfus Med Rev.* 2004 Oct;18(4):293-306. PMID:15497129

Leiby DA. Babesiosis and blood transfusion: flying under the radar. *Vox Sang.* 2006 Apr;90(3):157-65. PMID:16507014

Leiby DA. Threats to blood safety posed by emerging protozoan pathogens. *Vox Sang.* 2004 Jul;87 Suppl 2:120-2. PMID:15209895

Leiby DA. Transfusion-associated babesiosis: shouldn't we be ticked off? *Ann Intern Med.* 2011 Oct 18;155(8):556-7. Epub 2011 Sep 5. PMID:21893616

Leiby DA. Transfusion-transmitted Babesia spp.: bull's-eye on Babesia microti. *Clin Microbiol Rev.* 2011 Jan;24(1):14-28. PMID:21233506

Leimanis ML, Jaidee A, Sriprawat K, Kaewpongsri S, Suwanarusk R, Barends M, Phyoe AP, Russell B, Renia L, Nosten F. Plasmodium vivax susceptibility to ferroquine. *Antimicrob Agents Chemother.* 2010 May;54(5):2228-30. Epub 2010 Mar 22. PMID:20308387

Leisewitz AL, Guthrie AJ, Berry WL. Evaluation of the effect of whole-blood transfusion on the oxygen status and acid-base balance of Babesia canis infected dogs using the oxygen status algorithm. *J S Afr Vet Assoc.* 1996 Mar;67(1):20-6. PMID:8786612

Leisewitz AL, Jacobson LS, de Morais HS, Reyers F. The mixed acid-base disturbances of severe canine babesiosis. *J Vet Intern Med.* 2001 Sep-Oct;15(5):445-52. PMID:11596731

Leitao R, Rodriguez A. Inhibition of Plasmodium sporozoites infection by targeting the host cell. *Exp Parasitol.* 2010 Oct;126(2):273-7. Epub 2010 May 21. PMID:20493847

Leitner WW, Bergmann-Leitner ES, Angov E. Comparison of Plasmodium berghei challenge models for the evaluation of pre-erythrocytic malaria vaccines and their effect on perceived vaccine efficacy. *Malar J.* 2010 May 27;9:145. PMID:20507620

Lekana-Douki JB, Dinzouna Boutamba SD, Zatra R, Zang Edou SE, Ekomy H, Bisvigou U, Toure-Ndou FS. Increased prevalence of the Plasmodium falciparum Pfmdr1 86N genotype among field isolates from Franceville, Gabon after replacement of chloroquine by artemether-lumefantrine and artesunate-mefloquine. *Infect Genet Evol.* 2011 Mar;11(2):512-7. Epub 2011 Jan 17. PMID:21251998

Leke RG, Taylor DW. The use of intermittent preventive treatment with sulfadoxine-pyrimethamine for preventing malaria in pregnant women. *Clin Infect Dis.* 2011 Aug 1;53(3):231-3. PMID:21765071

Lek-Uthai U, Suwanarusk R, Ruengweerayut R, Skinner-Adams TS, Nosten F, Gardiner DL, Boonma P, Piera KA, Andrews KT, Machunter B, McCarthy JS, Anstey NM, Price RN, Russell B. Stronger activity of human immunodeficiency virus type 1 protease inhibitors against clinical isolates of Plasmodium vivax than against those of *P. falciparum*. *Antimicrob Agents Chemother.* 2008 Jul;52(7):2435-41. Epub 2008 Apr 28. PMID:18443130

Lell B, Agnandji S, von Glasenapp I, Haertle S, Oyakhiromen S, Issifou S, Vekemans J, Leach A, Lievens M, Dubois MC, Demoitie MA, Carter T, Villafana T, Ballou WR, Cohen J, Kremsner PG. A randomized trial assessing the safety and immunogenicity of AS01 and AS02 adjuvanted RTS,S malaria vaccine candidates in children in Gabon. *PLoS One.* 2009 Oct 27;4(10):e7611. PMID:19859560

Lell B, Faucher JF, Missinou MA, Borrman S, Dangelmaier O, Horton J, Kremsner PG. Malaria chemoprophylaxis with tafenoquine: a randomised study. *Lancet.* 2000 Jun 10;355(9220):2041-5. PMID:10885356

Lemma H, Lofgren C, San Sebastian M. Adherence to a six-dose regimen of artemether-lumefantrine among uncomplicated Plasmodium falciparum patients in the Tigray Region, Ethiopia. *Malar J.* 2011 Dec 5;10(1):349. [Epub ahead of print]. PMID:22141751

Leoni P, Luchini S. Designing the financial tools to promote universal access to AIDS care. *J Health Econ.* 2011 Jan;30(1):181-8. Epub 2010 Nov 12. PMID:21126788

Lepes T. Research related to malaria. A review of achievements and further needs. *Am J Trop Med Hyg.* 1972 Sep;21(5):640-7. PMID:4627544

Leroux-Roels G. Unmet needs in modern vaccinology: adjuvants to improve the immune response. *Vaccine.* 2010 Aug 31;28 Suppl 3:C25-36. PMID:20713254

Leroy E, Baize S, Gonzalez JP. [Ebola and Marburg hemorrhagic fever viruses: update on filoviruses].[Article in French]. *Med Trop (Mars).* 2011 Apr;71(2):111-21. PMID:21695865

Lewis BD, Penzhorn BL, López Rebollar LM. Immune responses to South African Babesia canis and the development of a preliminary vaccine. *J S Afr Vet Assoc.* 1995 Jun;66(2):61-5. PMID:8544162

Lewis BD, Penzhorn BL, Volkmann DH. Could treatment of pregnant mares prevent abortions due to equine piroplasmosis? *J S Afr Vet Assoc.* 1999 Jun;70(2):90-1. PMID:10855828

Lewis RL. Blood transfusion in a case of bovine piroplasmosis. *Vet Rec.* 1946 Nov 30;58(48):568. PMID:20279641

L'Hostis M. Epidemiology and vaccination strategy: Babesia divergens bovine babesiosis example. *Vet Res.* 1995;26(3):240-3. PMID:7795691

Li B, Yao Q, Pan XC, Wang N, Zhang R, Li J, Ding G, Liu X, Wu C, Ran D, Zheng J, Zhou H. Artesunate enhances the antibacterial effect of  $\{\beta\}$ -lactam antibiotics against *Escherichia coli* by increasing antibiotic accumulation via inhibition of the multidrug efflux pump system AcrAB-TolC. *J Antimicrob Chemother.* 2011 Apr;66(4):769-77. Epub 2011 Feb 9. PMID:21393180

Li J, Zhu JD, Appiah A, McCutchan TF, Long GW, Milhous WK, Hollingdale MR. *Plasmodium berghei*: quantitation of in vitro effects of antimalarial drugs on exoerythrocytic development by a ribosomal RNA probe. *Exp Parasitol.* 1991 May;72(4):450-8. PMID:2026219

Li J. [Forty-two cases of malaria treated with ginger-partitioned moxibustion in the Republic of Congo].[Article in Chinese]. *Zhongguo Zhen Jiu.* 2011 Jun;31(6):559-61. PMID:21739708

Li PN, Khitenkova LP. [Imidocarb, a highly effective preparation in animal piroplasmosis (a survey of the foreign literature)].[Article in Russian]. *Veterinariia.* 1973 Jan;49(1):117-9. PMID:4756636

Li Q, Weintraub PJ. Severe embryotoxicity of artemisinin derivatives in experimental animals, but possibly safe in pregnant women. *Molecules.* 2009 Dec 25;15(1):40-57. PMID:20110870

Li X, Ling V, Li PC. Same-single-cell analysis for the study of drug efflux modulation of multidrug resistant cells using a microfluidic chip. *Anal Chem.* 2008 Jun 1;80(11):4095-102. Epub 2008 Apr 30. PMID:18447319

Liljander A, Chandramohan D, Kweku M, Olsson D, Montgomery SM, Greenwood B, Färnert A. Influences of intermittent preventive treatment and persistent multiclonal Plasmodium falciparum infections on clinical malaria risk. *PLoS One.* 2010 Oct 27;5(10):e13649. PMID:21048970

Lim P, Alker AP, Khim N, Shah NK, Incardona S, Doung S, Yi P, Bouth DM, Bouchier C, Puijalon OM, Meshnick SR, Wongsrichanalai C, Fandeur T, Le Bras J, Ringwald P, Ariey F. Pfmdr1 copy number and artemisinin derivatives combination therapy failure in falciparum malaria in Cambodia. *Malar J.* 2009 Jan 12;8:11. PMID:19138391

Lim P, Wongsrichanalai C, Chim P, Khim N, Kim S, Chy S, Sem R, Nhem S, Yi P, Duong S, Bouth DM, Genton B, Beck HP, Gobert JG, Rogers WO, Coppee JY, Fandeur T, Mercereau-Puijalon O, Ringwald P, Le Bras J, Ariey F. Decreased in vitro susceptibility of Plasmodium falciparum isolates to artesunate, mefloquine, chloroquine, and quinine in Cambodia from 2001 to 2007. *Antimicrob Agents Chemother.* 2010 May;54(5):2135-42. Epub 2010 Mar 1. PMID:20194689

Lima FM, Oliveira P, Mortara RA, Silveira JF, Bahia D. The challenge of Chagas' disease: has the human pathogen, *Trypanosoma cruzi*, learned how to modulate signaling events to subvert host cells? *N Biotechnol.* 2010 Dec 31;27(6):837-43. Epub 2010 Feb 19. PMID:20172059

Limbach K, Aguiar J, Gowda K, Patterson N, Abot E, Sedegah M, Sacci J, Richie T. Identification of two new protective pre-erythrocytic malaria vaccine antigen candidates. *Malar J.* 2011 Mar 16;10:65. PMID:21410955

Lin MY, Huang HP. Use of a doxycycline-enrofloxacin-metronidazole combination with/without diminazene diaceturate to treat naturally occurring canine babesiosis caused by *Babesia gibsoni*. *Acta Vet Scand.* 2010 Apr 24;52:27. PMID:20416095

Linden JV, Wong SJ, Chu FK, Schmidt GB, Bianco C. Transfusion-associated transmission of babesiosis in New York State. *Transfusion.* 2000 Mar;40(3):285-9. PMID:10738027

Lindgren TG, Deutsch K, Schell E, Bvumbwe A, Hart KB, Laviwa J, Rankin SH. Using mobile clinics to deliver HIV testing and other basic health services in rural Malawi. *Rural Remote Health*. 2011 Apr-Jun;11(2):1682. Epub 2011 Jun 28. PMID:21787108

Lindholm PF, Annen K, Ramsey G. Approaches to minimize infection risk in blood banking and transfusion practice. *Infect Disord Drug Targets*. 2011 Feb;11(1):45-56. PMID:21303341

Littman MP. Canine borreliosis. *Vet Clin North Am Small Anim Pract*. 2003 Jul;33(4):827-62. PMID:12910746

Littrell M, Gatakaa H, Evance I, Poyer S, Njogu J, Solomon T, Munroe E, Chapman S, Goodman C, Hanson K, Zinsou C, Akulayi L, Raharinjatovo J, Arogundade E, Buyungo P, Mpasela F, Adjibabi CB, Agbango JA, Ramarosandratana BF, Coker B, Rubahika D, Hamainza B, Shewchuk T, Chavasse D, O'Connell KA. Monitoring fever treatment behaviour and equitable access to effective medicines in the context of initiatives to improve ACT access: baseline results and implications for programming in six African countries. *Malar J*. 2011 Oct 31;10:327. PMID:22039892

Littrell M, Gatakaa H, Phok S, Allen H, Yeung S, Chuor CM, Dysoley L, Socheat D, Spiers A, White C, Shewchuk T, Chavasse D, O'Connell KA. Case management of malaria fever in Cambodia: results from national anti-malarial outlet and household surveys. *Malar J*. 2011 Oct 31;10:328. PMID:22039922

Liu AR, Yu ZY, Lu LL, Sui ZY. [The synergistic action of guanghuoxiang volatile oil and sodium artesunate against Plasmodium berghei and reversal of SA-resistant Plasmodium berghei].[Article in Chinese]. *Zhongguo Ji Sheng Chong Xue Yu Ji Sheng Chong Bing Za Zhi*. 2000;18(2):76-8. PMID:12567719

Liu J, Obando D, Liao V, Lifa T, Codd R. The many faces of the adamantyl group in drug design. *Eur J Med Chem*. 2011 Jun;46(6):1949-63. Epub 2011 Feb 3. PMID:21354674

Liu R, Dong HF, Jiang MS. Artemisinin: the gifts from traditional Chinese medicine not only for malaria control but also for schistosomiasis control. *Parasitol Res.* 2011 Oct 27. [Epub ahead of print]. PMID:22033738

Loa CC, Adelson ME, Mordechai E, Raphaelli I, Tilton RC. Serological diagnosis of human babesiosis by IgG enzyme-linked immunosorbent assay. *Curr Microbiol.* 2004 Dec;49(6):385-9. PMID:15696612

Lobetti RG, Reyers F, Nesbit JW. The comparative role of haemoglobinemia and hypoxia in the development of canine babesial nephropathy. *J S Afr Vet Assoc.* 1996 Dec;67(4):188-98. PMID:9284030

Lodes MJ, Dillon DC, Houghton RL, Skeiky YA. Expression cloning. *Methods Mol Med.* 2004;94:91-106. PMID:14959824

Lodes MJ, Houghton RL, Bruinsma ES, Mohamath R, Reynolds LD, Benson DR, Krause PJ, Reed SG, Persing DH. Serological expression cloning of novel immunoreactive antigens of Babesia microti. *Infect Immun.* 2000 May;68(5):2783-90. PMID:10768973

Lohmann J, Wollina U. [Fever in travelers returning from the tropics: outpatient management].[Article in German]. *MMW Fortschr Med.* 2011 Jun 16;153(24-25):39-41. PMID:21717709

Löhr KF. [Contribution to the problem of the natural resistance of calves to Babesia bigemina].[Article in German]. *Zentralbl Veterinarmed B.* 1969 Mar;16(2):158-63. PMID:5814189

Löhr KF. [Immunization against babesiosis and anaplasmosis in 40 Charollais cattle imported to Kenya and report the incidence of photosensitization].[Article in German]. *Zentralbl Veterinarmed B.* 1969 Feb;16(1):40-6. PMID:5389131

Looareesuwan S, Phillips RE, Karbwang J, White NJ, Flegg PJ, Warrell DA. Plasmodium falciparum hyperparasitaemia: use of exchange transfusion in seven patients and a review of the literature. *Q J Med.* 1990 May;75(277):471-81. PMID:2201995

Lopes NP, Kato MJ, Andrade EH, Maia JG, Yoshida M, Planchart AR, Katzin AM. Antimalarial use of volatile oil from leaves of *Virola surinamensis* (Rol.) Warb. by Waiãpi Amazon Indians. *J Ethnopharmacol.* 1999 Nov 30;67(3):313-9. PMID:10617066

López ML, Vommaro R, Zalis M, de Souza W, Blair S, Segura C. Induction of cell death on *Plasmodium falciparum* asexual blood stages by *Solanum nudum* steroids. *Parasitol Int.* 2010 Jun;59(2):217-25. Epub 2010 Feb 11. PMID:20153445

López-Estraño C. Comparative analysis of stage specific gene regulation of apicomplexan parasites: *Plasmodium falciparum* and *Toxoplasma gondii*. *Infect Disord Drug Targets.* 2010 Aug;10(4):240-1. PMID:20687894

Lorenz LM, Koella JC. Maternal environment shapes the life history and susceptibility to malaria of *Anopheles gambiae* mosquitoes. *Malar J.* 2011 Dec 21;10(1):382. [Epub ahead of print]. PMID:22188602

Loretti AP, Barros SS. Hemorrhagic disease in dogs infected with an unclassified intraendothelial piroplasm in southern Brazil. *Vet Parasitol.* 2005 Dec 10;134(3-4):193-213. Epub 2005 Sep 8. PMID:16153781

Losos GJ, Crockett E. Toxicity of beril in the dog. *Vet Rec.* 1969 Aug 16;85(7):196. PMID:5816642

Losson B, Patz R. [Babesia divergens: activity of long-acting oxytetracycline in the gerbil, *Meriones unguiculatus*].[Article in French]. *Ann Rech Vet.* 1989;20(4):501-7. PMID:2619208

Loucoubar C, Goncalves B, Tall A, Sokhna C, Trape JF, Diène Sarr F, Faye J, Badiane A, Ly AB, Diop A, Bar-Hen A, Bureau JF, Sakuntabhai A, Paul R. Impact of changing drug treatment and malaria endemicity on the heritability of malaria phenotypes in a longitudinal family-based cohort study. *PLoS One.* 2011;6(11):e26364. Epub 2011 Nov 3. PMID:22073159

Lousada-Dietrich S, Joggdand PS, Jepsen S, Pinto VV, Ditlev SB, Christiansen M, Larsen SO, Fox CB, Raman VS, Howard RF, Vedvick TS, Ireton G, Carter D, Reed SG, Theisen M. A synthetic TLR4 agonist formulated in an emulsion enhances humoral and Type 1 cellular immune responses against GMZ2--a GLURP-MSP3 fusion protein malaria vaccine candidate. *Vaccine*. 2011 Apr 12;29(17):3284-92. Epub 2011 Feb 22. PMID:21349366

Lover AA, Sutton BA, Asy AJ, Wilder-Smith A. An exploratory study of treated-bed nets in Timor-Leste: patterns of intended and alternative usage. *Malar J*. 2011 Jul 21;10:199. PMID:21777415

Lozano JM, Lesmes LP, Carreño LF, Gallego GM, Patarroyo ME. Development of designed site-directed pseudopeptide-peptido-mimetic immunogens as novel minimal subunit-vaccine candidates for malaria. *Molecules*. 2010 Dec 6;15(12):8856-89. PMID:21135800

Lu F, Gao Q, Chotivanich K, Xia H, Cao J, Udomsangpetch R, Cui L, Sattabongkot J. In vitro anti-malarial drug susceptibility of temperate Plasmodium vivax from central China. *Am J Trop Med Hyg*. 2011 Aug;85(2):197-201. PMID:21813834

Lu Z, Ding Y, Li XC, Djigbenou DR, Grimberg BT, Ferreira D, Ireland CM, Van Wagoner RM. 3-bromohomofascaplysin A, a fascaplysin analogue from a Fijian *Didemnum* sp. ascidian. *Bioorg Med Chem*. 2011 Nov 15;19(22):6604-7. Epub 2011 Jun 1. PMID:21696970

Lubell Y, Riewpaiboon A, Dondorp AM, von Seidlein L, Mokuolu OA, Nansumba M, Gesase S, Kent A, Mtove G, Olaosebikan R, Ngum WP, Fanello CI, Hendriksen I, Day NP, White NJ, Yeung S. Cost-effectiveness of parenteral artesunate for treating children with severe malaria in sub-Saharan Africa. *Bull World Health Organ*. 2011 Jul 1;89(7):504-12. Epub 2011 Apr 28. PMID:21734764

Lubin AS, Snydman DR, Miller KB. Persistent babesiosis in a stem cell transplant recipient. *Leuk Res*. 2011 Jun;35(6):e77-8. Epub 2010 Dec 24. PMID:21185598

Lucantoni L, Yerbanga RS, Lupidi G, Pasqualini L, Esposito F, Habluetzel A. Transmission blocking activity of a standardized neem (*Azadirachta indica*) seed extract on the rodent malaria parasite *Plasmodium berghei* in its vector *Anopheles stephensi*. *Malar J*. 2010 Mar 2;9:66. PMID:20196858

Lucchi NW, Jain V, Wilson NO, Singh N, Udhayakumar V, Stiles JK. Potential serological biomarkers of cerebral malaria. *Dis Markers*. 2011 Jan 1;31(6):327-35. PMID:22182805

Lucke K. [Microbiological diagnosis of tuberculosis].[Article in German]. *Ther Umsch*. 2011 Jul;68(7):376-80. PMID:21728155

Lugada E, Millar D, Haskew J, Grabowsky M, Garg N, Vestergaard M, Kahn JG, Muraguri N, Mermin J. Rapid implementation of an integrated large-scale HIV counseling and testing, malaria, and diarrhea prevention campaign in rural Kenya. *PLoS One*. 2010 Aug 26;5(8):e12435. PMID:20865049

Lumb V, Das MK, Singh N, Dev V, Khan W, Sharma YD. Multiple origins of *Plasmodium falciparum* dihydropteroate synthetase mutant alleles associated with sulfadoxine resistance in India. *Antimicrob Agents Chemother*. 2011 Jun;55(6):2813-7. Epub 2011 Mar 21. PMID:21422213

Lumsden JM, Cranmer MA, Krzych U. An early commitment to expression of a particular TCRVbeta chain on CD8(+) T cells responding to attenuated *Plasmodium berghei* sporozoites is maintained following challenge with infectious sporozoites. *Parasite Immunol*. 2010 Sep-Oct;32(9-10):644-55. PMID:20691016

Lumsden JM, Pichyangkul S, Srichairatanakul U, Yongvanitchit K, Limsalakpatch A, Nurmukhambetova S, Klein J, Bertholet S, Vedvick TS, Reed SG, Sattabongkot J, Bennett JW, Polhemus ME, Ockenhouse CF, Howard RF, Yadava A. Evaluation of the safety and immunogenicity in rhesus monkeys of a recombinant malaria vaccine for Plasmodium vivax with a synthetic Toll-like receptor 4 agonist formulated in an emulsion. *Infect Immun.* 2011 Sep;79(9):3492-500. Epub 2011 Jun 20. PMID:21690242

Luo J, Fort DM, Carlson TJ, Noamesi BK, nii-Amon-Kotei D, King SR, Tsai J, Quan J, Hobensack C, Lapresca P, Waldeck N, Mendez CD, Jolad SD, Bierer DE, Reaven GM. *Cryptolepis sanguinolenta:* an ethnobotanical approach to drug discovery and the isolation of a potentially useful new antihyperglycaemic agent. *Diabet Med.* 1998 May;15(5):367-74. PMID:9609357

Luo Y, Jia H, Terkawi MA, Goo YK, Kawano S, Ooka H, Li Y, Yu L, Cao S, Yamagishi J, Fujisaki K, Nishikawa Y, Saito-Ito A, Igarashi I, Xuan X. Identification and characterization of a novel secreted antigen 1 of Babesia microti and evaluation of its potential use in enzyme-linked immunosorbent assay and immunochromatographic test. *Parasitol Int.* 2011 Jun;60(2):119-25. Epub 2010 Nov 8. PMID:21070864

Lux JZ, Weiss D, Linden JV, Kessler D, Herwaldt BL, Wong SJ, Keithly J, Della-Latta P, Scully BE. Transfusion-associated babesiosis after heart transplant. *Emerg Infect Dis.* 2003 Jan;9(1):116-9. PMID:12533293

Lykins JD, Ristic M, Weisiger RM. Babesia microti: pathogenesis of parasite of human origin in the hamster. *Exp Parasitol.* 1975 Jun;37(3):388-97. PMID:805058

Ma C, Wang H, Lu X, Li H, Liu B, Xu G. Analysis of Artemisia annua L. volatile oil by comprehensive two-dimensional gas chromatography time-of-flight mass spectrometry. *J Chromatogr A.* 2007 May 25;1150(1-2):50-3. Epub 2006 Oct 12. PMID:17045598

Ma DD, Rede T, Naqvi NA, Cook PD. Synthetic oligonucleotides as therapeutics: the coming of age. *Biotechnol Annu Rev.* 2000;5:155-96. PMID:10875000

Ma H, Yao Q, Zhang AM, Lin S, Wang XX, Wu L, Sun JG, Chen ZT. The Effects of Artesunate on the Expression of EGFR and ABCG2 in A549 Human Lung Cancer Cells and a Xenograft Model. *Molecules.* 2011 Dec 19;16(12):10556-69. PMID:22183882

Ma X, Zheng C, Hu C, Rahman K, Qin L. The genus Desmodium (Fabaceae)-traditional uses in Chinese medicine, phytochemistry and pharmacology. *J Ethnopharmacol.* 2011 Nov 18;138(2):314-32. Epub 2011 Oct 17. PMID:22004895

Macchi Bde M, Quaresma JA, Herculano AM, Crespo-López ME, DaMatta RA, do Nascimento JL. Pathogenic action of Plasmodium gallinaceum in chickens: brain histology and nitric oxide production by blood monocyte-derived macrophages. *Vet Parasitol.* 2010 Aug 27;172(1-2):16-22. Epub 2010 May 6. PMID:20537466

Macgregor JD, Avery JG. Malaria transmission and fetal growth. *Br Med J.* 1974 Aug 17;3(5928):433-6. PMID:4606777

Machado RZ, McElwain TF, Pancracio HP, Freschi CR, Palmer GH. Babesia bigemina: immunization with purified rhoptries induces protection against acute parasitemia. *Exp Parasitol.* 1999 Oct;93(2):105-8. PMID:10502474

Machtinger L, Telford SR 3rd, Inducil C, Klapper E, Pepkowitz SH, Goldfinger D. Treatment of babesiosis by red blood cell exchange in an HIV-positive, splenectomized patient. *J Clin Apher.* 1993;8(2):78-81. PMID:8226709

Macrae CA, Anders RF, Foley M, Norton RS. Apical membrane antigen 1 as an anti-malarial drug target. *Curr Top Med Chem.* 2011;11(16):2039-47. PMID:21619512

Maggi RG, Mozayeni BR, Pultorak EL, Hegarty BC, Bradley JM, Correa M, Breitschwerdt EB. *Bartonella* spp. bacteremia and rheumatic symptoms in patients from Lyme disease–endemic region. *Emerg Infect Dis.* 2012 May;18(5):783-791.

Mahajan B, Berzofsky JA, Boykins RA, Majam V, Zheng H, Chattopadhyay R, de la Vega P, Moch JK, Haynes JD, Belyakov IM, Nakhasi HL, Kumar S. Multiple antigen peptide vaccines against *Plasmodium falciparum* malaria. *Infect Immun.* 2010 Nov;78(11):4613-24. Epub 2010 Sep 7. PMID:20823210

Maher D, Harries AD, Nachege JB, Jaffar S. Methodology matters: what type of research is suitable for evaluating community treatment supporters for HIV and tuberculosis treatment? *Trop Med Int Health.* 2011 Dec 16. [Epub ahead of print]. PMID:22171790

Mahoney DF, Goodger BV. *Babesia argentina*: immunogenicity of plasma from infected animals. *Exp Parasitol.* 1972 Aug;32(1):71-85. PMID:4626125

Mahoney DF, Kerr JD, Goodger BV, Wright IG. The immune response of cattle to *Babesia bovis* (syn. *B. argentina*). Studies on the nature and specificity of protection. *Int J Parasitol.* 1979 Aug;9(4):297-306. PMID:489236

Mahoney DF, Mirre GB. *Babesia argentina*: the infection of splenectomized calves with extracts of larval ticks (*Boophilus microplus*). *Res Vet Sci.* 1974 Jan;16(1):112-4. PMID:4819982

Mahoney DF, Wright IG, Goodger BV, Mirre GB, Sutherst RW, Utech KB. The transmission of *Babesia bovis* in herds of European and Zebu x European cattle infested with the tick, *Boophilus microplus*. *Aust Vet J.* 1981 Oct;57(10):461-9. PMID:7337597

Mahoney DF, Wright IG, Goodger BV. Bovine babesiosis: the immunization of cattle with fractions of erythrocytes infected with *Babesia bovis* (syn *B. argentina*). *Vet Immunol Immunopathol.* 1981 Apr;2(2):145-56. PMID:7344266

Mahoney DF, Wright IG, Goodger BV. Changes in the haemolytic activity of serum complement during acute Babesia bovis infection in cattle. *Z Parasitenkd.* 1980;62(1):39-45. PMID:7395306

Mahoney DF, Wright IG, Goodger BV. Immunity in cattle to Babesia bovis after single infections with parasites of various origin. *Aust Vet J.* 1979 Jan;55(1):10-2. PMID:435202

Mahoney DF, Wright IG, Ketterer PJ. Babesia argentina: the infectivity and immunogenicity of irradiated blood parasites for splenectomized calves. *Int J Parasitol.* 1973 Mar;3(2):209-17. PMID:4196318

Maiga OM, Kayentao K, Traoré BT, Djimde A, Traoré B, Traoré M, Ongoiba A, Doumtabé D, Doumbo S, Traoré MS, Dara A, Guindo O, Karim DM, Coulibaly S, Bougoudogo F, Ter Kuile FO, Danis M, Doumbo OK. Superiority of 3 over 2 doses of intermittent preventive treatment with sulfadoxine-pyrimethamine for the prevention of malaria during pregnancy in mali: a randomized controlled trial. *Clin Infect Dis.* 2011 Aug 1;53(3):215-23. PMID:21765069

malERA Consultative Group on Basic Science and Enabling Technologies. Collaborators: Amino R, Bassat Q, Baum J, Billker O, Bogyo M, Bousema T, Christophides G, Deitsch K, Dinglasan R, Djimde A, Duraisingham M, Dzinjalama F, Hippi C, Heussler V, Kramarik J, de Koning-Ward T, Lacerda M, Laufer M, Lim P, Llinas M, McGovern V, Martinez-Barnetche J, Mota MM, Mueller I, Okumu F, Rasgon J, Serazin A, Sharma P, Sinden R, Wirth D, Gilberger T. A research agenda for malaria eradication: basic science and enabling technologies. *PLoS Med.* 2011 Jan 25;8(1):e1000399. PMID:21311584

malERA Consultative Group on Diagnoses and Diagnostics. Collaborators: Alonso PL, Bassat Q, Bell D, Berman P, Breman JG, de Savigny D, Drakeley C, Evans T, Block MA, Hanson K, Kachur SP, Kress D, Macdonald M, Newman RD, Nyonator FK, Pagnoni F, Perkins M, Schapira A, Schellenberg D, Slutsker L, Sullivan D, Tanner M, Teklehaimanot A, Teuscher T, Mendis K, Barnwell JW, Moonen B, Brown G. A research agenda for malaria eradication: diagnoses and diagnostics. *PLoS Med.* 2011 Jan 25;8(1):e1000396. PMID:21311583

malERA Consultative Group on Drugs. Collaborators: Alonso PL, Bassat Q, Binka F, Brewer T, Chandra R, Culpepper J, Dinglasan R, Duncan K, Duparc S, Fukuda M, Laxminarayan R, MacArthur JR, Magill A, Marzetta C, Milman J, Mutabingwa T, Nosten F, Nwaka S, Nyunt M, Ohrt C, Plowe CV, Pottage J, Price R, Ringwald P, Serazin A, Shanks D, Sinden R, Tanner M, Vial H, Ward SA, Wellemes TE, Wells T, White N, Wirth D, Yeung S, Yuthavong Y, Alonso PL, Djimde A, Magill A, Milman J, Nájera J, Plowe CV, Wells T, Yeung S, Kremsner P, Mueller I, Newman RD, Rabinovich R. A research agenda for malaria eradication: drugs. *PLoS Med.* 2011 Jan 25;8(1):e1000402. PMID:21311580

malERA Consultative Group on Health Systems and Operational Research. Collaborators: Alonso PL, Bassat Q, Bell D, Berman P, Breman JG, de Savigny D, Drakeley C, Evans T, Block MA, Hanson K, Kachur SP, Kress D, Macdonald M, Newman RD, Nyonator FK, Pagnoni F, Perkins M, Schapira A, Schellenberg D, Slutsker L, Sullivan D, Tanner M, Teklehaimanot A, Teuscher T, Mendis K, Brown G. A research agenda for malaria eradication: health systems and operational research. *PLoS Med.* 2011 Jan 25;8(1):e1000397. PMID:21311588

malERA Consultative Group on Integration Strategies. Collaborators: Binka F, Brown G, Alonso PL, Brown G, Tanner M, Abdulla S, Alonso PL, Bart-Plange C, Bassat Q, Binka F, Bojang K, Brooks A, Brown G, Djimde A, Drakeley C, González-Block MA, Hemingway J, Koram K, Keziah M, Macete E, Richards F, de Savigny D, Sinden R, Smith TA, Sirima S, Steketee R, Ongutu B, Owusu-Agyei S, Alonso PL, Brown G, Tanner M. A research agenda for malaria eradication: cross-cutting issues for eradication. *PLoS Med.* 2011 Jan 25;8(1):e1000404. PMID:21283603

malERA Consultative Group on Modeling. Collaborators: Tanner M, Alonso PL, Eubank S, Ghani A, Hay SI, Sinden R, Smith D, Smith TA, Tanner M, White L, Akhavan D, Antão T, Aultman K, Buchsbaum S, Eckhoff P, Ghani A, Glass G, Hastings I, Hay SI, Kanyok T, Koella J, Lauer J, Maire N, Mordveit H, Schapira A, Sinden R, Smith D, Smith TA, Tanner M, Vounatsou P, White L, Akhavan D, Alonso PL, Antao T, Aponte J, Aultman K, Buchsbaum S, Cárdenas V, Collins F, Cunningham G, Day K, Eckhoff P, Eckstrand I, Eubank S, Ghani A, Glass G, Hall BF, Hastings I, Lauer J, Madey G, Marathe M, McKenzie E, Mortveit HS, Ratcliffe A, Saul A, Sinden R, Smith D, Smith TA, Tanner M, White L, Alonso PL, Eubank S, Ghani A, Hay SI, Sinden R, Smith D, Smith TA, Tanner M, White L, Brown G. A research agenda for malaria eradication: modeling. *PLoS Med.* 2011 Jan 25;8(1):e1000403. PMID:21283605

malERA Consultative Group on Monitoring, Evaluation, and Surveillance. Collaborators: Steketee R, Voltaire F, Hay SI, Alonso PL, Atta HY, Bassat Q, Bakayaita N, Clark JP, Doumbo OK, Drakeley C, Eckert EL, Eisele T, Gausi K, Guinovart C, Hayes N, Kilian A, Lama M, Meek S, Miller J, Nahlen B, Otten M, Ratcliffe A, López MH, Slutsker L, Greenwood B, Tanner M. A research agenda for malaria eradication: monitoring, evaluation, and surveillance. *PLoS Med.* 2011 Jan 25;8(1):e1000400. PMID:21311581

malERA Consultative Group on Vaccines. Collaborators: Abdulla S, Agre P, Alonso PL, Arevalo-Herrera M, Bassat Q, Binka F, Chitnis C, Corradin G, Cowman A, Culpepper J, del Portillo H, Dinglasan R, Duffy P, Gargallo D, Greenwood B, Guinovart C, Hall BF, Herrera S, Hoffman S, Lanzavecchia A, Leroy O, Levine MM, Loucq C, Mendis K, Milman J, Moorthy V, Pleuschke G, Plowe CV, Reed S, Sauerwein R, Saul A, Schofield L, Sinden R, Stubbs J, Villafana T, Wirth D, Yadav P, Ballou R, Brown G, Birkett A, Brandt W, Brooks A, Carter T, Golden A, Lee C, Nunes J, Puijalon O, Raphael T, Richards H, Warren C, Woods C. A research agenda for malaria eradication: vaccines. *PLoS Med.* 2011 Jan 25;8(1):e1000398. PMID:21311586

malERA Consultative Group on Vector Control. Collaborators: Aultman K, Burkot TR, Chandre F, Coetzee M, Collins FH, Corbel V, Dartigues V, Gimnig J, Hawley B, Hemingway J, Jacobs-Lorena M, James AA, Karunaratne P, Kilien G, Lengeler C, Lines J, Macdonald M, Mendez-Galván J, Muskavitch M, Nájera J, Neafsey D, Rosenberg R, Simard F, Sinden R, Subbarao S, Walker N, Williams J, Wirtz R, Alonso PL, Besansky NJ, Burkot TR, Collins FH, Hemingway J, James AA, Lengeler C, Lindsay S, Liu Q, Lobo NF, Mnzava A, Tanner M, Zwiebel L. A research agenda for malaria eradication: vector control. *PLoS Med.* 2011 Jan 25;8(1):e1000401. PMID:21311587

malERA Consultative Group on Diagnoses and Diagnostics. Collaborators: Alonso PL, Bassat Q, Bell D, Berman P, Breman JG, de Savigny D, Drakeley C, Evans T, Block MA, Hanson K, Kachur SP, Kress D, Macdonald M, Newman RD, Nyonator FK, Pagnoni F, Perkins M, Schapira A, Schellenberg D, Slutsker L, Sullivan D, Tanner M, Teklehaimanot A, Teuscher T, Mendis K, Barnwell JW, Moonen B, Brown G. A research agenda for malaria eradication: diagnoses and diagnostics. *PLoS Med.* 2011 Jan 25;8(1):e1000396. PMID:21311583

malERA Consultative Group on Drugs. Collaborators: Alonso PL, Bassat Q, Binka F, Brewer T, Chandra R, Culpepper J, Dinglasan R, Duncan K, Duparc S, Fukuda M, Laxminarayan R, MacArthur JR, Magill A, Marzetta C, Milman J, Mutabingwa T, Nosten F, Nwaka S, Nyunt M, Ohrt C, Plowe CV, Pottage J, Price R, Ringwald P, Serazin A, Shanks D, Sinden R, Tanner M, Vial H, Ward SA, Wellemes TE, Wells T, White N, Wirth D, Yeung S, Yuthavong Y, Alonso PL, Djimde A, Magill A, Milman J, Nájera J, Plowe CV, Wells T, Yeung S, Kremsner P, Mueller I, Newman RD, Rabinovich R. A research agenda for malaria eradication: drugs. *PLoS Med.* 2011 Jan 25;8(1):e1000402. PMID:21311580

malERA Consultative Group on Health Systems and Operational Research. Collaborators: Alonso PL, Bassat Q, Bell D, Berman P, Breman JG, de Savigny D, Drakeley C, Evans T, Block MA, Hanson K, Kachur SP, Kress D, Macdonald M, Newman RD, Nyonator FK, Pagnoni F, Perkins M, Schapira A, Schellenberg D, Slutsker L, Sullivan D, Tanner M, Teklehaimanot A, Teuscher T, Mendis K, Brown G. A research agenda for malaria eradication: health systems and operational research. *PLoS Med.* 2011 Jan 25;8(1):e1000397. PMID:21311588

malERA Consultative Group on Integration Strategies. Collaborators: Binka F, Brown G, Alonso PL, Brown G, Tanner M, Abdulla S, Alonso PL, Bart-Plange C, Bassat Q, Binka F, Bojang K, Brooks A, Brown G, Djimde A, Drakeley C, González-Block MA, Hemingway J, Koram K, Keziah M, Macete E, Richards F, de Savigny D, Sinden R, Smith TA, Sirima S, Steketee R, Ogutu B, Owusu-Agyei S, Alonso PL, Brown G, Tanner M. A research agenda for malaria eradication: cross-cutting issues for eradication. *PLoS Med.* 2011 Jan 25;8(1):e1000404. PMID:21283603

malERA Consultative Group on Modeling. Collaborators: Tanner M, Alonso PL, Eubank S, Ghani A, Hay SI, Sinden R, Smith D, Smith TA, Tanner M, White L, Akhavan D, Antão T, Aultman K, Buchsbaum S, Eckhoff P, Ghani A, Glass G, Hastings I, Hay SI, Kanyok T, Koella J, Lauer J, Maire N, Mordveit H, Schapira A, Sinden R, Smith D, Smith TA, Tanner M, Vounatsou P, White L, Akhavan D, Alonso PL, Antao T, Aponte J, Aultman K, Buchsbaum S, Cárdenas V, Collins F, Cunningham G, Day K, Eckhoff P, Eckstrand I, Eubank S, Ghani A, Glass G, Hall BF, Hastings I, Lauer J, Madey G, Marathe M, McKenzie E, Mortveit HS, Ratcliffe A, Saul A, Sinden R, Smith D, Smith TA, Tanner M, White L, Alonso PL, Eubank S, Ghani A, Hay SI, Sinden R, Smith D, Smith TA, Tanner M, White L, Brown G. A research agenda for malaria eradication: modeling. *PLoS Med.* 2011 Jan 25;8(1):e1000403. PMID:21283605

malERA Consultative Group on Monitoring, Evaluation, and Surveillance. Collaborators: Steketee R, Voltaire F, Hay SI, Alonso PL, Atta HY, Bassat Q, Bakayita N, Clark JP, Doumbo OK, Drakeley C, Eckert EL, Eisele T, Gausi K, Guinovart C, Hayes N, Kilian A, Lama M, Meek S, Miller J, Nahlen B, Otten M, Ratcliffe A, López MH, Slutsker L, Greenwood B, Tanner M. A research agenda for malaria eradication: monitoring, evaluation, and surveillance. PLoS Med. 2011 Jan 25;8(1):e1000400. PMID:21311581

malERA Consultative Group on Vaccines. Collaborators: Abdulla S, Agre P, Alonso PL, Arevalo-Herrera M, Bassat Q, Binka F, Chitnis C, Corradin G, Cowman A, Culpepper J, del Portillo H, Dinglasan R, Duffy P, Gargallo D, Greenwood B, Guinovart C, Hall BF, Herrera S, Hoffman S, Lanzavecchia A, Leroy O, Levine MM, Loucq C, Mendis K, Milman J, Moorthy V, Pleuschke G, Plowe CV, Reed S, Sauerwein R, Saul A, Schofield L, Sinden R, Stubbs J, Villafana T, Wirth D, Yadav P, Ballou R, Brown G, Birkett A, Brandt W, Brooks A, Carter T, Golden A, Lee C, Nunes J, Puijalon O, Raphael T, Richards H, Warren C, Woods C. A research agenda for malaria eradication: vaccines. PLoS Med. 2011 Jan 25;8(1):e1000398. PMID:21311586

malERA Consultative Group on Vector Control. Collaborators: Aultman K, Burkot TR, Chandre F, Coetzee M, Collins FH, Corbel V, Dartigues V, Gimnig J, Hawley B, Hemingway J, Jacobs-Lorena M, James AA, Karunaratne P, Killeen G, Lengeler C, Lines J, Macdonald M, Mendez-Galván J, Muskavitch M, Nájera J, Neafsey D, Rosenberg R, Simard F, Sinden R, Subbarao S, Walker N, Williams J, Wirtz R, Alonso PL, Besansky NJ, Burkot TR, Collins FH, Hemingway J, James AA, Lengeler C, Lindsay S, Liu Q, Lobo NF, Mnzava A, Tanner M, Zwiebel L. A research agenda for malaria eradication: vector control. PLoS Med. 2011 Jan 25;8(1):e1000401. PMID:21311587

Malisa AL, Pearce RJ, Mutayoba BM, Abdullah S, Mshinda H, Kachur PS, Bloland P, Roper C. The evolution of pyrimethamine resistant dhfr in *Plasmodium falciparum* of south-eastern Tanzania: comparing selection under SP alone vs SP+artesunate combination. Malar J. 2011 Oct 26;10:317. PMID:22029848

Makanga M, Bassat Q, Falade CO, Premji ZG, Krudsood S, Hunt P, Walter V, Beck HP, Marrast AC, Cousin M, Rosenthal PJ. Efficacy and safety of artemether-lumefantrine in the treatment of acute, uncomplicated Plasmodium falciparum malaria: a pooled analysis. *Am J Trop Med Hyg.* 2011 Nov;85(5):793-804. PMID:22049029

Malagon F, Tapia JL. Experimental transmission of Babesia microti infection by the oral route. *Parasitol Res.* 1994;80(8):645-8. PMID:7886033

Malik EM, Hanafi K, Ali SH, Ahmed ES, Mohamed KA. Treatment-seeking behaviour for malaria in children under five years of age: implication for home management in rural areas with high seasonal transmission in Sudan. *Malar J.* 2006 Jul 22;5:60. PMID:16859565

Malimbo M, Mugisha E, Kato F, Karamagi C, Talisuna AO. Caregivers' perceived treatment failure in home-based management of fever among Ugandan children aged less than five years. *Malar J.* 2006 Dec 15;5:124. PMID:17173675

Malloy P, Paice JA, Ferrell BR, Ali Z, Munyoro E, Coyne P, Smith T. Advancing palliative care in Kenya. *Cancer Nurs.* 2011 Jan-Feb;34(1):E10-3. PMID:20921889

Mamotte N, Wassenaar D, Koen J, Essack Z. Convergent ethical issues in HIV/AIDS, tuberculosis and malaria vaccine trials in Africa: Report from the WHO/UNAIDS African AIDS Vaccine Programme's Ethics, Law and Human Rights Collaborating Centre consultation, 10-11 February 2009, Durban, South Africa. *BMC Med Ethics.* 2010 Mar 9;11:3. PMID:20211030

Mangham LJ, Cundill B, Achonduh OA, Ambebila JN, Lele AK, Metoh TN, Ndive SN, Ndong IC, Nguela RL, Nji AM, Orang-Ojong B, Wiseman V, Pamien-Ngako J, Mbacham WF. Malaria prevalence and treatment of febrile patients at health facilities and medicine retailers in Cameroon. *Trop Med Int Health.* 2011 Nov 21. [Epub ahead of print]. PMID:22098135

Mangham LJ, Cundill B, Ezeoke O, Nwala E, Uzochukwu BS, Wiseman V, Onwujekwe O. Treatment of uncomplicated malaria at public health facilities and medicine retailers in south-eastern Nigeria. *Malar J.* 2011 Jun 8;10:155. PMID:21651787

Mangia CM, Kissoon N, Branchini OA, Andrade MC, Kopelman BI, Carcillo J. Bacterial sepsis in Brazilian children: a trend analysis from 1992 to 2006. *PLoS One.* 2011;6(6):e14817. Epub 2011 Jun 3. PMID:21674036

Mangold AJ, Aguirre DH, Cafrune MM, de Echaide ST, Guglielmone AA. Evaluation of the infectivity of a vaccinal and a pathogenic Babesia bovis strain from Argentina to Boophilus microplus. *Vet Parasitol.* 1993 Dec;51(1-2):143-8. PMID:8128578

Mangold AJ, Aguirre DH, Guglielmone AA. Post-thawing viability of vaccines for bovine babesiosis and anaplasmosis cryopreserved with glycerol. *Vet Parasitol.* 1990 Nov;37(3-4):301-6. PMID:2267730

Mangold AJ, Vanzini VR, Echaide IE, de Echaide ST, Volpogni MM, Guglielmone AA. Viability after thawing and dilution of simultaneously cryopreserved vaccinal Babesia bovis and Babesia bigemina strains cultured in vitro. *Vet Parasitol.* 1996 Feb;61(3-4):345-8. PMID:8720572

Mantel PY, Schmidt-Weber CB. Transforming growth factor-beta: recent advances on its role in immune tolerance. *Methods Mol Biol.* 2011;677:303-38. PMID:20941619

Manyando C, Mkandawire R, Puma L, Sinkala M, Mpabalwani E, Njunju E, Gomes M, Ribeiro I, Walter V, Virtanen M, Schlienger R, Cousin M, Chipimo M, Sullivan FM. Safety of artemether-lumefantrine in pregnant women with malaria: results of a prospective cohort study in Zambia. *Malar J.* 2010 Sep 1;9:249. PMID:20809964

Manzano JI, Carvalho L, García-Hernández R, Poveda JA, Ferragut JA, Castanys S, Gamarro F. Uptake of the antileishmania drug tafenoquine follows a sterol-dependent diffusion process in Leishmania. *J Antimicrob Chemother.* 2011 Nov;66(11):2562-5. Epub 2011 Aug 16. PMID:21846675

Manzano JI, Carvalho L, Pérez-Victoria JM, Castanys S, Gamarro F. Increased glycolytic ATP synthesis is associated with tafenoquine resistance in Leishmania major. *Antimicrob Agents Chemother.* 2011 Mar;55(3):1045-52. Epub 2011 Jan 3. PMID:21199921

Marais BJ, Ravaglione MC, Donald PR, Harries AD, Kritski AL, Graham SM, El-Sadr WM, Harrington M, Churchyard G, Mwaba P, Sanne I, Kaufmann SH, Whitty CJ, Atun R, Zumla A. Scale-up of services and research priorities for diagnosis, management, and control of tuberculosis: a call to action. *Lancet.* 2010 Jun 19;375(9732):2179-91. Epub 2010 May 18. PMID:20488521

Marathe A, Tripathi J, Handa V, Date V. Human babesiosis--a case report. *Indian J Med Microbiol.* 2005 Oct;23(4):267-9. PMID:16327127

Marco I, Velarde R, Castellà J, Ferrer D, Lavín S. Presumptive Babesia ovis infection in a spanish ibex (*Capra pyrenaica*). *Vet Parasitol.* 2000 Jan;87(2-3):217-21. PMID:10622613

Marcotty T, Berkvens D, Besa RK, Losson B, Dolan TT, Madder M, Chaka G, Van den Bossche P, Brandt J. Lyophilisation and resuscitation of sporozoites of *Theileria parva*: preliminary experiments. *Vaccine.* 2003 Dec 12;22(2):213-6. PMID:14615148

Marcu CB, Caracciolo E, Libertin C, Donohue T. Fulminant babesiosis manifested soon after coronary bypass surgery. *Conn Med.* 2005 Feb;69(2):67-8. PMID:15779600

Marcus LC, Mabray CJ, Sturgis GH. Babesia microti infection in the hamster: failure of quinine and pyrimethamine in chemotherapeutic trials. *Am J Trop Med Hyg.* 1984 Jan;33(1):21-3. PMID:6696180

Marcus LC, Valigorsky JM, Fanning WL, Joseph T, Glick B. A case report of transfusion-induced babesiosis. *JAMA*. 1982 Jul 23;248(4):465-7. PMID:7201036

Margout D, Gattaccea F, Moarbess G, Wein S, Tran van Ba C, Le Pape S, Berger O, Escale R, Vial HJ, Bressolle FM. Pharmacokinetic properties and metabolism of a new potent antimalarial N-alkylamidine compound, M64, and its corresponding bioprecursors. *Eur J Pharm Sci*. 2011 Jan 18;42(1-2):81-90. Epub 2010 Nov 2. PMID:21050886

Marley SE, Eberhard ML, Steurer FJ, Ellis WL, McGreevy PB, Ruebush TK 2nd. Evaluation of selected antiprotozoal drugs in the Babesia microti-hamster model. *Antimicrob Agents Chemother*. 1997 Jan;41(1):91-4. PMID:8980761

Marois E. The multifaceted mosquito anti-*Plasmodium* response. *Curr Opin Microbiol*. 2011 Aug;14(4):429-35. Epub 2011 Jul 27. PMID:21802348

Marshall CL. Health, nutrition, and the roots of world population growth. *Int J Health Serv*. 1974 Fall;4(4):677-90. PMID:4463173

Martinot M, Zadeh MM, Hansmann Y, Grawey I, Christmann D, Aguillon S, Jouglan M, Chauvin A, De Briel D. Babesiosis in immunocompetent patients, Europe. *Emerg Infect Dis*. 2011 Jan;17(1):114-6. PMID:21192869

Masanja IM, de Bethune X, Jacobs J. Implementing ideal health policy in a fragile health system: the example of expanding the use of malaria rapid diagnostic tests in mainland Tanzania. *Malar J*. 2011 Oct 28;10:322. PMID:22035466

Mata E, Igartua M, Hernández RM, Rosas JE, Patarroyo ME, Pedraz JL. Comparison of the adjuvanticity of two different delivery systems on the induction of humoral and cellular responses to synthetic peptides. *Drug Deliv*. 2010 Sep-Oct;17(7):490-9. PMID:20500129

Mathanga DP, Walker ED, Wilson ML, Ali D, Taylor TE, Laufer MK. Malaria control in Malawi: Current status and directions for the future. *Acta Trop.* 2011 Jul 8. [Epub ahead of print]. PMID:21763670

Máthé A, Dobos-Kovács M, Vörös K. Histological and ultrastructural studies of renal lesions in Babesia canis infected dogs treated with imidocarb. *Acta Vet Hung.* 2007 Dec;55(4):511-23. PMID:18277710

Máthé A, Vörös K, Németh T, Biksi I, Heteyey C, Manczur F, Tekes L. Clinicopathological changes and effect of imidocarb therapy in dogs experimentally infected with Babesia canis. *Acta Vet Hung.* 2006 Mar;54(1):19-33. PMID:16613023

Máthé A, Vörös K, Papp L, Reiczigel J. Clinical manifestations of canine babesiosis in Hungary (63 cases). *Acta Vet Hung.* 2006 Sep;54(3):367-85. PMID:17020140

Matijatko V, Mrljak V, Kis I, Kucer N, Forsek J, Zivcnjak T, Romić Z, Simec Z, Ceron JJ. Evidence of an acute phase response in dogs naturally infected with Babesia canis. *Vet Parasitol.* 2007 Mar 31;144(3-4):242-50. Epub 2006 Nov 20. PMID:17116368

Matjila PT, Penzhorn BL, Leisewitz AL, Bhoora R, Barker R. Molecular characterisation of Babesia gibsoni infection from a pit-bull terrier pup recently imported into South Africa. *J S Afr Vet Assoc.* 2007 Mar;78(1):2-5. PMID:17665757

Matjila TP, Nijhof AM, Taoufik A, Houwers D, Teske E, Penzhorn BL, de Lange T, Jongejan F. Autochthonous canine babesiosis in The Netherlands. *Vet Parasitol.* 2005 Jul 15;131(1-2):23-9. PMID:15923085

Matsui T, Inoue R, Kajimoto K, Tamekane A, Okamura A, Katayama Y, Shimoyama M, Chihara K, Saito-Ito A, Tsuji M. [First documentation of transfusion-associated babesiosis in Japan].[Article in Japanese]. *Rinsho Ketsueki.* 2000 Aug;41(8):628-34. PMID:11020989

Matsu A, Koshida Y, Kawahara M, Inoue K, Ikadai H, Hikasa Y, Okano S, Higuchi S. Efficacy of atovaquone against Babesia gibsoni in vivo and in vitro. *Vet Parasitol.* 2004 Sep 20;124(1-2):9-18.  
PMID:15350657

Matsu A, Miyamoto K, Ikadai H, Okano S, Higuchi S. Short report: cloning of the Babesia gibsoni cytochrome B gene and isolation of three single nucleotide polymorphisms from parasites present after atovaquone treatment. *Am J Trop Med Hyg.* 2006 Apr;74(4):593-7.  
PMID:16606990

Matsuzaki-Moriya C, Tu L, Ishida H, Imai T, Suzue K, Hirai M, Tetsutani K, Hamano S, Shimokawa C, Hisaeda H. A critical role for phagocytosis in resistance to malaria in iron-deficient mice. *Eur J Immunol.* 2011 May;41(5):1365-75. PMID:21469097

Matthews J, Rattigan E, Yee H. Case 29-2003: a 60-year-old man with fever, rigors, and sweats. *N Engl J Med.* 2003 Dec 18;349(25):2467; author reply 2467. PMID:14681519

Mattioli RC, Dampha K, Bah M, Verhulst A, Pandey VS. Effect of controlling natural field-tick infestation on the growth of N'Dama and Gobra zebu cattle in the Gambia. *Prev Vet Med.* 1998 Feb 27;34(2-3):137-46. PMID:9604263

Matuschewski K, Hafalla JC, Borrman S, Friesen J. Arrested Plasmodium liver stages as experimental anti-malaria vaccines. *Hum Vaccin.* 2011 Jan-Feb;7 Suppl:16-21. Epub 2011 Jan 1. PMID:21266857

Maude RJ, Hoque G, Hasan MU, Sayeed A, Akter S, Samad R, Alam B, Yunus EB, Rahman R, Rahman W, Chowdhury R, Seal T, Charunwatthana P, Chang CC, White NJ, Faiz MA, Day NP, Dondorp AM, Hossain A. Timing of enteral feeding in cerebral malaria in resource-poor settings: a randomized trial. *PLoS One.* 2011;6(11):e27273. Epub 2011 Nov 16. PMID:22110624

Maude RJ, Saralamba S, Lewis A, Sherwood D, White NJ, Day NP, Dondorp AM, White LJ. Modelling malaria elimination on the internet. *Malar J.* 2011 Jul 14;10:191. PMID:21756319

Maude RJ, Woodrow CJ, White LJ. Artemisinin Antimalarials: Preserving the “Magic Bullet”. *Drug Dev Res.* 2010 Feb;71(1):12-19. PMID:21399699

Mazumdar S. Prevalence, risk factors and treatment-seeking behaviour for malaria: the results of a case study from the Terai region of West Bengal, India. *Ann Trop Med Parasitol.* 2011 Apr;105(3):197-208. PMID:21801498

Mbati PA, Hlatshwayo M, Mtshali MS, Mogaswane KR, De Waal TD, Dipeolu OO. Ticks and tick-borne diseases of livestock belonging to resource-poor farmers in the eastern Free State of South Africa. *Exp Appl Acarol.* 2002;28(1-4):217-24. PMID:14570134

Mbonye AK, Neema S, Magnussen P. Malaria in pregnancy, risk perceptions and care seeking practices among adolescents in Mukono district Uganda. *Int J Adolesc Med Health.* 2006 Oct-Dec;18(4):561-73. PMID:17340848

Mbonye AK, Neema S, Magnussen P. Treatment-seeking practices for malaria in pregnancy among rural women in Mukono district, Uganda. *J Biosoc Sci.* 2006 Mar;38(2):221-37. PMID:16490155

Mbulaiteye SM, Bhatia K, Adebamowo C, Sasco AJ. HIV and cancer in Africa: mutual collaboration between HIV and cancer programs may provide timely research and public health data. *Infect Agent Cancer.* 2011 Oct 17;6(1):16. PMID:22004990

McCall MB, Roestenberg M, Ploemen I, Teirlinck A, Hopman J, de Mast Q, Dolo A, Doumbo OK, Luty A, van der Ven AJ, Hermsen CC, Sauerwein RW. Memory-like IFN- $\gamma$  response by NK cells following malaria infection reveals the crucial role of T cells in NK cell activation by *P. falciparum*. *Eur J Immunol.* 2010 Dec;40(12):3472-7. PMID:21072880

McCarthy VC, Clyde DF. Influence of sulfalene upon gametocytogenesis of *Plasmodium falciparum* and subsequent infection patterns in *Anopheles stephensi*. *Exp Parasitol.* 1973 Feb;33(1):73-8. PMID:4570982

McElroy B, Wiseman V, Matovu F, Mwengee W. Malaria prevention in north-eastern Tanzania: patterns of expenditure and determinants of demand at the household level. *Malar J.* 2009 May 7;8:95. PMID:19422704

McElwain TF, Perryman LE, Musoke AJ, McGuire TC. Molecular characterization and immunogenicity of neutralization-sensitive *Babesia bigemina* merozoite surface proteins. *Mol Biochem Parasitol.* 1991 Aug;47(2):213-22. PMID:1944418

McGowan S, Oellig CA, Birru WA, Caradoc-Davies TT, Stack CM, Lowther J, Skinner-Adams T, Mucha A, Kafarski P, Grembecka J, Trenholme KR, Buckle AM, Gardiner DL, Dalton JP, Whisstock JC. Structure of the *Plasmodium falciparum* M17 aminopeptidase and significance for the design of drugs targeting the neutral exopeptidases. *Proc Natl Acad Sci U S A.* 2010 Feb 9;107(6):2449-54. Epub 2010 Jan 21. PMID:20133789

McGready R, Lee S, Wiladphaingern J, Ashley E, Rijken M, Boel M, Simpson J, Paw M, Pimanpanarak M, Mu O, Singhasivanon P, White N, Nosten F. Adverse effects of falciparum and vivax malaria and the safety of antimalarial treatment in early pregnancy: a population-based study. *Lancet Infect Dis.* 2011 Dec 12. [Epub ahead of print]. PMID:22169409

McGregor IA. Immunity to plasmodial infections; consideration of factors relevant to malaria in man. *Int Rev Trop Med.* 1971;4:1-52. PMID:4944095

McHardy N, Simpson RM. Imidocarb dipropionate therapy in Kenyan anaplasmosis and babesiosis. *Trop Anim Health Prod.* 1974 May;6(2):63-70. PMID:4413774

McHardy N. Effects of stimulating erythropoiesis in mice infected with Babesia rodhaini. Ann Trop Med Parasitol. 1973 Sep;67(3):301-6. PMID:4761938

McHardy N. Immunization of rats against Babesia (Nuttalia) rodhaini. Nature. 1967 May 20;214(5090):805. PMID:4963880

McHardy N. Protective effect of haemolytic serum on mice infected with Babesia rodhaini. Ann Trop Med Parasitol. 1972 Mar;66(1):1-5. PMID:5021569

McLaughlin GL, Montenegro-James S, Vodkin MH, Howe D, Toro M, Leon E, Armijos R, Kakoma I, Greenwood BM, Hassan-King M, et al. Molecular approaches to malaria and babesiosis diagnosis. Mem Inst Oswaldo Cruz. 1992;87 Suppl 3:57-68. PMID:1343727

McQuillan JA, Mitchell AJ, Ho YF, Combes V, Ball HJ, Golenser J, Grau GE, Hunt NH. Coincident parasite and CD8 T cell sequestration is required for development of experimental cerebral malaria. Int J Parasitol. 2011 Feb;41(2):155-63. Epub 2010 Sep 7. PMID:20828575

McQuiston JH, Childs JE, Chamberland ME, Tabor E. Transmission of tick-borne agents of disease by blood transfusion: a review of known and potential risks in the United States. Transfusion. 2000 Mar;40(3):274-84. PMID:10738026

Meer-Scherrer L, Adelson M, Mordechai E, Lottaz B, Tilton R. Babesia microti infection in Europe. Curr Microbiol. 2004 Jun;48(6):435-7. PMID:15170239

Meeusen E, Lloyd S, Soulsby EJ. Antibody levels in adoptively immunized mice after infection with Babesia microti or injection with antigen fractions. Aust J Exp Biol Med Sci. 1985 Jun;63 ( Pt 3):261-72. PMID:2415100

Meeusen E, Lloyd S, Soulsby EJ. Babesia microti in mice. Adoptive transfer of immunity with serum and cells. Aust J Exp Biol Med Sci. 1984 Oct;62 ( Pt 5):551-66. PMID:6335965

Meeusen E, Lloyd S, Soulsby EJ. Babesia microti in mice. Subpopulations of cells involved in the adoptive transfer of immunity with immune spleen cells. *Aust J Exp Biol Med Sci.* 1984 Oct;62 ( Pt 5):567-75. PMID:6442859

Mehlhorn H, Schein E. Redescription of Babesia equi Laveran, 1901 as Theileria equi Mehlhorn, Schein 1998. *Parasitol Res.* 1998 Jun;84(6):467-75. PMID:9660136

Mehta U, Allen E, Barnes KI. Establishing pharmacovigilance programs in resource-limited settings: the example of treating malaria. *Expert Rev Clin Pharmacol.* 2010 Jul;3(4):509-25. PMID:22111680

Meister J. Human babesiosis: a case study. *Clin Excell Nurse Pract.* 1999 Jul;3(4):214-6. PMID:10711060

Meliani P, Khatibi S, Randazzo S, Gorenflo A, Marchou B. [Human babesiosis].[Article in French]. *Med Mal Infect.* 2006 Oct;36(10):499-504. Epub 2006 Oct 4. PMID:17027216

Mellors LT, Dalgliesh RJ, Timms P, Rodwell BJ, Callow LL. Preparation and laboratory testing of a frozen vaccine containing Babesia bovis, Babesia bigemina and Anaplasma centrale. *Res Vet Sci.* 1982 Mar;32(2):194-7. PMID:7079601

Menan H, Faye O, Same-Ekobo A, Oga AS, Faye B, Kiki Barro CP, Kuete T, N'diaye JL, Vicky AM, Tine R, Yavo W, Kane D, Kassi KF, Kone M. Comparative study of the efficacy and tolerability of dihydroartemisinin-piperaquine-trimethoprim versus artemether-lumefantrine in the treatment of uncomplicated Plasmodium falciparum malaria in Cameroon, Ivory Coast and Senegal. *Malar J.* 2011 Jul 8;10:185. PMID:21740570

Ménard D, Barnadas C, Bouchier C, Henry-Halldin C, Gray LR, Ratsimbasoa A, Thonier V, Carod JF, Domarle O, Colin Y, Bertrand O, Picot J, King CL, Grimberg BT, Mercereau-Puijalon O, Zimmerman PA. Plasmodium vivax clinical malaria is commonly observed in Duffy-negative Malagasy people. Proc Natl Acad Sci U S A. 2010 Mar 30;107(13):5967-71. Epub 2010 Mar 15. PMID:20231434

Ménard D, Ratsimbasoa A, Randrianarivelojosia M, Rabarijaona LP, Raharimalala L, Domarle O, Randrianasolo L, Randriamanantena A, Jahevitra M, Andriantsoanirina V, Rason MA, Raherinjafy R, Rakotomalala E, Tuseo L, Raveloson A. Assessment of the efficacy of antimalarial drugs recommended by the National Malaria Control Programme in Madagascar: up-dated baseline data from randomized and multi-site clinical trials. Malar J. 2008 Apr 4;7:55. PMID:18394169

Mendoza A, Pérez-Silanes S, Quiliano M, Pabón A, Galiano S, González G, Garavito G, Zimic M, Vaisberg A, Aldana I, Monge A, Deharo E. Aryl piperazine and pyrrolidine as antimalarial agents. Synthesis and investigation of structure-activity relationships. Exp Parasitol. 2011 Jun;128(2):97-103. Epub 2011 Feb 24. PMID:21354139

Menemedengue V, Sahnouni K, Basco L, Tahar R. Molecular epidemiology of malaria in Cameroon. XXX. sequence analysis of Plasmodium falciparum ATPase 6, dihydrofolate reductase, and dihydropteroate synthase resistance markers in clinical isolates from children treated with an artesunate-sulfadoxine-pyrimethamine combination. Am J Trop Med Hyg. 2011 Jul;85(1):22-5. PMID:21734119

Menegon M, Talha AA, Severini C, Elbushra SM, Mohamedani AA, Malik EM, Mohamed TA, Wernsdorfer WH, Majori G, Nour BY. Frequency distribution of antimalarial drug resistance alleles among Plasmodium falciparum isolates from Gezira State, central Sudan, and Gedaref State, eastern Sudan. Am J Trop Med Hyg. 2010 Aug;83(2):250-7. PMID:20682863

Menemedengue V, Sahnouni K, Basco L, Tahar R. Molecular epidemiology of malaria in Cameroon. XXX. sequence analysis of Plasmodium falciparum ATPase 6, dihydrofolate reductase, and dihydropteroate synthase resistance markers in clinical isolates from children treated with an artesunate-sulfadoxine-pyrimethamine combination. *Am J Trop Med Hyg.* 2011 Jul;85(1):22-5.  
PMID:21734119

Menéndez C, Serra-Casas E, Scallan MD, Sanz S, Nhabomba A, Bardají A, Sigauque B, Cisteró P, Mandomando I, Dobaño C, Alonso PL, Mayor A. HIV and placental infection modulate the appearance of drug-resistant Plasmodium falciparum in pregnant women who receive intermittent preventive treatment. *Clin Infect Dis.* 2011 Jan 1;52(1):41-8. PMID:21148518

Mens PF, Scheelbeek PF, Al Atabbi H, Enato EF. Peer education: the effects on knowledge of pregnancy related malaria and preventive practices in women of reproductive age in Edo State, Nigeria. *BMC Public Health.* 2011 Aug 1;11:610. PMID:21801460

Mercer AE, Sarr Sallah M. The pharmacokinetic evaluation of artemisinin drugs for the treatment of malaria in paediatric populations. *Expert Opin Drug Metab Toxicol.* 2011 Apr;7(4):427-39. Epub 2011 Feb 15. PMID:21320023

Mercereau-Puijalon O, Ménard D. Plasmodium vivax and the Duffy antigen: a paradigm revisited. *Transfus Clin Biol.* 2010 Sep;17(3):176-83. Epub 2010 Jul 23. PMID:20655790

Mesfin A, Giday M, Animut A, Teklehaymanot T. Ethnobotanical study of antimalarial plants in Shinile District, Somali Region, Ethiopia, and in vivo evaluation of selected ones against Plasmodium berghei. *J Ethnopharmacol.* 2012 Jan 6;139(1):221-7. Epub 2011 Nov 11.  
PMID:22101085

Mesfin F, Demissew S, Teklehaymanot T. An ethnobotanical study of medicinal plants in Wonago Woreda, SNNPR, Ethiopia. *J Ethnobiol Ethnomed.* 2009 Oct 12;5:28. PMID:19821994

Mesia K, Cimanga K, Tona L, Mampunza MM, Ntamabyaliro N, Muanda T, Muyembe T, Totté J, Mets T, Pieters L, Vlietinck A. Assessment of the short-term safety and tolerability of a quantified 80 % ethanol extract from the stem bark of *Nauclea pobeguinii* (PR 259 CT1) in healthy volunteers: a clinical phase I study. *Planta Med.* 2011 Jan;77(2):111-6. Epub 2010 Jul 21. PMID:20665369

Mesia K, Cimanga RK, Dhooghe L, Cos P, Apers S, Totté J, Tona GL, Pieters L, Vlietinck AJ, Maes L. Antimalarial activity and toxicity evaluation of a quantified *Nauclea pobeguinii* extract. *J Ethnopharmacol.* 2010 Aug 19;131(1):10-6. Epub 2010 May 12. PMID:20470876

Mesia K, Tona L, Mampunza MM, Ntamabyaliro N, Muanda T, Muyembe T, Cimanga K, Totté J, Mets T, Pieters L, Vlietinck AJ. Antimalarial Efficacy of a Quantified Extract of *Nauclea pobeguinii* Stem Bark in Human Adult Volunteers with Diagnosed Uncomplicated Falciparum Malaria. Part 1: A Clinical Phase IIA Trial. *Planta Med.* 2011 Nov 17. [Epub ahead of print]. PMID:22095262

Metcalf ES. The role of international transport of equine semen on disease transmission. *Anim Reprod Sci.* 2001 Dec 3;68(3-4):229-37. PMID:11744267

Meyer C, Guthrie AJ, Stevens KB. Clinical and clinicopathological changes in 6 healthy ponies following intramuscular administration of multiple doses of imidocarb dipropionate. *J S Afr Vet Assoc.* 2005 Mar;76(1):26-32. PMID:15900897

Mgone CS. Strengthening of the clinical research capacity for malaria: a shared responsibility. *Malar J.* 2010 Dec 13;9 Suppl 3:S5. PMID:21144085

Michael OS, Gbotosho GO, Folarin OA, Okuboyejo T, Sowunmi A, Oduola AM, Hippi CT. Early variations in plasmodium falciparum dynamics in Nigerian children after treatment with two artemisinin-based combinations: implications on delayed parasite clearance. *Malar J.* 2010 Nov 22;9:335. PMID:21092220

Michaelis M, Kleinschmidt MC, Barth S, Rothweiler F, Geiler J, Breitling R, Mayer B, Deubzer H, Witt O, Kreuter J, Doerr HW, Cinatl J, Cinatl J Jr. Anti-cancer effects of artesunate in a panel of chemoresistant neuroblastoma cell lines. *Biochem Pharmacol.* 2010 Jan 15;79(2):130-6. Epub 2009 Aug 19. PMID:19698702

Midzi N, Mtapuri-Zinyowera S, Sangweme D, Paul NH, Makware G, Mapingure MP, Brouwer KC, Mudzori J, Hlerema G, Chadukura V, Mutapi F, Kumar N, Mduluza T. Efficacy of integrated school based de-worming and prompt malaria treatment on helminths -Plasmodium falciparum co-infections: A 33 months follow up study. *BMC Int Health Hum Rights.* 2011 Jun 22;11:9. PMID:21696629

Miguel CA, Manderson L, Lansang MA. Patterns of treatment for malaria in Tayabas, The Philippines: implications for control. *Trop Med Int Health.* 1998 May;3(5):413-21. PMID:9623948

Miguel CA, Tallo VL, Manderson L, Lansang MA. Local knowledge and treatment of malaria in Agusan del Sur, The Philippines. *Soc Sci Med.* 1999 Mar;48(5):607-18. PMID:10080362

Mikhail AF, Leslie TJ, Mayan MI, Zekria R, Mohammad N, Hasanzai MA, Safi N, Whitty CJ, Rowland M. Field trial of three different Plasmodium vivax-detecting rapid diagnostic tests with and without evaporative cool box storage in Afghanistan. *Malar J.* 2011 Jun 22;10:169. PMID:21696587

Milhous W. Development of new drugs for chemoprophylaxis of malaria. *Bull Soc Pathol Exot.* 2001 Jul;94(2 Pt 2):149-51. PMID:16579068

Milstien J, Cárdenas V, Cheyne J, Brooks A. WHO policy development processes for a new vaccine: case study of malaria vaccines. *Malar J.* 2010 Jun 24;9:182. PMID:20576114

Mimche PN, Taramelli D, Vivas L. The plant-based immunomodulator curcumin as a potential candidate for the development of an adjunctive therapy for cerebral malaria. *Malar J.* 2011 Mar 15;10 Suppl 1:S10. [Epub ahead of print]. PMID:21411011

Minodier P, Noël G, Blanc P, Tsaregorodtseva N, Retornaz K, Garnier JM. [Malaria chemoprophylaxis in traveling children].[Article in French]. *Arch Pediatr.* 2005 Jan;12(1):53-8. PMID:15653056

Min-Oo G, Fortin A, Poulin JF, Gros P. Cysteamine, the molecule used to treat cystinosis, potentiates the antimalarial efficacy of artemisinin. *Antimicrob Agents Chemother.* 2010 Aug;54(8):3262-70. Epub 2010 May 17. PMID:20479197

Mintz ED, Anderson JF, Cable RG, Hadler JL. Transfusion-transmitted babesiosis: a case report from a new endemic area. *Transfusion.* 1991 May;31(4):365-8. PMID:2021001

Mishra N, Anvikar AR, Shah NK, Kamal VK, Sharma SK, Srivastava HC, Das MK, Pradhan K, Kumar H, Gupta YK, Gupta P, Dash AP, Valecha N. Prescription practices and availability of artemisinin monotherapy in India: where do we stand? *Malar J.* 2011 Dec 13;10(1):360. [Epub ahead of print]. PMID:22166073

Mishra SK, Singh P, Rath SK. A study of toxicity and differential gene expression in murine liver following exposure to anti-malarial drugs: amodiaquine and sulphadoxine-pyrimethamine. *Malar J.* 2011 May 2;10:109. PMID:21529379

Mishra VS, Stephens EB, Dame JB, Perryman LE, McGuire TC, McElwain TF. Immunogenicity and sequence analysis of recombinant p58: a neutralization-sensitive, antigenically conserved *Babesia bigemina* merozoite surface protein. *Mol Biochem Parasitol.* 1991 Aug;47(2):207-12. PMID:1944417

Mitchell GF, Handman E, Howard RJ. Protection of mice against plasmodium and babesia infections: attempts to raise host-protective sera. *Aust J Exp Biol Med Sci.* 1978 Oct;56(5):553-9. PMID:375903

Mitchell GH, Butcher GA, Cohen S. A merozoite vaccine effective against Plasmodium knowlesi malaria. *Nature*. 1974 Nov 22;252(5481):311-3. PMID:4431452

Mitrović S, Kranjcić-Zec I, Arsić-Arsenijević V, Dzamić A, Radonjić I. [Human babesiosis--recent discoveries].[Article in Serbian]. *Med Pregl*. 2004 Jul-Aug;57(7-8):349-53. PMID:15626291

Miura K, Perera S, Brockley S, Zhou H, Aebig JA, Moretz SE, Miller LH, Doumbo OK, Sagara I, Dicko A, Ellis RD, Long CA. Non-apical membrane antigen 1 (AMA1) IgGs from Malian children interfere with functional activity of AMA1 IgGs as judged by growth inhibition assay. *PLoS One*. 2011;6(6):e20947. Epub 2011 Jun 13. PMID:21695140

Miura K, Zhou H, Diouf A, Tullo G, Moretz SE, Aebig JA, Fay MP, Miller LH, Doumbo OK, Sagara I, Dicko A, Long CA, Ellis RD. Immunological responses against Plasmodium falciparum Apical Membrane Antigen 1 vaccines vary depending on the population immunized. *Vaccine*. 2011 Mar 9;29(12):2255-61. Epub 2011 Jan 31. PMID:21277408

Miyata T, Harakuni T, Sugawa H, Sattabongkot J, Kato A, Tachibana M, Torii M, Tsuboi T, Arakawa T. Adenovirus-vectored Plasmodium vivax ookinete surface protein, Pvs25, as a potential transmission-blocking vaccine. *Vaccine*. 2011 Mar 24;29(15):2720-6. Epub 2011 Feb 11. PMID:21315699

Miyata T, Harakuni T, Tsuboi T, Sattabongkot J, Ikehara A, Tachibana M, Torii M, Matsuzaki G, Arakawa T. Tricomponent immunopotentiating system as a novel molecular design strategy for malaria vaccine development. *Infect Immun*. 2011 Oct;79(10):4260-75. Epub 2011 Aug 1. PMID:21807905

Mlambo G, Kumar N, Yoshida S. Functional immunogenicity of baculovirus expressing Pfs25, a human malaria transmission-blocking vaccine candidate antigen. *Vaccine*. 2010 Oct 8;28(43):7025-9. Epub 2010 Aug 13. PMID:20709008

Mng'ong'o FC, Sambali JJ, Sabas E, Rubanga J, Magoma J, Ntamatungiro AJ, Turner EL, Nyogea D, Ensink JH, Moore SJ. Repellent plants provide affordable natural screening to prevent mosquito house entry in tropical rural settings--results from a pilot efficacy study. *PLoS One.* 2011;6(10):e25927. Epub 2011 Oct 12. PMID:22022471

Mnyone LL, Kirby MJ, Lwetoijera DW, Mpingwa MW, Knols BG, Takken W, Russell TL. Infection of the malaria mosquito, *Anopheles gambiae*, with two species of entomopathogenic fungi: effects of concentration, co-formulation, exposure time and persistence. *Malar J.* 2009 Dec 23;8:309. PMID:20030834

Mnyone LL, Kirby MJ, Mpingwa MW, Lwetoijera DW, Knols BG, Takken W, Koenraadt CJ, Russell TL. Infection of *Anopheles gambiae* mosquitoes with entomopathogenic fungi: effect of host age and blood-feeding status. *Parasitol Res.* 2011 Feb;108(2):317-22. Epub 2010 Sep 25. PMID:20872014

Mnyone LL, Koenraadt CJ, Lyimo IN, Mpingwa MW, Takken W, Russell TL. Anopheline and culicine mosquitoes are not repelled by surfaces treated with the entomopathogenic fungi *Metarhizium anisopliae* and *Beauveria bassiana*. *Parasit Vectors.* 2010 Aug 27;3:80. PMID:20799937

Mohammadi D. Public health insecticide development: a status of hiatus. *Lancet.* 2010 Oct 9;376(9748):1207. PMID:20934581

Mohanty S, Mishra SK, Patnaik R, Dutt AK, Pradhan S, Das B, Patnaik J, Mohanty AK, Lee SJ, Dondorp AM. Brain swelling and mannitol therapy in adult cerebral malaria: a randomized trial. *Clin Infect Dis.* 2011 Aug;53(4):349-55. PMID:21810747

Mohapatra MK, Ghosh A. Suboptimal erythropoietin production in adult severe falciparum malaria. *J Assoc Physicians India.* 2011 Jun;59:392-3. PMID:21751602

Mok S, Imwong M, Mackinnon MJ, Sim J, Ramadoss R, Yi P, Mayxay M, Chotivanich K, Lioeng KY, Russell B, Socheat D, Newton PN, Day NP, White NJ, Preiser PR, Nosten F, Dondorp AM, Bozdech Z. Artemisinin resistance in *Plasmodium falciparum* is associated with an altered temporal pattern of transcription. *BMC Genomics*. 2011 Aug 3;12:391. PMID:21810278

Molinari E, James MA, Kakoma I, Holland C, Ristic M. Antigenic and immunogenic studies on cell culture-derived *Babesia canis*. *Vet Parasitol*. 1982 Mar;10(1):29-40. PMID:6179286

Molloy JB, Bock RE, Templeton JM, Bruyeres AG, Bowles PM, Blight GW, Jorgensen WK. Identification of antigenic differences that discriminate between cattle vaccinated with *Anaplasma centrale* and cattle naturally infected with *Anaplasma marginale*. *Int J Parasitol*. 2001 Feb;31(2):179-86. PMID:11239938

Mombo-Ngoma G, Supan C, Dal-Bianco MP, Missinou MA, Matsiegui PB, Ospina Salazar CL, Issifou S, Ter-Minassian D, Ramharter M, Kombila M, Kremsner PG, Lell B. Phase I randomized dose-ascending placebo-controlled trials of ferroquine—a candidate anti-malarial drug--in adults with asymptomatic *Plasmodium falciparum* infection. *Malar J*. 2011 Mar 1;10:53. PMID:21362162

Moneriz C, Marín-García P, Bautista JM, Diez A, Puyet A. Parasitostatic effect of maslinic acid. II. Survival increase and immune protection in lethal *Plasmodium yoelii*-infected mice. *Malar J*. 2011 Apr 25;10:103. PMID:21518429

Moneriz C, Marín-García P, García-Granados A, Bautista JM, Diez A, Puyet A. Parasitostatic effect of maslinic acid. I. Growth arrest of *Plasmodium falciparum* intraerythrocytic stages. *Malar J*. 2011 Apr 10;10:82. PMID:21477369

Moneriz C, Mestres J, Bautista JM, Diez A, Puyet A. Multi-targeted activity of maslinic acid as an antimalarial natural compound. *FEBS J*. 2011 Aug;278(16):2951-61. Epub 2011 Jul 7. PMID:21689375

Monks D, Fisher M, Forbes NA. *Ixodes frontalis* and avian tick-related syndrome in the United Kingdom. *J Small Anim Pract.* 2006 Aug;47(8):451-5. PMID:16911113

Montenegro-James S, Ristic M, Toro Benitez M, Leon E, Lopez R. Heterologous strain immunity in bovine babesiosis using a culture-derived soluble *Babesia bovis* immunogen. *Vet Parasitol.* 1985 Dec;18(4):321-37. PMID:4090242

Montenegro-James S, Toro Benitez M, Leon E, Lopez R, Ristic M. Bovine babesiosis: induction of protective immunity with culture-derived *Babesia bovis* and *Babesia bigemina* immunogens. *Parasitol Res.* 1987;74(2):142-50. PMID:3325981

Montenegro-James S, Toro M, Leon E, Guillen AT, Lopez R, Lopez W. Immunization of cattle with an inactivated polyvalent vaccine against anaplasmosis and babesiosis. *Ann N Y Acad Sci.* 1992 Jun 16;653:112-21. PMID:1626861

Montenegro-James S, Toro M, Leon E, Guillen AT. Field evaluation of an exoantigen-containing *Babesia* vaccine in Venezuela. *Mem Inst Oswaldo Cruz.* 1992;87 Suppl 3:283-8. PMID:1343704

Montenegro-James S. Immunoprophylactic control of bovine babesiosis: role of exoantigens of *Babesia*. *Trans R Soc Trop Med Hyg.* 1989;83 Suppl:85-94. PMID:2696166

Montenegro-James S. Prevalence and control of babesiosis in the Americas. *Mem Inst Oswaldo Cruz.* 1992;87 Suppl 3:27-36. PMID:1343700

Montero E, Rodriguez M, Gonzalez LM, Lobo CA. *Babesia divergens*: identification and characterization of BdHSP-20, a small heat shock protein. *Exp Parasitol.* 2008 Jun;119(2):238-45. Epub 2008 Feb 13. PMID:18346739

Montero E, Rodriguez M, Oksov Y, Lobo CA. Babesia divergens apical membrane antigen 1 and its interaction with the human red blood cell. *Infect Immun.* 2009 Nov;77(11):4783-93. Epub 2009 Aug 31. PMID:19720759

Moore DJ. Therapeutic implications of Babesia canis infection in dogs. *J S Afr Vet Assoc.* 1979 Dec;50(4):346-52. PMID:553976

Moore EM, Lockwood DN. Treatment of visceral leishmaniasis. *J Glob Infect Dis.* 2010 May;2(2):151-8. PMID:20606971

Moore SJ, Hill N, Ruiz C, Cameron MM. Field evaluation of traditionally used plant-based insect repellents and fumigants against the malaria vector *Anopheles darlingi* in Riberalta, Bolivian Amazon. *J Med Entomol.* 2007 Jul;44(4):624-30. PMID:17695017

Moore SJ, Lenglet A, Hill N. Field evaluation of three plant-based insect repellents against malaria vectors in Vaca Diez Province, the Bolivian Amazon. *J Am Mosq Control Assoc.* 2002 Jun;18(2):107-10. PMID:12083351

Moreau Y, Vidor E, Bissuel G, Dubreuil N. Vaccination against canine babesiosis: an overview of field observations. *Trans R Soc Trop Med Hyg.* 1989;83 Suppl:95-6. PMID:2623757

Mordmüller B. New medicines for malaria. *Wien Klin Wochenschr.* 2010 Mar;122 Suppl 1:19-22. PMID:20376719

Moreno Giménez JC, Jiménez Puya R, Galán Gutiérrez M, Ortega Salas R, Dueñas Jurado JM. Erythema figuratum in septic babesiosis. *J Eur Acad Dermatol Venereol.* 2006 Jul;20(6):726-8. PMID:16836504

Morita T, Saeki H, Imai S, Ishii T. Reactivity of anti-erythrocyte antibody induced by Babesia gibsoni infection against aged erythrocytes. *Vet Parasitol.* 1995 Jul;58(4):291-9. PMID:8533268

Morrell CN, Srivastava K, Swaim A, Lee MT, Chen J, Nagineni C, Hooks JJ, Detrick B. Beta interferon suppresses the development of experimental cerebral malaria. *Infect Immun.* 2011 Apr;79(4):1750-8. Epub 2011 Jan 18. PMID:21245265

Morzaria SP, Brocklesby DW, Harradine DL, Barnett SF. Babesia major in Britain: infectivity of suspensions derived from ground-up *Haemaphysalis punctata* nymphs. *Int J Parasitol.* 1974 Aug;4(4):437-8. PMID:4448585

Morzaria SP, Brocklesby DW, Harradine DL, Luther PD. Babesia major in Britain: infectivity for cattle of cryopreserved parasites derived from *Haemaphysalis punctata* nymphs. *Res Vet Sci.* 1977 Mar;22(2):190-3. PMID:860093

Morzaria SP, Young AS, Hudson EB. Babesia bigemina in Kenya: experimental transmission by *Boophilus decoloratus* and the production of tick-derived stabilates. *Parasitology.* 1977 Jun;74(3):291-8. PMID:876684

Moshkovskii ShD, Tareev EM, Dukhanina NN, Stavrovskaia VI, Ozeretskovaia NN, Rabinovich SA. [Development of the main trends of malariology in the USSR].[Article in Russian]. *Med Parazitol (Mosk).* 1967 Nov-Dec;36(6):643-63. PMID:4887958

Mosqueda J, Figueroa JV, Alvarez A, Bautista R, Falcon A, Ramos A, Canto G, Vega CA. Advances in the development of molecular tools for the control of bovine babesiosis in Mexico. *Parassitologia.* 2007 May;49 Suppl 1:19-22. PMID:17691602

Mosqueira B, Duchon S, Chandre F, Hougard JM, Carnevale P, Mas-Coma S. Efficacy of an insecticide paint against insecticide-susceptible and resistant mosquitoes - part 1: laboratory evaluation. *Malar J.* 2010 Nov 25;9:340. PMID:21108819

Motabar M, Tabibzadeh I, Manouchehri AV. Malaria and its control in Iran. *Trop Geogr Med.* 1975 Mar;27(1):71-8. PMID:1094644

Mott GA, Wilson R, Fernando A, Robinson A, MacGregor P, Kennedy D, Schaap D, Matthews JB, Matthews KR. Targeting cattle-borne zoonoses and cattle pathogens using a novel trypanosomatid-based delivery system. *PLoS Pathog.* 2011 Oct;7(10):e1002340. Epub 2011 Oct 27. PMID:22046137

Mounier-Jack S, Rudge JW, Phetsouvanh R, Chanthapadith C, Coker R. Critical interactions between Global Fund-supported programmes and health systems: a case study in Lao People's Democratic Republic. *Health Policy Plan.* 2010 Nov;25 Suppl 1:i37-42. PMID:20966107

Moxon ER, Siegrist CA. The next decade of vaccines: societal and scientific challenges. *Lancet.* 2011 Jul 23;378(9788):348-59. Epub 2011 Jun 12. PMID:21664685

Mubi M, Janson A, Warsame M, Mårtensson A, Källander K, Petzold MG, Ngasala B, Maganga G, Gustafsson LL, Maselle A, Tomson G, Premji Z, Björkman A. Malaria rapid testing by community health workers is effective and safe for targeting malaria treatment: randomised cross-over trial in Tanzania. *PLoS One.* 2011;6(7):e19753. Epub 2011 Jul 5. PMID:21750697

Mubyazi G, Bloch P, Kamugisha M, Kitua A, Ijumba J. Intermittent preventive treatment of malaria during pregnancy: a qualitative study of knowledge, attitudes and practices of district health managers, antenatal care staff and pregnant women in Korogwe District, North-Eastern Tanzania. *Malar J.* 2005 Jul 20;4:31. PMID:16033639

Müller GC, Beier JC, Traore SF, Toure MB, Traore MM, Bah S, Doumbia S, Schlein Y. Field experiments of *Anopheles gambiae* attraction to local fruits/seedpods and flowering plants in Mali to optimize strategies for malaria vector control in Africa using attractive toxic sugar bait methods. *Malar J.* 2010 Sep 20;9:262. PMID:20854666

Müller GC, Beier JC, Traore SF, Toure MB, Traore MM, Bah S, Doumbia S, Schlein Y. Successful field trial of attractive toxic sugar bait (ATSB) plant-spraying methods against malaria vectors in the *Anopheles gambiae* complex in Mali, West Africa. *Malar J.* 2010 Jul 21;9:210. PMID:20663142

Müller IB, Hyde JE. Antimalarial drugs: modes of action and mechanisms of parasite resistance. *Future Microbiol.* 2010 Dec;5(12):1857-73. PMID:21155666

Müller O, Sié A, Meissner P, Schirmer RH, Kouyaté B. Artemisinin resistance on the Thai-Cambodian border. *Lancet.* 2009 Oct 24;374(9699):1419. PMID:19854368

Mugwaneza P, Umutoni NW, Ruton H, Rukundo A, Lyambabaje A, Bizimana Jde D, Tsague L, Wagner CM, Nyankesha E, Muita J, Mutabazi V, Nyemazi JP, Nsanzimana S, Karema C, Binagwaho A. Under-two child mortality according to maternal HIV status in Rwanda: assessing outcomes within the National PMTCT Program. *Pan Afr Med J.* 2011;9:37. Epub 2011 Aug 3. PMID:22145068

Muhamad P, Chaijaroenkul W, Congpuong K, Na-Bangchang K. SYBR Green I and TaqMan quantitative real-time polymerase chain reaction methods for the determination of amplification of Plasmodium falciparum multidrug resistance-1 gene (pfmdr1). *J Parasitol.* 2011 Oct;97(5):939-42. Epub 2011 May 9. PMID:21554069

Muhamad P, Phompradit P, Sornjai W, Maensathian T, Chaijaroenkul W, Rueangweerayut R, Na-Bangchang K. Polymorphisms of molecular markers of antimalarial drug resistance and relationship with artesunate-mefloquine combination therapy in patients with uncomplicated Plasmodium falciparum malaria in Thailand. *Am J Trop Med Hyg.* 2011 Sep;85(3):568-72. PMID:21896824

Mukanga D, Babirye R, Peterson S, Pariyo GW, Ojiambo G, Tibenderana JK, Nsubuga P, Kallander K. Can lay community health workers be trained to use diagnostics to distinguish and treat malaria and pneumonia in children? Lessons from rural Uganda. *Trop Med Int Health.* 2011 Jul 14. [Epub ahead of print]. PMID:21752163

Mula P, Fernández-Martínez A, de Lucio A, Ramos JM, Reyes F, González V, Benito A, Berzosa P. Detection of high levels of mutations involved in anti-malarial drug resistance in *Plasmodium falciparum* and *Plasmodium vivax* at a rural hospital in southern Ethiopia. *Malar J.* 2011 Aug 2;10:214. PMID:21810256

Munro JB, Silva JC. Ribonucleotide Reductase as a Target to Control Apicomplexan Diseases. *Curr Issues Mol Biol.* 2011 Jul 26;14(1):9-26. [Epub ahead of print]. PMID:21791713

Muregi FW, Kano S, Kino H, Ishih A. *Plasmodium berghei*: efficacy of 5-fluoroorotate in combination with commonly used antimalarial drugs in a mouse model. *Exp Parasitol.* 2009 Apr;121(4):376-80. PMID:19271282

Muregi FW, Kirira PG, Ishih A. Novel rational drug design strategies with potential to revolutionize malaria chemotherapy. *Curr Med Chem.* 2011;18(1):113-43. PMID:21110811

Muregi FW, Ohta I, Masato U, Kino H, Ishih A. Resistance of a rodent malaria parasite to a thymidylate synthase inhibitor induces an apoptotic parasite death and imposes a huge cost of fitness. *PLoS One.* 2011;6(6):e21251. Epub 2011 Jun 16. PMID:21698180

Muregi FW. Antimalarial drugs and their useful therapeutic lives: rational drug design lessons from pleiotropic action of quinolines and artemisinins. *Curr Drug Discov Technol.* 2010 Dec 1;7(4):280-316. PMID:21034413

Murnigsih T, Subeki, Matsuura H, Takahashi K, Yamasaki M, Yamato O, Maede Y, Katakura K, Suzuki M, Kobayashi S, Chairul, Yoshihara T. Evaluation of the inhibitory activities of the extracts of Indonesian traditional medicinal plants against Plasmodium falciparum and Babesia gibsoni. *J Vet Med Sci.* 2005 Aug;67(8):829-31. PMID:16141673

Musila N, Opiyo N, English M. Treatment of African children with severe malaria - towards evidence-informed clinical practice using GRADE. *Malar J.* 2011 Jul 21;10:201. PMID:21777441

Musoke AJ, McKeever D, Nene V. Subunit vaccines for the control of tick-borne diseases: implications for the future. *Parassitologia.* 1997 Jun;39(2):131-7. PMID:9530697

Mustofa, Sholikhah EN, Wahyuono S. In vitro and in vivo antiplasmodial activity and cytotoxicity of extracts of *Phyllanthus niruri* L. herbs traditionally used to treat malaria in Indonesia. *Southeast Asian J Trop Med Public Health.* 2007 Jul;38(4):609-15. PMID:17882995

Mutabingwa TK, Muze K, Ord R, Briceño M, Greenwood BM, Drakeley C, Whitty CJ. Randomized trial of artesunate+amodiaquine, sulfadoxine-pyrimethamine+amodiaquine, chlorproguanil-dapsone and SP for malaria in pregnancy in Tanzania. *PLoS One.* 2009;4(4):e5138. Epub 2009 Apr 8. PMID:19352498

Muthee JK, Gakuya DW, Mbaria JM, Kareru PG, Mulei CM, Njonje FK. Ethnobotanical study of anthelmintic and other medicinal plants traditionally used in Loitoktok district of Kenya. *J Ethnopharmacol.* 2011 Apr 26;135(1):15-21. Epub 2011 Feb 22. PMID:21349318

Myint HY, Berman J, Walker L, Pybus B, Melendez V, Baird JK, Ohrt C. Review: improving the therapeutic index of 8-aminoquinolines by the use of drug combinations: review of the literature and proposal for future investigations. *Am J Trop Med Hyg.* 2011 Dec;85(6):1010-4. PMID:22144436

Myint NW, Kaewkungwal J, Singhasivanon P, Chaisiri K, Panjapiyakul P, Siriwan P, Mallik AK, Nyein SL, Mu TT. Are there any changes in burden and management of communicable diseases in areas affected by Cyclone Nargis? *Confl Health.* 2011 Jun 28;5(1):9. PMID:21708044

Mylonakis E. When to suspect and how to monitor babesiosis. *Am Fam Physician.* 2001 May 15;63(10):1969-74. PMID:11388711

Na-Bangchang K, Ruengweerayut R, Mahamad P, Ruengweerayut K, Chaijaroenkul W. Declining in efficacy of a three-day combination regimen of mefloquine-artesunate in a multi-drug resistance area along the Thai-Myanmar border. *Malar J.* 2010 Oct 8;9:273. PMID:20929590

Nadembega P, Boussim JI, Nikiema JB, Poli F, Antognoni F. Medicinal plants in Baskoure, Kourittenga Province, Burkina Faso: an ethnobotanical study. *J Ethnopharmacol.* 2011 Jan 27;133(2):378-95. Epub 2010 Oct 13. PMID:20950680

Nagao E, Arie T, Dorward DW, Fairhurst RM, Dvorak JA. The avian malaria parasite Plasmodium gallinaceum causes marked structural changes on the surface of its host erythrocyte. *J Struct Biol.* 2008 Jun;162(3):460-7. Epub 2008 Mar 21. PMID:18442920

Naha K, Dasari S, Prabhu M. Spectrum of complications associated with Plasmodium vivax infection in a tertiary hospital in South-Western India. *Asian Pac J Trop Med.* 2012 Jan;5(1):79-82. PMID:22182650

Nahum A, Erhart A, Ahounou D, Bonou D, Van Overmeir C, Menten J, Akogbeto M, Coosemans M, Massougbedji A, D'Alessandro U. Extended high efficacy of the combination sulphadoxine-pyrimethamine with artesunate in children with uncomplicated falciparum malaria on the Benin coast, West Africa. *Malar J.* 2009 Mar 3;8:37. PMID:19257898

Naidoo S, London L, Burdorf A, Naidoo RN, Kromhout H. Occupational activities associated with a reported history of malaria among women working in small-scale agriculture in South Africa. *Am J Trop Med Hyg.* 2011 Nov;85(5):805-10. PMID:22049030

Naidoo V, Mulders MS, Swan GE. The intravenous pharmacokinetics of diminazene in healthy dogs. *J S Afr Vet Assoc.* 2009 Dec;80(4):215-9. PMID:20458860

Naidoo V, Zweygarth E, Eloff JN, Swan GE. Identification of anti-babesial activity for four ethnoveterinary plants in vitro. *Vet Parasitol.* 2005 Jun 10;130(1-2):9-13. Epub 2005 Apr 12. PMID:15893064

Nain V, Sahi S, Verma A. CPP-ZFN: a potential DNA-targeting anti-malarial drug. *Malar J.* 2010 Sep 16;9:258. PMID:20846404

Naing C, Aung K, Win DK, Wah MJ. Efficacy and safety of chloroquine for treatment in patients with uncomplicated Plasmodium vivax infections in endemic countries. *Trans R Soc Trop Med Hyg.* 2010 Nov;104(11):695-705. Epub 2010 Sep 20. PMID:20850161

Nájera JA, González-Silva M, Alonso PL. Some lessons for the future from the Global Malaria Eradication Programme (1955-1969). *PLoS Med.* 2011 Jan 25;8(1):e1000412. PMID:21311585

Nakamura K, Yokoyama N, Igarashi I. Cyclin-dependent kinase inhibitors block erythrocyte invasion and intraerythrocytic development of Babesia bovis in vitro. *Parasitology.* 2007 Sep;134(Pt 10):1347-53. Epub 2007 Jul 18. PMID:17634158

Nakamura Y, Tsuji M, Arai S, Ishihara C. A method for rapid and complete substitution of the circulating erythrocytes in SCID mice with bovine erythrocytes and use of the substituted mice for bovine hemoprotezoa infections. *J Immunol Methods.* 1995 Dec 27;188(2):247-54. PMID:8551053

Nakao R, Mizukami C, Kawamura Y, Subeki, Bawm S, Yamasaki M, Maede Y, Matsuura H, Nabeta K, Nonaka N, Oku Y, Katakura K. Evaluation of efficacy of bruceine A, a natural quassinoïd compound extracted from a medicinal plant, Brucea javanica, for canine babesiosis. *J Vet Med Sci.* 2009 Jan;71(1):33-41. PMID:19194074

Namangala B, Inoue N, Sugimoto C. Preliminary studies on the effects of orally-administered Transforming Growth Factor-beta on protozoan diseases in mice. *Jpn J Vet Res.* 2009 Aug;57(2):101-8. PMID:19827745

Namsa ND, Mandal M, Tangjang S. Anti-malarial herbal remedies of northeast India, Assam: an ethnobotanical survey. *J Ethnopharmacol.* 2011 Jan 27;133(2):565-72. Epub 2010 Oct 26. PMID:21029768

Nankabirwa V, Tylleskar T, Nankunda J, Engebretsen IM, Sommerfelt H, Tumwine JK; PROMISE EBF Research Consortium et al. Malaria parasitaemia among infants and its association with breastfeeding peer counselling and vitamin A supplementation: a secondary analysis of a cluster randomized trial. *PLoS One.* 2011;6(7):e21862. Epub 2011 Jul 7. PMID:21760916

Nansera D, Max I, Annet K, Gessner BD. Bacterial meningitis among children under the age of 2 years in a high human immunodeficiency virus prevalence area after *Haemophilus influenzae* type b vaccine introduction. *J Paediatr Child Health.* 2011 Nov 14. [Epub ahead of print]. PMID:22077853

Narasimhan S, Montgomery RR, DePonte K, Tschudi C, Marcantonio N, Anderson JF, Sauer JR, Cappello M, Kantor FS, Fikrig E. Disruption of *Ixodes scapularis* anticoagulation by using RNA interference. *Proc Natl Acad Sci U S A.* 2004 Feb 3;101(5):1141-6. Epub 2004 Jan 26. PMID:14745044

Nardin E. The past decade in malaria synthetic peptide vaccine clinical trials. *Hum Vaccin.* 2010 Jan;6(1):27-38. Epub 2010 Jan 23. PMID:20173408

Nari A. Strategies for the control of one-host ticks and relationship with tick-borne diseases in South America. *Vet Parasitol.* 1995 Mar;57(1-3):153-65. PMID:7597780

Nasveld P, Kitchener S, Edstein M, Rieckmann K. Comparison of tafenoquine (WR238605) and primaquine in the post-exposure (terminal) prophylaxis of vivax malaria in Australian Defence Force personnel. *Trans R Soc Trop Med Hyg.* 2002 Nov-Dec;96(6):683-4. PMID:12625150

Nasveld P, Kitchener S. Treatment of acute vivax malaria with tafenoquine. *Trans R Soc Trop Med Hyg.* 2005 Jan;99(1):2-5. PMID:15550254

Nasveld PE, Edstein MD, Reid M, Brennan L, Harris IE, Kitchener SJ, Leggat PA, Pickford P, Kerr C, Ohrt C, Prescott W; Tafenoquine Study Team. Randomized, double-blind study of the safety, tolerability, and efficacy of tafenoquine versus mefloquine for malaria prophylaxis in nonimmune subjects. *Antimicrob Agents Chemother.* 2010 Feb;54(2):792-8. Epub 2009 Dec 7. PMID:19995933

Nau JY. [Malaria and trypanosomiasis: good news].[Article in French]. *Rev Med Suisse.* 2011 Sep 28;7(310):1890-1. PMID:22029130

Nawaz F, Nsobya SL, Kiggundu M, Joloba M, Rosenthal PJ. Selection of parasites with diminished drug susceptibility by amodiaquine-containing antimalarial regimens in Uganda. *J Infect Dis.* 2009 Dec 1;200(11):1650-7. PMID:19905933

Ndao M. Biomarker discovery in serum/plasma using surface enhanced laser desorption ionization time of flight (SELDI-TOF) mass spectrometry. *Methods Mol Biol.* 2012;818:67-79. PMID:22083816

Ndiaye D, Patel V, Demas A, LeRoux M, Ndir O, Mboup S, Clardy J, Lakshmanan V, Daily JP, Wirth DF. A non-radioactive DAPI-based high-throughput in vitro assay to assess Plasmodium falciparum responsiveness to antimalarials--increased sensitivity of *P. falciparum* to chloroquine in Senegal. *Am J Trop Med Hyg.* 2010 Feb;82(2):228-30. PMID:20133997

Ndjinga JK, Minakawa N. The importance of education to increase the use of bed nets in villages outside of Kinshasa, Democratic Republic of the Congo. *Malar J.* 2010 Oct 12;9:279. PMID:20937157

Neal AT, Jordan SJ, Oliveira AL, Hernandez JN, Branch OH, Rayner JC. Limited variation in vaccine candidate Plasmodium falciparum Merozoite Surface Protein-6 over multiple transmission seasons. *Malar J.* 2010 May 24;9:138. PMID:20497564

Neal RA, Garnham PC, Cohen S. [Immunization against protozoal diseases].[Article in Spanish]. *Bol Oficina Sanit Panam.* 1973 Oct;75(4):337-53. PMID:4272727

Neal RA, Garnham PC, Cohen S. Immunization against protozoal diseases. *Br Med Bull.* 1969 May;25(2):194-201. PMID:4918534

Nehrbass-Stuedli A, Boykin D, Tidwell RR, Brun R. Novel diamidines with activity against Babesia divergens in vitro and Babesia microti in vivo. *Antimicrob Agents Chemother.* 2011 Jul;55(7):3439-45. Epub 2011 May 2. PMID:21537025

Neill US. From branch to bedside: Youyou Tu is awarded the 2011 Lasker~DeBakey Clinical Medical Research Award for discovering artemisinin as a treatment for malaria. *J Clin Invest.* 2011 Oct 3;121(10):3768-73. PMID:22059236

Nelson DA, Bradley JK, Arya R, Ianosi-Irimie M, Marques-Baptista A, Merlin MA. Babesiosis as a rare cause of fever in the immunocompromised patient: a case report. *Cases J.* 2009 Jul 10;2:7420. PMID:19829959

Németh K, Tárkányi G, Varga E, Imre T, Mizsei R, Iványi R, Visy J, Szemán J, Jicsinszky L, Szente L, Simonyi M. Enantiomeric separation of antimalarial drugs by capillary electrophoresis using neutral and negatively charged cyclodextrins. *J Pharm Biomed Anal.* 2011 Feb 20;54(3):475-81. Epub 2010 Sep 19. PMID:20943339

Newton PN, Fernández FM, Plançon A, Mildenhall DC, Green MD, Ziyong L, Christophe EM, Phanouvong S, Howells S, McIntosh E, Laurin P, Blum N, Hampton CY, Faure K, Nyadong L, Soong CW, Santoso B, Zhiguang W, Newton J, Palmer K. A collaborative epidemiological investigation into the criminal fake artesunate trade in South East Asia. *PLoS Med.* 2008 Feb;5(2):e32. PMID:18271620

Newton PN, Green MD, Mildenhall DC, Plancon A, Nettey H, Nyadong L, Hostetler DM, Swamidoss I, Harris GA, Powell K, Timmermans AE, Amin AA, Opuni SK, Barbereau S, Faurant C, Soong RC, Faure K, Thevanayagam J, Fernandes P, Kaur H, Angus B, Stepniewska K, Guerin PJ, Fernandez FM. Poor quality vital anti-malarials in Africa - an urgent neglected public health priority. *Malar J.* 2011 Dec 13;10(1):352. [Epub ahead of print]. PMID:22152094

Ngo V, Civen R. Babesiosis acquired through blood transfusion, California, USA. *Emerg Infect Dis.* 2009 May;15(5):785-7. PMID:19402969

Nguta JM, Mbaria JM, Gakuya DW, Gathumbi PK, Kiama SG. Traditional antimalarial phytotherapy remedies used by the South Coast community, Kenya. *J Ethnopharmacol.* 2010 Sep 15;131(2):256-67. Epub 2010 Jun 30. PMID:20600756

Nguta JM, Mbaria JM, Gathumbi PK, Gakuya D, Kabasa JD, Kiama SG. Ethnodiagnostic skills of the digo community for malaria: a lead to traditional bioprospecting. *Front Pharmacol.* 2011;2:30. Epub 2011 Jun 24. PMID:21738507

Nicholson GT, Walsh CA, Madan RP. Transfusion-associated babesiosis in a 7-month-old infant after bidirectional Glenn procedure. *Congenit Heart Dis.* 2010 Nov-Dec;5(6):607-13. PMID:21106022

Nicolas X, Granier H, Laborde JP, Talarmin F, Klotz F. [Plasmodium vivax: therapy update].[Article in French]. *Presse Med.* 2001 Apr 21;30(15):767-71. PMID:11360746

Nishisaka M, Yokoyama N, Xuan X, Inoue N, Nagasawa H, Fujisaki K, Mikami T, Igarashi I. Characterisation of the gene encoding a protective antigen from Babesia microti identified it as eta subunit of chaperonin containing T-complex protein 1. *Int J Parasitol.* 2001 Dec;31(14):1673-9. PMID:11730795

Njuguna J, Qader S. Challenges Associated with Scaling up Artemisinin Combination Therapy in Sub-Saharan Africa A Review Article. *Libyan J Med.* 2008 Mar 1;3(1):42-8. PMID:21499481

No authors listed. Antigenic variation in African trypanosomiasis: a memorandum. *Bull World Health Organ.* 1977;55(6):703-13. PMID:74295

No authors listed. Artemisinin derivatives and malaria: useful, in combination with other antimalarials. *Prescrire Int.* 2008 Aug;17(96):162-8. PMID:19492494

No authors listed. Artemisinins in malaria treatment in the UK. *Drug Ther Bull.* 2010 Nov;48(11):129-32. PMID:21057033

No authors listed. DEVELOPMENT of the antimalarial paludrine. *Am Prof Pharm.* 1946 Apr;12:352-4. PMID:21027189

No authors listed. Developments in malaria immunology. Report of a WHO scientific group. *World Health Organ Tech Rep Ser.* 1975;(579):1-68. PMID:813400

No authors listed. Exotic animal diseases bulletin: equine piroplasmosis. *Aust Vet J.* 2008 Nov;86(11):N20-1. PMID:19058427

No authors listed. Intravenous artesunate for severe malaria. *Prescrire Int.* 2008 Aug;17(96):168-70. PMID:19492495

No authors listed. Malaria and economic development in Papua New Guinea. *Med J Aust.* 1972 Dec 30;2(27):1473-4. PMID:4655125

No authors listed. Malaria progress report shows that development aid for health is working. Neurosciences (Riyadh). 2010 Apr;15(2):144-5. PMID:20672509

No authors listed. Malaria progress report shows that development aid for health is working. Saudi Med J. 2010 Feb;31(2):225-7. PMID:20198752

No authors listed. Molecule of the month. Tafenoquine succinate. Drug News Perspect. 2003 May;16(4):238. PMID:12942153

No authors listed. OSHA's bloodborne pathogens standard: analysis and recommendations. Health Devices. 1993 Feb;22(2):35-92. PMID:8444629

No authors listed. Research needs on internal parasites of horses. Am J Vet Res. 1984 Aug;45(8):1614-8. PMID:6383147

No authors listed. Resistance to artemisinin derivatives along the Thai-Cambodian border. [Article in English, French]. Wkly Epidemiol Rec. 2007 Oct 12;82(41):360. PMID:17933087

No authors listed. The Global Fund and a new modus operandi. Lancet. 2011 Dec 3;378(9807):1896. PMID:22137831

No authors listed. Timing antimalarial prophylaxis: when to start and how long to go on. Drug Ther Bull. 1974 Aug 16;12(17):65-7. PMID:4457297

No authors listed. Vaccines against malaria and babesiosis. Lancet. 1983 Nov 26;2(8361):1232-3. PMID:6139575

Noedl H, Se Y, Sriwichai S, Schaecher K, Teja-Isavadharm P, Smith B, Rutvisuttinunt W, Bethell D, Surasri S, Fukuda MM, Socheat D, Chan Thap L. Artemisinin resistance in Cambodia: a clinical trial designed to address an emerging problem in Southeast Asia. Clin Infect Dis. 2010 Dec 1;51(11):e82-9. Epub 2010 Oct 28. PMID:21028985

Nogueira FH, Moreira-Campos LM, Santos RL, Pianetti GA. Quality of essential drugs in tropical countries: evaluation of antimalarial drugs in the Brazilian Health System. *Rev Soc Bras Med Trop.* 2011 Oct;44(5):582-6. PMID:22031073

Nohýnková E, Kubek J, Měst'áňková O, Chalupa P, Hubálek Z. [A case of Babesia microti imported into the Czech Republic from the USA]. [Article in Czech]. *Cas Lek Cesk.* 2003;142(6):377-81. PMID:12924039

Noland GS, Chowdhury DR, Urban JF Jr, Zavala F, Kumar N. Helminth infection impairs the immunogenicity of a *Plasmodium falciparum* DNA vaccine, but not irradiated sporozoites, in mice. *Vaccine.* 2010 Apr 9;28(17):2917-23. Epub 2010 Feb 25. PMID:20188676

Noonpakdee W, Pothikasikorn J, Nimitsantiwong W, Wilairat P. Inhibition of *Plasmodium falciparum* proliferation in vitro by antisense oligodeoxynucleotides against malarial topoisomerase II. *Biochem Biophys Res Commun.* 2003 Mar 21;302(4):659-64. PMID:12646219

Nonaka D, Vongseththa K, Kobayashi J, Bounyadeth S, Kano S, Phompida S, Jimba M. Public and private sector treatment of malaria in Lao PDR. *Acta Trop.* 2009 Dec;112(3):283-7. Epub 2009 Aug 14. PMID:19683502

Norheim AJ. [Medicinal plants against malaria?]. [Article in Norwegian]. *Tidsskr Nor Laegeforen.* 2011 Sep 20;131(18):1736. PMID:22043476

Norimine J, Mosqueda J, Palmer GH, Lewin HA, Brown WC. Conservation of Babesia bovis small heat shock protein (Hsp20) among strains and definition of T helper cell epitopes recognized by cattle with diverse major histocompatibility complex class II haplotypes. *Infect Immun.* 2004 Feb;72(2):1096-106. PMID:14742557

Nosten F, White NJ. Artemisinin-based combination treatment of falciparum malaria. *Am J Trop Med Hyg.* 2007 Dec;77(6 Suppl):181-92. PMID:18165491

Nsagha DS, Njunda AL, Kamga HL, Nsagha SM, Nguedia Assob JC, Wiysonge CS, Tabah EN, Njamnshi AK. Knowledge and practices relating to malaria in a semi-urban area of Cameroon: choices and sources of antimalarials, self-treatment and resistance. *Pan Afr Med J.* 2011;9:8. Epub 2011 May 25. PMID:22145055

Nsagha DS, Nsagha SM, Shey CU, Njunda AL, Kamga HL, Njamnshi AK. Knowledge, attitudes and practices relating to malaria in a semi-urban area of Cameroon: choices and sources of antimalarials, self-treatment and resistance. *East Afr J Public Health.* 2011 Jun;8(2):98-102. PMID:22066294

Nsanzimana S, Ruton H, Lowrance DW, Cishahayo S, Nyemazi JP, Muhayimpundu R, Karema C, Raghunathan PL, Binagwaho A, Riedel DJ. Cell Phone- and Internet-based Monitoring and Evaluation of the National Antiretroviral Treatment Program during Rapid Scale-up in Rwanda: TRACnet, 2004--2010. *J Acquir Immune Defic Syndr.* 2011 Nov 7. [Epub ahead of print]. PMID:22067668

Nsimba B, Guiyedi V, Mabika-Mamfoumbi M, Mourou-Mbina JR, Ngoungou E, Bouyou-Akotet M, Loembet R, Durand R, Le Bras J, Kombila M. Sulphadoxine/pyrimethamine versus amodiaquine for treating uncomplicated childhood malaria in Gabon: a randomized trial to guide national policy. PMID:18267042

Nsobya SL, Dokomajilar C, Joloba M, Dorsey G, Rosenthal PJ. Resistance-mediating Plasmodium falciparum pfCRT and pfMDR1 alleles after treatment with artesunate-amodiaquine in Uganda. *Antimicrob Agents Chemother.* 2007 Aug;51(8):3023-5. Epub 2007 Jun 11. PMID:17562798

Nurul AA, Norazmi MN. Immunogenicity and in vitro protective efficacy of recombinant *Mycobacterium bovis* bacille Calmette Guerin (rBCG) expressing the 19 kDa merozoite surface protein-1 (MSP-1(19)) antigen of *Plasmodium falciparum*. *Parasitol Res.* 2011 Apr;108(4):887-97. Epub 2010 Nov 6. PMID:21057812

Nurul Aiezzah Z, Noor E, Hasidah MS. Suppression of Plasmodium berghei parasitemia by LiCl in an animal infection model. *Trop Biomed.* 2010 Dec;27(3):624-31. PMID:21399604

Nussenzweig RS, Vanderberg J, Spitalny GL, Rivera CI, Orton C, Most H. Sporozoite-induced immunity in mammalian malaria. A review. *Am J Trop Med Hyg.* 1972 Sep;21(5):722-8. PMID:4561520

Nwokocha CR, Ajayi IO, Ebeigbe AB. Altered vascular reactivity induced by malaria parasites. *West Indian Med J.* 2011 Jan;60(1):13-8. PMID:21809705

Nyadong L, Harris GA, Balayssac S, Galhena AS, Malet-Martino M, Martino R, Parry RM, Wang MD, Fernández FM, Gilard V. Combining two-dimensional diffusion-ordered nuclear magnetic resonance spectroscopy, imaging desorption electrospray ionization mass spectrometry, and direct analysis in real-time mass spectrometry for the integral investigation of counterfeit pharmaceuticals. *Anal Chem.* 2009 Jun 15;81(12):4803-12. PMID:19453162

Nyunt MM, Plowe CV. Pharmacologic advances in the global control and treatment of malaria: combination therapy and resistance. *Clin Pharmacol Ther.* 2007 Nov;82(5):601-5. Epub 2007 Sep 26. PMID:17898709

Nzila A, Chilengi R. Modulators of the efficacy and toxicity of drugs in malaria treatment. *Trends Pharmacol Sci.* 2010 Jun;31(6):277-83. Epub 2010 Apr 9. PMID:20381886

Nzila A, Rottmann M, Chitnumsub P, Kiara SM, Kamchonwongpaisan S, Maneeruttanarungroj C, Taweechai S, Yeung BK, Goh A, Lakshminarayana SB, Zou B, Wong J, Ma NL, Weaver M, Keller TH, Dartois V, Wittlin S, Brun R, Yuthavong Y, Diagana TT. Preclinical evaluation of the antifolate QN254, 5-chloro-N'6'-(2,5-dimethoxybenzyl)-quinazoline-2,4,6-triamine, as an antimalarial drug candidate. *Antimicrob Agents Chemother.* 2010 Jun;54(6):2603-10. Epub 2010 Mar 29. PMID:20350951

Obaldia N 3rd, Rossan RN, Cooper RD, Kyle DE, Nuzum EO, Rieckmann KH, Shanks GD. WR 238605, chloroquine, and their combinations as blood schizonticides against a chloroquine-resistant strain of *Plasmodium vivax* in Aotus monkeys. *Am J Trop Med Hyg.* 1997 May;56(5):508-10. PMID:9180599

Obodozie OO, Ebeshi BU, Mustapha KB, Kirim RA, Ekpenyong M, Inyang US. The effects of an investigational antimalarial agent, NIPRD-AM1 on the single dose pharmacokinetics of metronidazole in healthy human volunteers. *Eur J Drug Metab Pharmacokinet.* 2011 Jan;35(3-4):103-8. Epub 2010 Oct 12. PMID:21302036

O'Brien C, Henrich PP, Passi N, Fidock DA. Recent clinical and molecular insights into emerging artemisinin resistance in *Plasmodium falciparum*. *Curr Opin Infect Dis.* 2011 Dec;24(6):570-7. PMID:22001944

O'Connell KA, Gatakaa H, Poyer S, Njogu J, Evance I, Munroe E, Solomon T, Goodman C, Hanson K, Zinsou C, Akulayi L, Raharinjatovo J, Arogundade E, Buyungo P, Mpelasela F, Adjibabi CB, Agbango JA, Ramarosandratana BF, Coker B, Rubahika D, Hamainza B, Chapman S, Shewchuk T, Chavasse D. Got ACTs? Availability, price, market share and provider knowledge of anti-malarial medicines in public and private sector outlets in six malaria-endemic countries. *Malar J.* 2011 Oct 31;10:326. PMID:22039838

Odhiambo FO, Hamel MJ, Williamson J, Lindblade K, ter Kuile FO, Peterson E, Otieno P, Kariuki S, Vulule J, Slutsker L, Newman RD. Intermittent preventive treatment in infants for the prevention of malaria in rural Western Kenya: a randomized, double-blind placebo-controlled trial. *PLoS One.* 2010 Apr 2;5(4):e10016. PMID:20368815

Oehme R, Hartelt K, Backe H, Brockmann S, Kimmig P. Foci of tick-borne diseases in southwest Germany. *Int J Med Microbiol.* 2002 Jun;291 Suppl 33:22-9. PMID:12141751

Oesterholt MJ, Alifrangis M, Sutherland CJ, Omar SA, Sawa P, Howitt C, Gouagna LC, Sauerwein RW, Bousema T. Submicroscopic gametocytes and the transmission of antifolate-resistant Plasmodium falciparum in Western Kenya. *PLoS One.* 2009;4(2):e4364. Epub 2009 Feb 5. PMID:19194499

Ogutu B, Tiono AB, Makanga M, Premji Z, Gbadoé AD, Ubben D, Marrast AC, Gaye O. Treatment of asymptomatic carriers with artemether-lumefantrine: an opportunity to reduce the burden of malaria? *Malar J.* 2010 Jan 22;9:30. PMID:20096111

Ogutu BR, Baiden R, Diallo D, Smith PG, Binka FN. Sustainable development of a GCP-compliant clinical trials platform in Africa: the malaria clinical trials alliance perspective. *Malar J.* 2010 Apr 20;9:103. PMID:20406478

Ohgitani T, Okabe T, Sasaki N. [Studies on immunity to Babesia gibsoni in dogs immunostimulation by *Bordetella bronchiseptica*]. [Article in Japanese]. *Nihon Saikingaku Zasshi.* 1990 Jul;45(4):785-95. PMID:2232161

Ohrt C, Willingmyre GD, Lee P, Knirsch C, Milhous W. Assessment of azithromycin in combination with other antimalarial drugs against Plasmodium falciparum in vitro. *Antimicrob Agents Chemother.* 2002 Aug;46(8):2518-24. PMID:12121927

Ojeda JJ, Orozco L, Flores R, Rojas C, Figueroa JV, Alvarez JA. Validation of an attenuated live vaccine against babesiosis in native cattle in an endemic area. *Transbound Emerg Dis.* 2010 Apr;57(1-2):84-6. PMID:20537115

Okafor HU, Shu EN, Oguonu T. Therapeutic efficacy and effect on gamete carriage of an artemisinin and a non-based combination treatment in children with uncomplicated *P. falciparum* malaria, living in an area with high-level chloroquine resistance. *J Trop Pediatr.* 2010 Dec;56(6):398-406. Epub 2010 Feb 8. PMID:20144932

Okamura M, Yokoyama N, Takabatake N, Okubo K, Ikehara Y, Igarashi I. Modification of host erythrocyte membranes by trypsin and chymotrypsin treatments and effects on the in vitro growth of bovine and equine Babesia parasites. *J Parasitol.* 2007 Feb;93(1):208-11. PMID:17436968

Okeke TA, Uzochukwu BS. Improving childhood malaria treatment and referral practices by training patent medicine vendors in rural south-east Nigeria. *Malar J.* 2009 Nov 20;8:260. PMID:19930561

Okpako LC, Ajaiyeoba EO. In vitro and in vivo antimalarial studies of *Striga hermonthica* and *Tapinanthus sessilifolius* extracts. *Afr J Med Med Sci.* 2004 Mar;33(1):73-5. PMID:15490799

Okubo K, Yokoyama N, Takabatake N, Okamura M, Igarashi I. Amount of cholesterol in host membrane affects erythrocyte invasion and replication by *Babesia bovis*. *Parasitology.* 2007 May;134(Pt 5):625-30. Epub 2006 Dec 6. PMID:17147838

Okumu FO, Moore SJ. Combining indoor residual spraying and insecticide-treated nets for malaria control in Africa: a review of possible outcomes and an outline of suggestions for the future. *Malar J.* 2011 Jul 28;10:208. PMID:21798053

Oladosu LA, Olufemi BE. Haematology of experimental babesiosis and ehrlichiosis in steroid immunosuppressed horses. *Zentralbl Veterinarmed B.* 1992 Jul;39(5):345-52. PMID:1519411

Oladosu LA. Effects of intravenous corticosteroid on the pathogenicity of *Babesia equi* infection of donkeys (*Equus asinus*). *Zentralbl Veterinarmed B.* 1988 Aug;35(7):509-14. PMID:3188726

Olajide OA, Ajayi AM, Wright CW. Anti-inflammatory properties of cryptolepine. *Phytother Res.* 2009 Oct;23(10):1421-5. PMID:19288476

Olajide OA, Heiss EH, Schachner D, Wright CW, Vollmar AM, Dirsch VM. Synthetic cryptolepine inhibits DNA binding of NF-kappaB. *Bioorg Med Chem.* 2007 Jan 1;15(1):43-9. Epub 2006 Oct 24. PMID:17064915

Olayemi IK, Ande AT, Chita S, Ibemesi G, Ayanwale VA, Odeyemi OM. Insecticide susceptibility profile of the principal malaria vector, *Anopheles gambiae* s.l. (Diptera: Culicidae), in north-central Nigeria. *J Vector Borne Dis.* 2011 Jun;48(2):109-12. PMID:21715735

Oleson CV, Sivalingam JJ, O'Neill BJ, Staas WE Jr. Transverse myelitis secondary to coexistent Lyme disease and babesiosis. *J Spinal Cord Med.* 2003 Summer;26(2):168-71. PMID:12828297

Oldfield E. Targeting isoprenoid biosynthesis for drug discovery: bench to bedside. *Acc Chem Res.* 2010 Sep 21;43(9):1216-26. PMID:20560544

Oliveira AB, Dolabela MF, Braga FC, Jácome RL, Varotti FP, Póvoa MM. Plant-derived antimalarial agents: new leads and efficient phytotherapies. Part I. Alkaloids. *An Acad Bras Cienc.* 2009 Dec;81(4):715-40. PMID:19893898

Oliveira JB, Hernández-Gamboa J, Jiménez-Alfaro C, Zeledón R, Blandón M, Urbina A. First report of *Trypanosoma vivax* infection in dairy cattle from Costa Rica. *Vet Parasitol.* 2009 Jul 7;163(1-2):136-9. Epub 2009 Apr 5. PMID:19414224

Oliveira TM, Furuta PI, de Carvalho D, Machado RZ. A study of cross-reactivity in serum samples from dogs positive for *Leishmania* sp., *Babesia canis* and *Ehrlichia canis* in enzyme-linked immunosorbent assay and indirect fluorescent antibody test. *Rev Bras Parasitol Vet.* 2008 Jan-Mar;17(1):7-11. PMID:18554433

Olivieri NF, Pakbaz Z, Vichinsky E. Hb E/beta-thalassaemia: a common & clinically diverse disorder. *Indian J Med Res.* 2011 Oct;134:522-31. PMID:22089616

Olugbile S, Habel C, Servis C, Spertini F, Verdini A, Corradin G. Malaria vaccines - The long synthetic peptide approach: Technical and conceptual advancements. *Curr Opin Mol Ther.* 2010 Feb;12(1):64-76. PMID:20140818

Oluwafemi AJ, Okanla EO, Camps P, Muñoz-Torrerob D, Mackey ZB, Chiang PK, Seville S, Wright CW. Evaluation of cryptolepine and huperzine derivatives as lead compounds towards new agents for the treatment of human African trypanosomiasis. *Nat Prod Commun.* 2009 Feb;4(2):193-8. PMID:19370921

Omar MS, Collins WE, Contacos PG. Gametocytocidal and sporontocidal effects of antimalarial drugs on malaria parasites. I. Effect of single and multiple doses of primaquine on *Plasmodium cynomolgi*. *Exp Parasitol.* 1973 Oct;34(2):229-41. PMID:4200769

Omar MS, Collins WE. Studies on the antimalarial effects of RC-12 and WR 14,997 on the development of *Plasmodium cynomolgi* in mosquitoes and Rhesus monkeys. *Am J Trop Med Hyg.* 1974 May;23(3):339-49. PMID:4207342

Omar MS, Gwadz RW, Miller LH. Incorporation of nucleic acid precursors by *Plasmodium cynomolgi* in *Anopheles balabacensis*. *Tropenmed Parasitol.* 1975 Sep;26(3):303-6. PMID:1189024

Onaku LO, Attama AA, Okore VC, Tijani AY, Ngene AA, Esimone CO. Antagonistic antimalarial properties of pawpaw leaf aqueous extract in combination with artesunic acid in *Plasmodium berghei*-infected mice. *J Vector Borne Dis.* 2011 Jun;48(2):96-100. PMID:21715732

Ondo JP, Lekana-Douki JB, Bongui JB, Zang Edou ES, Zatra R, Toure-Ndouo FS, Elomri A, Lebibi J, Seguin E. In vitro antiplasmodial activity and cytotoxicity of extracts and fractions of *Vitex madiensis*, medicinal plant of Gabon. *Trop Med Int Health.* 2011 Dec 5. [Epub ahead of print]. PMID:22141406

O'Neill PM, Barton VE, Ward SA. The molecular mechanism of action of artemisinin--the debate continues. *Molecules.* 2010 Mar 12;15(3):1705-21. PMID:20336009

Ong KR, Stavropoulos C, Inada Y. Babesiosis, asplenia, and AIDS. *Lancet.* 1990 Jul 14;336(8707):112. PMID:1975291

Onwujekwe O, Hanson K, Uzochukwu B. Do poor people use poor quality providers? Evidence from the treatment of presumptive malaria in Nigeria. *Trop Med Int Health.* 2011 Sep;16(9):1087-98. Epub 2011 Jun 27. PMID:21702870

Onwujekwe O, Onoka C, Uzochukwu B, Hanson K. Constraints to universal coverage: inequities in health service use and expenditures for different health conditions and providers. *Int J Equity Health.* 2011 Nov 13;10(1):50. PMID:22078263

Onyamboko MA, Meshnick SR, Fleckenstein L, Koch MA, Atibu J, Lokomba V, Douoguih M, Hemingway-Foday J, Wesche D, Ryder RW, Bose C, Wright LL, Tshefu AK, Capparelli EV. Pharmacokinetics and pharmacodynamics of artesunate and dihydroartemisinin following oral treatment in pregnant women with asymptomatic Plasmodium falciparum infections in Kinshasa DRC. *Malar J.* 2011 Feb 28;10:49. PMID:21352601

Ooka H, Terkawi MA, Goo YK, Luo Y, Li Y, Yamagishi J, Nishikawa Y, Igarashi I, Xuan X. Babesia microti: molecular and antigenic characterizations of a novel 94-kDa protein (BmP94). *Exp Parasitol.* 2011 Jan;127(1):287-93. Epub 2010 Jun 25. PMID:20599995

OPTIMALVAC consortium, Cavanagh DR, Dubois PM, Holtel A, Kissner A, Leroy O, Locke E, Moorthy VS, Remarque EJ, Shi YP. Towards validated assays for key immunological outcomes in malaria vaccine development. *Vaccine.* 2011 Apr 12;29(17):3093-5. Epub 2011 Feb 4. PMID:21296116

Orinda GO, Gale KR, Wright IG, Parrodi F. Bovine babesiosis: failure to induce interferon gamma production in response to Babesia bovis antigens in cattle. *Int J Parasitol.* 1992 May;22(3):395-8. PMID:1639576

Orinda GO, Waltisbuhl DJ, Young AS, Wright IG. Low doses of natural human interferon alpha inhibit the development of Babesia microti infection in BALB/c mice. *Vet Parasitol.* 1994 May;53(1-2):53-8. PMID:8091618

Orinda GO, Wright IG, Leatch G, Young AS. Human interferon alpha fails to inhibit the development of Babesia bigemina and Anaplasma marginale infections in cattle. *Vet Parasitol.* 1993 Mar;47(1-2):149-55. PMID:8493761

Oróstegui-Pinilla D, Rodríguez-Morales AJ. Neonatal Plasmodium vivax malaria. *Trop Biomed.* 2011 Aug;28(2):339-42. PMID:22041754

Osolodkin DI, Zakharevich NV, Palyulin VA, Danilenko VN, Zefirov NS. Bioinformatic analysis of glycogen synthase kinase 3: human versus parasite kinases. *Parasitology.* 2011 Feb 24:1-11. [Epub ahead of print]. PMID:21349219

Otranto D, de Caprariis D, Lia RP, Tarallo V, Lorusso V, Testini G, Dantas-Torres F, Latrofa S, Diniz PP, Mencke N, Maggi RG, Breitschwerdt E, Capelli G, Stanneck D. Prevention of endemic canine vector-borne diseases using imidacloprid 10% and permethrin 50% in young dogs: a longitudinal field study. *Vet Parasitol.* 2010 Sep 20;172(3-4):323-32. Epub 2010 May 25. PMID:20591573

Oueriagli Nabih F, Touhami M, Laffinti A, Abilkacem L. [Mood disorder after malaria prophylaxis with mefloquine (two case reports)]. [Article in French]. *Encephale.* 2011 Oct;37(5):393-6. 2011 Mar 25. PMID:22032283

Ouwe-Missi-Oukem-Boyer O, Ndouo FS, Ollomo B, Mezui-Me-Ndong J, Noulin F, Lachard I, Ndong-Atome GR, Makuwa M, Roques P, Branger M, Preux PM, Mazier D, Bisser S. Hepatitis C virus infection may lead to slower emergence of *P. falciparum* in blood. *PLoS One.* 2011 Jan 10;6(1):e16034. PMID:21249226

Overdulve JP, Antonisse HW. Measurement of the effect of low temperature on protozoa by titration. II. Titration of Babesia rodhaini, using prepatent period and survival time, before and after storage at minus 76 degree C. *Exp Parasitol.* 1970 Apr;27(2):323-41. PMID:5446635

Oyelade J, Ewejobi I, Brors B, Eils R, Adebiyi E. Computational identification of signalling pathways in *Plasmodium falciparum*. *Infect Genet Evol.* 2011 Jun;11(4):755-64. Epub 2010 Nov 26. PMID:21112415

Oz HS, Hughes WT. Acute fulminating babesiosis in hamsters infected with *Babesia microti*. *Int J Parasitol.* 1996 Jun;26(6):667-70. PMID:8875313

Padte NN, Li X, Tsuji M, Vasan S. Clinical development of a novel CD1d-binding NKT cell ligand as a vaccine adjuvant. *Clin Immunol.* 2011 Aug;140(2):142-51. Epub 2010 Dec 24. PMID:21185784

Paglia MG, Vairo F, Bevilacqua N, Ghirga P, Narciso P, Severini C, Nicastri E. Molecular diagnosis and species identification of imported malaria in returning travellers in Italy. *Diagn Microbiol Infect Dis.* 2011 Nov 10. [Epub ahead of print]. PMID:22078908

Palacios Fraire S. Analysis of the principal problems impeding normal development of malaria eradication programs. *Bull Pan Am Health Organ.* 1975;9(4):283-94. PMID:1240013

Palacpac NM, Arisue N, Tougan T, Ishii KJ, Horii T. *Plasmodium falciparum* serine repeat antigen 5 (SE36) as a malaria vaccine candidate. *Vaccine.* 2011 Aug 11;29(35):5837-45. Epub 2011 Jun 28. PMID:21718740

Palmer DA, Buening GM, Carson CA. Cryopreservation of *Babesia bovis* for in vitro cultivation. *Parasitology.* 1982 Jun;84(Pt 3):567-72. PMID:7099713

Palmer GH, McElwain TF. Molecular basis for vaccine development against anaplasmosis and babesiosis. *Vet Parasitol.* 1995 Mar;57(1-3):233-53. PMID:7597787

Pancewicz S, Moniuszko A, Bieniarz E, Puciło K, Grygorczuk S, Zajkowska J, Czupryna P, Kondrusik M, Swierzbińska-Pijanowska R. Anti-Babesia microti antibodies in foresters highly exposed to tick bites in Poland. *Scand J Infect Dis.* 2011 Mar;43(3):197-201. Epub 2010 Dec 9. PMID:21142620

Pande M, Dubey VK, Jagannadham MV. Crystallization and preliminary X-ray analysis of cryptolepain, a novel glycosylated serine protease from *Cryptolepis buchanani*. *Acta Crystallogr Sect F Struct Biol Cryst Commun.* 2007 Feb 1;63(Pt 2):74-7. Epub 2007 Jan 17. PMID:17277443

Pande M, Dubey VK, Sahu V, Jagannadham MV. Conformational plasticity of cryptolepain: accumulation of partially unfolded states in denaturants induced equilibrium unfolding. *J Biotechnol.* 2007 Sep 30;131(4):404-17. Epub 2007 Aug 7. PMID:17825936

Pande M, Dubey VK, Yadav SC, Jagannadham MV. A novel serine protease cryptolepain from *Cryptolepis buchanani*: purification and biochemical characterization. *J Agric Food Chem.* 2006 Dec 27;54(26):10141-50. PMID:17177552

Pandey JP, Morais CG, Fontes CJ, Braga EM. Immunoglobulin GM 3 23 5,13,14 phenotype is strongly associated with IgG1 antibody responses to *Plasmodium vivax* vaccine candidate antigens PvMSP1-19 and PvAMA-1. *Malar J.* 2010 Aug 9;9:229. PMID:20696056

Pantaleo A, Ferru E, Carta F, Mannu F, Giribaldi G, Vono R, Lepedda AJ, Pippia P, Turrini F. Analysis of changes in tyrosine and serine phosphorylation of red cell membrane proteins induced by *P. falciparum* growth. *Proteomics.* 2010 Oct;10(19):3469-79. PMID:20799346

Pantaleo A, Ferru E, Vono R, Giribaldi G, Lobina O, Nepveu F, Ibrahim H, Nallet JP, Carta F, Mannu F, Pippia P, Campanella E, Low PS, Turrini F. New antimalarial indolone-N-oxides, generating radical species, destabilize the host cell membrane at early stages of *Plasmodium falciparum* growth: role of band 3 tyrosine phosphorylation. *Free Radic Biol Med.* 2011 Nov 15. [Epub ahead of print]. PMID:22142474

Pantanowitz L, Aufranc S 3rd, Monahan-Earley R, Dvorak A, Telford SR 3rd. Transfusion medicine illustrated. Morphologic hallmarks of Babesia. *Transfusion*. 2002 Nov;42(11):1389. PMID:12421208

Pantanowitz L, Telford SR 3rd, Cannon ME. The impact of babesiosis on transfusion medicine. *Transfus Med Rev*. 2002 Apr;16(2):131-43. PMID:11941575

Papireddy K, Smilkstein M, Kelly JX, Shweta, Salem SM, Alhamadsheh M, Haynes SW, Challis GL, Reynolds KA. Antimalarial activity of natural and synthetic prodiginines. *J Med Chem*. 2011 Aug 11;54(15):5296-306. Epub 2011 Jul 8. PMID:21736388

Parikh R, Amole I, Tarpley M, Gbadero D, Davidson M, Vermund SH. Cost comparison of microscopy vs. empiric treatment for malaria in Southwestern Nigeria: a prospective study. *Malar J*. 2010 Dec 22;9:371. PMID:21176228

Parise ÉV, Araújo GC, Castro JG, Berdarrain FP. Epidemiological profile of malaria in the state of Tocantins, Brazil, from 2003 to 2008. *Rev Inst Med Trop Sao Paulo*. 2011 Jun;53(3):141-7. PMID:21755236

Pastrana-Mena R, Dinglasan RR, Franke-Fayard B, Vega-Rodríguez J, Fuentes-Caraballo M, Baerga-Ortiz A, Coppens I, Jacobs-Lorena M, Janse CJ, Serrano AE. Glutathione reductase-null malaria parasites have normal blood stage growth but arrest during development in the mosquito. *J Biol Chem*. 2010 Aug 27;285(35):27045-56. Epub 2010 Jun 23. PMID:20573956

Pasvol G, Weatherall DJ, Wilson RJ, Smith DH, Gilles HM. Fetal haemoglobin and malaria. *Lancet*. 1976 Jun 12;1(7972):1269-72. PMID:73695

Patarroyo JH, Prates AA, Tavares CA, Mafra CL, Vargas MI. Exoantigens of an attenuated strain of Babesia bovis used as a vaccine against bovine babesiosis. *Vet Parasitol*. 1995 Oct;59(3-4):189-99. PMID:8533277

Patarroyo ME, Cifuentes G, Piraján C, Moreno-Vranich A, Vanegas M. Atomic evidence that modification of H-bonds established with amino acids critical for host-cell binding induces sterile immunity against malaria. *Biochem Biophys Res Commun.* 2010 Apr 9;394(3):529-35. Epub 2010 Mar 4. PMID:20206601

Pates HV, Line JD, Keto AJ, Miller JE. Personal protection against mosquitoes in Dar es Salaam, Tanzania, by using a kerosene oil lamp to vaporize transfluthrin. *Med Vet Entomol.* 2002 Sep;16(3):277-84. PMID:12243228

Patouillard E, Conteh L, Webster J, Kweku M, Chandramohan D, Greenwood B. Coverage, adherence and costs of intermittent preventive treatment of malaria in children employing different delivery strategies in Jasikan, Ghana. *PLoS One.* 2011;6(11):e24871. Epub 2011 Nov 3. PMID:22073137

Patterson D, Vilensky JA, Robertson WM, Berger J. Treatment and diagnostic accuracy of neurosyphilis at Boston City Hospital's Neurological Unit, 1930-1979. *J Neurol Sci.* 2011 Nov 29. [Epub ahead of print]. PMID:22129939

Paul JH, Seaforth CE, Tikasingh T. *Eryngium foetidum L.: a review.* Fitoterapia. 2011 Apr;82(3):302-8. Epub 2010 Nov 6. PMID:21062639

Paulo A, Duarte A, Gomes ET. In vitro antibacterial screening of *Cryptolepis sanguinolenta* alkaloids. *J Ethnopharmacol.* 1994 Oct;44(2):127-30. PMID:7853864

Paulo A, Gomes ET, Steele J, Warhurst DC, Houghton PJ. Antiplasmodial activity of *Cryptolepis sanguinolenta* alkaloids from leaves and roots. *Planta Med.* 2000 Feb;66(1):30-4. PMID:10705730

Paulo A, Jimeno ML, Gomes ET, Houghton PJ. Steroidal alkaloids from *Cryptolepis obtusa*. *Phytochemistry.* 2000 Feb;53(3):417-22. PMID:10703068

Paulo A, Pimentel M, Viegas S, Pires I, Duarte A, Cabrita J, Gomes ET. Cryptolepis sanguinolenta activity against diarrhoeal bacteria. *J Ethnopharmacol.* 1994 Oct;44(2):73-7. PMID:7853867

Payne RC, Osorio O, Ybañez A. Tick-borne diseases of cattle in Paraguay. II. Immunisation against anaplasmosis and babesiosis. *Trop Anim Health Prod.* 1990 May;22(2):101-8. PMID:2196724

Payne RC. Cryopreservation of bovine blood infected with Babesia major for use in the indirect fluorescent antibody test. *Res Vet Sci.* 1978 May;24(3):375. PMID:353926

Pays JF. [A mosquito net for everyone in 2010].[Article in French]. *Bull Soc Pathol Exot.* 2010 Oct;103(4):223-9. Epub 2010 Jul 20. PMID:20652477

Pearce GW, Gooden EL, Johnson DR. Specifications of the International Cooperation Administration for DDT water-dispersible powder for use in malaria control programmes. *Bull World Health Organ.* 1959;20:913-20. PMID:14431217

Pearson CD, McLean SA, Tetley K, Phillips RS. Induction of secondary antibody responses to Plasmodium chabaudi in vitro. *Clin Exp Immunol.* 1983 Apr;52(1):121-8. PMID:6861369

Peirce MA, Norton CC, Donnelly J. The preservation of Cytoecetes phagocytophila in liquid nitrogen. *Res Vet Sci.* 1974 May;16(3):393-4. PMID:4855005

Pell C, Straus L, Andrew EV, Meñaca A, Pool R. Social and cultural factors affecting uptake of interventions for malaria in pregnancy in Africa: a systematic review of the qualitative research. *PLoS One.* 2011;6(7):e22452. Epub 2011 Jul 20. PMID:21799859

Pena AC, Penacho N, Mancio-Silva L, Neres R, Seixas JD, Fernandes AC, Romão CC, Mota MM, Bernardes GJ, Pamplona A. A novel Carbon Monoxide-Releasing Molecule (CO-RM) fully protects mice from Severe Malaria Antimicrob Agents Chemother. 2011 Dec 12. [Epub ahead of print]. PMID:22155828

Pendse S, Bilyk JR, Lee MS. The ticking time bomb. *Surv Ophthalmol*. 2006 May-Jun;51(3):274-9. PMID:16644367

Penna-Coutinho J, Cortopassi WA, Oliveira AA, França TC, Krettli AU. Antimalarial activity of potential inhibitors of Plasmodium falciparum lactate dehydrogenase enzyme selected by docking studies. *PLoS One*. 2011;6(7):e21237. Epub 2011 Jul 14. PMID:21779323

Penzhorn BL, Lewis BD, de Waal DT, López Rebollar LM. Sterilisation of Babesia canis infections by imidocarb alone or in combination with diminazene. *J S Afr Vet Assoc*. 1995 Sep;66(3):157-9. PMID:8596187

Penzhorn BL. Why is Southern African canine babesiosis so virulent? An evolutionary perspective. *Parasit Vectors*. 2011 Apr 13;4:51. PMID:21489239

Perdrizet GA, Olson NH, Krause PJ, Banever GT, Spielman A, Cable RG. Babesiosis in a renal transplant recipient acquired through blood transfusion. *Transplantation*. 2000 Jul 15;70(1):205-8. PMID:10919602

Peregrine AS. Chemotherapy and delivery systems: haemoparasites. *Vet Parasitol*. 1994 Aug;54(1-3):223-48. PMID:7846852

Pereira EA, Ishikawa EA, Fontes CJ. Adherence to Plasmodium vivax malaria treatment in the Brazilian Amazon Region. *Malar J*. 2011 Dec 13;10(1):355. [Epub ahead of print]. PMID:22165853

Perić M, Fajdetić A, Rupčić R, Alihodžić S, Ziher D, Bukvić Krajačić M, Smith KS, Ivezić Schönfeld Z, Padovan J, Landek G, Jelić D, Hutinec A, Mesić M, Ager A, Ellis WY, Milhous WK, Ohrt C, Spaventi R. Antimalarial Activity of 9a-N Substituted 15-Membered Azalides with Improved In Vitro and In Vivo Activity over Azithromycin. *J Med Chem*. 2011 Dec 12. [Epub ahead of print]. PMID:22148880

Perkins HA, Busch MP. Transfusion-associated infections: 50 years of relentless challenges and remarkable progress. *Transfusion*. 2010 Oct;50(10):2080-99. PMID:20738828

Perlaza BL, Sauzet JP, Brahimi K, BenMohamed L, Druilhe P. Interferon- $\gamma$ , a valuable surrogate marker of Plasmodium falciparum pre-erythrocytic stages protective immunity. *Malar J.* 2011 Feb 8;10(1):27. PMID:21303495

Permin A, Yelifari L, Bloch P, Steenhard N, Hansen NP, Nansen P. Parasites in cross-bred pigs in the Upper East region of Ghana. *Vet Parasitol.* 1999 Nov;87(1):63-71. PMID:10628701

Perret PC. [The travelling child: recommendations].[Article in Spanish]. *Rev Chilena Infectol.* 2011 Apr;28(2):153-6. Epub 2011 May 5. PMID:21720694

Persing DH, Conrad PA. Babesiosis: new insights from phylogenetic analysis. *Infect Agents Dis.* 1995 Dec;4(4):182-95. PMID:8665084

Peters W, Bafort J, Ramkaran AE. The chemotherapy of rodent malaria. XI. Cyclically transmitted, chloroquine-resistant variants of the Keyberg 173 strain of Plasmodium berghei. *Ann Trop Med Parasitol.* 1970 Mar;64(1):41-51. PMID:5485709

Peters W, Porter M. The chemotherapy of rodent malaria, XXVI. The potential value of WR 122,455 (a 9-phenanthrenemethanol) against drug-resistant malaria parasites. *Ann Trop Med Parasitol.* 1976 Sep;70(3):271-81. PMID:788658

Peters W, Robinson BL, Milhous WK. The chemotherapy of rodent malaria. LI. Studies on a new 8-aminoquinoline, WR 238,605. *Ann Trop Med Parasitol.* 1993 Dec;87(6):547-52. PMID:8122915

Peters W, Stewart LB, Robinson BL. The chemotherapy of rodent malaria. LXI. Drug combinations to impede the selection of drug resistance, part 4: the potential role of 8-aminoquinolines. *Ann Trop Med Parasitol.* 2003 Apr;97(3):221-36. PMID:12803854

Peters W. Partial inhibition by mepacrine of the development of sulphonamide resistance in Plasmodium berghei. *Nature.* 1969 Aug 23;223(5208):858-9. PMID:5799037

Peters W. Prevention of drug resistance in rodent malaria by the use of drug mixtures. Bull World Health Organ. 1974;51(4):379-83.  
PMID:4619060

Peters W. Recent advances in antimalarial chemotherapy and drug resistance. Adv Parasitol. 1974;12:69-114. PMID:4217563

Peters W. The chemotherapy of rodent malaria. II. Host-parasite relationships. 2. The relationship between chloroquine sensitivity and the age of the host cell. Ann Trop Med Parasitol. 1968 Jun;62(2):246-61. PMID:5751426

Peters W. The chemotherapy of rodent malaria. X. Dynamics of drug resistance. II. Acquisition and loss of chloroquine resistance in *Plasmodium berghei* observed by continuous bioassay. Ann Trop Med Parasitol. 1970 Mar;64(1):25-40. PMID:5485708

Peters W. The chemotherapy of rodent malaria. XVII. Dynamics of drug resistance. 3. Influence of drug combinations on the development of resistance to chloroquine in *P. berghei*. Ann Trop Med Parasitol. 1973 Jun;67(2):143-54. PMID:4578935

Peters W. The evolution of tafenoquine--antimalarial for a new millennium? J R Soc Med. 1999 Jul;92(7):345-52. PMID:10615272

Petersen E. Malaria chemoprophylaxis: when should we use it and what are the options? Expert Rev Anti Infect Ther. 2004 Feb;2(1):119-32.  
PMID:15482177

Phillips MA, Rathod PK. Plasmodium dihydroorotate dehydrogenase: a promising target for novel anti-malarial chemotherapy. Infect Disord Drug Targets. 2010 Jun;10(3):226-39. PMID:20334617

Phillips RS, Wakelin D. *Trichuris muris*: effect of concurrent infections with rodent piroplasms on immune expulsion from mice. Exp Parasitol. 1976 Feb;39(1):95-100. PMID:1253888

Phillips RS. Antigenic variation in Babesia rodhaini demonstrated by immunization with irradiated parasites. *Parasitology*. 1971 Oct;63(2):315-22. PMID:5002030

Phillips RS. Evidence that piroplasms can undergo antigenic variation. *Nature*. 1971 Jun 4;231(5301):323. PMID:4930987

Phillips RS. Immunity of rats and mice following injection with 60Co irradiated Babesia rodhaini infected red cells. *Parasitology*. 1971 Apr;62(2):221-31. PMID:4995421

Phillips RS. Resistance of mice and rats to Babesia rodhaini challenge after inoculation with irradiated B. rodhaini infected red cells. *Trans R Soc Trop Med Hyg*. 1970;64(4):470. PMID:4991940

Phillips RS. Resistance of mice and rats to challenge by Babesia rodhaini after inoculation with irradiated red cells infected with B. rodhaini. *Nature*. 1970 Sep 19;227(5264):1255. PMID:4989140

Phiri HT, Bridges DJ, Glover SJ, van Mourik JA, de Laat B, M'baya B, Taylor TE, Seydel KB, Molyneux ME, Faragher EB, Craig AG, Bunn JE. Elevated plasma von Willebrand factor and propeptide levels in malawian children with malaria. *PLoS One*. 2011;6(11):e25626. Epub 2011 Nov 17. PMID:22125593

Phiri K, Esan M, van Hensbroek MB, Khairallah C, Faragher B, Ter Kuile FO. Intermittent preventive therapy for malaria with monthly artemether-lumefantrine for the post-discharge management of severe anaemia in children aged 4-59 months in southern Malawi: a multicentre, randomised, placebo-controlled trial. *Lancet Infect Dis*. 2011 Dec 13. [Epub ahead of print]. PMID:22172305

Phompradit P, Kuesap J, Chaijaroenkul W, Rueangweerayut R, Hongkaew Y, Yamnuan R, Na-Bangchang K. Prevalence and distribution of glucose-6-phosphate dehydrogenase (G6PD) variants in Thai and Burmese populations in malaria endemic areas of Thailand. *Malar J*. 2011 Dec 15;10(1):368. [Epub ahead of print]. PMID:22171972

Phyo AP, Lwin KM, Price RN, Ashley EA, Russell B, Sriprawat K, Lindegardh N, Singhasivanon P, White NJ, Nosten F. Dihydroartemisinin-piperaquine versus chloroquine in the treatment of Plasmodium vivax malaria in Thailand: a randomized controlled trial. *Clin Infect Dis.* 2011 Nov;53(10):977-84. PMID:22002979

Piedade R, Gil JP. The pharmacogenetics of antimalaria artemisinin combination therapy. *Expert Opin Drug Metab Toxicol.* 2011 Oct;7(10):1185-200. Epub 2011 Sep 8. PMID:21899476

Pierce MA, Ellis RD, Martin LB, Malkin E, Tierney E, Miura K, Fay MP, Marjason J, Elliott SL, Mullen GE, Rausch K, Zhu D, Long CA, Miller LH. Phase 1 safety and immunogenicity trial of the Plasmodium falciparum blood-stage malaria vaccine AMA1-C1/ISA 720 in Australian adults. *Vaccine.* 2010 Mar 2;28(10):2236-42. Epub 2010 Jan 4. PMID:20051276

Pinder M, Moorthy VS, Akanmori BD, Genton B, Brown GV. MALVAC 2009: progress and challenges in development of whole organism malaria vaccines for endemic countries, 3-4 June 2009, Dakar, Senegal. *Vaccine.* 2010 Jul 5;28(30):4695-702. Epub 2010 May 14. PMID:20470799

Pinto AC, Chaves FC, dos Santos PA, Nunez CV, Tadei WP, Pohlit AM. Piper peltatum: biomass and 4-nerolidylcatechol production. *Planta Med.* 2010 Sep;76(13):1473-6. Epub 2010 Mar 1. PMID:20195961

Pinzon-Charry A, McPhun V, Kienzle V, Hirunpetcharat C, Engwerda C, McCarthy J, Good MF. Low doses of killed parasite in CpG elicit vigorous CD4+ T cell responses against blood-stage malaria in mice. *J Clin Invest.* 2010 Aug 2;120(8):2967-78. Epub 2010 Jul 12. PMID:20628205

Pipano E, Alekceev E, Galker F, Fish L, Samish M, Shkap V. Immunity against *Boophilus annulatus* induced by the Bm86 (Tick-GARD) vaccine. *Exp Appl Acarol.* 2003;29(1-2):141-9. PMID:14580066

Pipano E, Jeruham I, Frank M. Pentamidine in chemoimmunisation of cattle against Babesia bigemina infection. *Trop Anim Health Prod.* 1979 Feb;11(1):13-6. PMID:442205

Pipano E, Krigel Y, Markovics A, Rubinstein E, Frank M. Mitigation of the response of Friesian calves to live Babesia bovis vaccine by treatment with long acting oxytetracycline. *Vet Rec.* 1985 Oct 19;117(16):413-4. PMID:4071930

Pipano E, Markovics A, Kriegel Y, Frank M, Fish L. Use of long-acting oxytetracycline in the immunisation of cattle against Babesia bovis and B bigemina. *Res Vet Sci.* 1987 Jul;43(1):64-6. PMID:3628985

Pipano E, Shkap V, Kriegel Y, Leibovitz B, Savitsky I, Fish L. Babesia bovis and B. bigemina: Persistence of infection in friesian cows following vaccination with live antibabesial vaccines. *Vet J.* 2002 Jul;164(1):64-8. PMID:12359486

Pipano E. Immunization against intracellular blood protozoans of cattle. *Prog Clin Biol Res.* 1980;47:301-14. PMID:6782586

Pipano E. Vaccines against hemoparasitic diseases in Israel with special reference to quality assurance. *Trop Anim Health Prod.* 1997 Nov;29(4 Suppl):86S-90S. PMID:9512751

Pitasawat B, Champakaew D, Choochote W, Jitpakdi A, Chaithong U, Kanjanapothi D, Rattanachanpichai E, Tippawangkosol P, Riyong D, Tuetun B, Chaiyasit D. Aromatic plant-derived essential oil: an alternative larvicide for mosquito control. *Fitoterapia.* 2007 Apr;78(3):205-10. Epub 2007 Feb 6. PMID:17337133

Ploemen IH, Prudêncio M, Douradinha BG, Ramesar J, Fonager J, van Gemert GJ, Luty AJ, Hermsen CC, Sauerwein RW, Baptista FG, Mota MM, Waters AP, Que I, Lowik CW, Khan SM, Janse CJ, Franke-Fayard BM. Visualisation and quantitative analysis of the rodent malaria liver stage by real time imaging. *PLoS One.* 2009 Nov 18;4(11):e7881. PMID:19924309

Pohlit AM, Lopes NP, Gama RA, Tadei WP, Neto VF. Patent literature on mosquito repellent inventions which contain plant essential oils—a review. *Planta Med.* 2011 Apr;77(6):598-617. Epub 2011 Feb 15. PMID:21328177

Pohlit AM, Rezende AR, Lopes Baldin EL, Lopes NP, Neto VF. Plant extracts, isolated phytochemicals, and plant-derived agents which are lethal to arthropod vectors of human tropical diseases—a review. *Planta Med.* 2011 Apr;77(6):618-30. Epub 2011 Mar 22. PMID:21432748

Ponsa N, Sattabongkot J, Kittayapong P, Eikarat N, Coleman RE. Transmission-blocking activity of tafenoquine (WR-238605) and artelinic acid against naturally circulating strains of *Plasmodium vivax* in Thailand. *Am J Trop Med Hyg.* 2003 Nov;69(5):542-7. PMID:14695093

Ponsar F, Van Herp M, Zachariah R, Gerard S, Philips M, Jouquet G. Abolishing user fees for children and pregnant women trebled uptake of malaria-related interventions in Kangaba, Mali. *Health Policy Plan.* 2011 Nov;26 Suppl 2:ii72-83. PMID:22027922

Popovsky MA, Lindberg LE, Syrek AL, Page PL. Prevalence of Babesia antibody in a selected blood donor population. *Transfusion.* 1988 Jan-Feb;28(1):59-61. PMID:3341068

Popovsky MA. Transfusion-transmitted babesiosis. *Transfusion.* 1991 May;31(4):296-8. PMID:2020992

Porter KA, Cole SR, Eron JJ Jr, Zheng Y, Hughes MD, Lockman S, Poole C, Skinner-Adams TS, Hosseiniipour M, Shaffer D, D'Amico R, Sawe FK, Siika A, Stringer E, Currier JS, Chipato T, Salata R, McCarthy JS, Meshnick SR. HIV-1 protease inhibitors and clinical malaria: A secondary analysis of ACTG A5208. *Antimicrob Agents Chemother.* 2011 Nov 28. [Epub ahead of print]. PMID:22123685

Posnett ES, Fehrsen J, De Waal DT, Ambrosio RE. Detection of Babesia equi in infected horses and carrier animals using a DNA probe. *Vet Parasitol.* 1991 Jul;39(1-2):19-32. PMID:1897117

Posnett ES, Metaferia E, Williamson S, Brown CG, Canning EU. In vitro cultivation of an African strain of Babesia bigemina, its characterisation and infectivity in cattle. *Parasitol Res.* 1998;84(4):302-9. PMID:9569096

Potgieter FT, Van Vuuren AS. The transmission of Babesia bovis using frozen infective material obtained from Boophilus microplus larvae. *Onderstepoort J Vet Res.* 1974 Jun;41(2):79-80. PMID:4449642

Potgieter FT. Chemotherapy of Babesia felis infection: efficacy of certain drugs. *J S Afr Vet Assoc.* 1981 Dec;52(4):289-93. PMID:7341778

Powell RD, Berglund EM. Effects of chloroquine upon the maturation of asexual erythrocytic forms of Plasmodium vivax in vitro. *Am J Trop Med Hyg.* 1974 Nov;23(6):1007-14. PMID:4611251

Powell RD. Development of new antimalarial drugs. *Am J Trop Med Hyg.* 1972 Sep;21(5):744-8. PMID:4561522

Powell VI, Grima K. Exchange transfusion for malaria and Babesia infection. *Transfus Med Rev.* 2002 Jul;16(3):239-50. PMID:12075561

Prabhu P, Patravale V. Novel Targets for Malaria Therapy. *Curr Drug Targets.* 2011 Jul 14. [Epub ahead of print]. PMID:21756223

Pradines B, Bertiaux L, Pomares C, Delaunay P, Marty P. Reduced in vitro susceptibility to artemisinin derivatives associated with multi-resistance in a traveller returning from South-East Asia. *Malar J.* 2011 Sep 18;10:268. PMID:21923936

Pradines B, Briolant S, Henry M, Oeuvray C, Baret E, Amalvict R, Didillon E, Rogier C. Absence of association between pyronaridine in vitro responses and polymorphisms in genes involved in quinoline resistance in *Plasmodium falciparum*. *Malar J.* 2010 Nov 25;9:339. PMID:21108786

Pradines B, Mamfoumbi MM, Tall A, Sokhna C, Koeck JL, Fusai T, Mosnier J, Czarnecki E, Spiegel A, Trape JF, Kombila M, Rogier C. In vitro activity of tafenoquine against the asexual blood stages of Plasmodium falciparum isolates from Gabon, Senegal, and Djibouti. *Antimicrob Agents Chemother*. 2006 Sep;50(9):3225-6. PMID:16940138

Prasad K, Winter J, Bhat UM, Acharya RV, Prabhu GK. Image Analysis Approach for Development of a Decision Support System for Detection of Malaria Parasites in Thin Blood Smear Images. *J Digit Imaging*. 2011 Dec 7. [Epub ahead of print]. PMID:22146834

Prato M, Giribaldi G. Matrix Metalloproteinase-9 and Haemozoin: Wedding Rings for Human Host and Plasmodium falciparum Parasite in Complicated Malaria. *J Trop Med*. 2011;2011:628435. Epub 2011 May 26. PMID:21760809

Precigout E, Delbecq S, Vallet A, Carcy B, Camillieri S, Hadj-Kaddour K, Kleuskens J, Schetters T, Gorenflo A. Association between sequence polymorphism in an epitope of Babesia divergens Bd37 exoantigen and protection induced by passive transfer. *Int J Parasitol*. 2004 Apr;34(5):585-93. PMID:15064123

Precigout E, Gorenflo A, Valentin A, Bissuel G, Carcy B, Brasseur P, Moreau Y, Schrevel J. Analysis of immune responses of different hosts to Babesia divergens isolates from different geographic areas and capacity of culture-derived exoantigens to induce efficient cross-protection. *Infect Immun*. 1991 Aug;59(8):2799-805. PMID:1713201

Premaratna R, Galappaththy G, Chandrasena N, Fernando R, Nawasiwatte T, de Silva NR, de Silva HJ. What clinicians who practice in countries reaching malaria elimination should be aware of: lessons learnt from recent experience in Sri Lanka. *Malar J*. 2011 Oct 14;10:302. PMID:21999636

Prendergast A, Walker AS, Mulenga V, Chintu C, Gibb DM. Improved growth and anemia in HIV-infected African children taking cotrimoxazole prophylaxis. *Clin Infect Dis.* 2011 Apr 1;52(7):953-6. PMID:21427404

Price JE, Dolan TT. A comparison of the efficacy of imidocarb dipropionate and tetracycline hydrochloride in the treatment of canine ehrlichiosis. *Vet Rec.* 1980 Sep 20;107(12):275-7. PMID:7210420

Price RN, Douglas NM, Anstey NM, von Seidlein L. Plasmodium vivax treatments: what are we looking for? *Curr Opin Infect Dis.* 2011 Dec;24(6):578-85. PMID:21986614

Priest JW, Kwon JP, Montgomery JM, Bern C, Moss DM, Freeman AR, Jones CC, Arrowood MJ, Won KY, Lammie PJ, Gilman RH, Mead JR. Cloning and characterization of the acidic ribosomal protein P2 of Cryptosporidium parvum, a new 17-kilodalton antigen. *Clin Vaccine Immunol.* 2010 Jun;17(6):954-65. Epub 2010 Apr 21. PMID:20410328

Prince HE, Lapé-Nixon M, Patel H, Yeh C. Comparison of the Babesia duncani (WA1) IgG detection rates among clinical sera submitted to a reference laboratory for WA1 IgG testing and blood donor specimens from diverse geographic areas of the United States. *Clin Vaccine Immunol.* 2010 Nov;17(11):1729-33. Epub 2010 Sep 22. PMID:20861326

Prusty D, Dar A, Priya R, Sharma A, Dana S, Choudhury NR, Rao NS, Dhar SK. Single-stranded DNA binding protein from human malarial parasite Plasmodium falciparum is encoded in the nucleus and targeted to the apicoplast. *Nucleic Acids Res.* 2010 Nov;38(20):7037-53. Epub 2010 Jun 22. PMID:20571080

Pruthi RK, Marshall WF, Wiltsie JC, Persing DH. Human babesiosis. *Mayo Clin Proc.* 1995 Sep;70(9):853-62. PMID:7643639

Przyjemski CJ. Was babesiosis transmitted by transfusion? *N Engl J Med.* 1981 Mar 19;304(12):733. PMID:7193287

Pudney M, Gray JS. Therapeutic efficacy of atovaquone against the bovine intraerythrocytic parasite, *Babesia divergens*. *J Parasitol*. 1997 Apr;83(2):307-10. PMID:9105316

Purfield AE, Tidwell RR, Meshnick SR. Interactions of DB75, a novel antimalarial agent, with other antimalarial drugs in vitro. *Antimicrob Agents Chemother*. 2008 Jun;52(6):2253-5. Epub 2008 Mar 24. PMID:18362196

Puri SK, Dutta GP. Blood schizontocidal activity of WR 238605 (Tafenoquine) against *Plasmodium cynomolgi* and *Plasmodium fragile* infections in rhesus monkeys. *Acta Trop*. 2003 Apr;86(1):35-40. PMID:12711101

Purnell RE, Brocklesby DW. *Babesia divergens* in splenectomised calves: immunogenicity of lyophilised plasma from an infected animal. *Res Vet Sci*. 1977 Sep;23(2):255-6. PMID:928989

Purnell RE, Gunter TD, Schroder J. Development of a prophylactic regime using long-acting tetracycline for the control of redwater and heartwater in susceptible cattle moved into an endemic area. *Trop Anim Health Prod*. 1989 Feb;21(1):11-9. PMID:2711456

Purnell RE, Lewis D, Brocklesby DW, Taylor SM. Bovine babesiosis: steps towards an irradiated vaccine. *J S Afr Vet Assoc*. 1979 Dec;50(4):339-44. PMID:553975

Purnell RE, Lewis D, Young ER. Investigations on the prophylactic effect of treatment with imidocarb dipropionate on *Babesia divergens* infections in splenectomized calves. *Br Vet J*. 1980 Sep-Oct;136(5):452-6. PMID:7225772

Purnell RE, Lewis D, Young ER. Quinuronium sulphate for the treatment of *Babesia divergens* infections of splenectomised calves. *Vet Rec*. 1981 Jun 20;108(25):538-9. PMID:7269188

Purvis AC. Immunodepression in *Babesia microti* infections. *Parasitology*. 1977 Oct;75(2):197-205. PMID:337221

Pussard E, Merzouk M, Barennes H. Increased uptake of quinine into the brain by inhibition of P-glycoprotein. *Eur J Pharm Sci.* 2007 Oct;32(2):123-7. Epub 2007 Jul 10. PMID:17698330

Qi C, Zhou D, Liu J, Cheng Z, Zhang L, Wang L, Wang Z, Yang D, Wang S, Chai T. Detection of Babesia divergens using molecular methods in anemic patients in Shandong Province, China. *Parasitol Res.* 2011 Jul;109(1):241-5. Epub 2011 Apr 19. PMID:21503639

Qi WJ, Fang Q. [Progress of research on DNA vaccines against parasitosis].[Article in Chinese]. *Zhongguo Xue Xi Chong Bing Fang Zhi Za Zhi.* 2011 Jun;23(3):340-4. PMID:22164511

Quashie NB, Duah NO, Abuaku B, Koram KA. The in-vitro susceptibilities of Ghanaian Plasmodium falciparum to antimalarial drugs. *Ann Trop Med Parasitol.* 2007 Jul;101(5):391-8. PMID:17550644

Queener SF, Dean RA, Bartlett MS, Milhous WK, Berman JD, Ellis WY, Smith JW. Efficacy of intermittent dosage of 8-aminoquinolines for therapy or prophylaxis of *Pneumocystis pneumonia* in rats. *J Infect Dis.* 1992 Apr;165(4):764-8. PMID:1532406

Quelhas D, Jiménez A, Quintó L, Serra-Casas E, Mayor A, Cisteró P, Puyol L, Wilson DW, Richards JS, Nhampossa T, Macete E, Aide P, Mandomando I, Sanz S, Aponte JJ, Alonso PL, Beeson JG, Menéndez C, Dobaño C. IgG against Plasmodium falciparum variant surface antigens and growth inhibitory antibodies in Mozambican children receiving intermittent preventive treatment with sulfadoxine-pyrimethamine. *Immunobiology.* 2011 Jul;216(7):793-802. Epub 2010 Dec 25. PMID:21257227

Queryriaux B, Texier G, Ollivier L, Galoisy-Guibal L, Michel R, Meynard JB, Decam C, Verret C, Pommier de Santi V, Spiegel A, Boutin JP, Migliani R, Deparis X. Plasmodium vivax Malaria among military personnel, French Guiana, 1998-2008. *Emerg Infect Dis.* 2011 Jul;17(7):1280-2. PMID:21762587

Quintão-Silva MG, Melo MN, Ribeiro MF. Comparison of duplex PCR and microscopic techniques for the identification of Babesia bigemina and Babesia bovis in engorged female ticks of *Boophilus microplus*. *Zoonoses Public Health*. 2007;54(3-4):147-51. PMID:17456146

Rabinovich SA. [Experimental investigation of the antimalarial drug haloquine. 3. Investigation of the possibility to restrain the development of chemoresistance to chloridine (daraprim) by combined administration of chloridine with haloquine].[Article in Russian]. *Med Parazitol (Mosk)*. 1965 Jul-Aug;34(4):434-9. PMID:5871367

Radford AJ, Van Leeuwen H, Christian SH. Social aspects in the changing epidemiology of malaria in the highlands of New Guinea. *Ann Trop Med Parasitol*. 1976 Mar;70(1):11-23. PMID:1267506

Raether W, Seidenath H. Survival of *Aegyptianella pullorum*, *Anaplasma marginale* and various parasitic protozoa following prolonged storage in liquid nitrogen. *Z Parasitenkd*. 1977 Aug 25;53(1):41-6. PMID:919686

Rafaj RB, Matijatko V, Kis I, Kucer N, Zivicnjak T, Lemo N, Zvorc Z, Brkljacić M, Mrljak V. Alterations in some blood coagulation parameters in naturally occurring cases of canine babesiosis. *Acta Vet Hung*. 2009 Jun;57(2):295-304. PMID:19584042

Raghavendra K, Barik TK, Reddy BP, Sharma P, Dash AP. Malaria vector control: from past to future. *Parasitol Res*. 2011 Apr;108(4):757-79. Epub 2011 Jan 13. PMID:21229263

Rah JH, Depee S, Kraemer K, Steiger G, Bloem MW, Spiegel P, Wilkinson C, Bilukha O. Program experience with micronutrient powders and current evidence. *J Nutr*. 2012 Jan;142(1):191S-6S. Epub 2011 Nov 30. PMID:22131547

Rahmatullah M, Mollik AH, Rahman S, Hasan N, Agarwala B, Jahan R. A medicinal plant study of the Santal tribe in Rangpur district, Bangladesh. *J Altern Complement Med*. 2010 Apr;16(4):419-25. PMID:20423211

Raiesi A, Nikpour F, Ansari-Moghaddam A, Ranjbar M, Rakhshani F, Mohammadi M, Haghdoost A, Taghizadeh-Asl R, Sakeni M, Safari R, Saffari M. Baseline results of the first malaria indicator survey in Iran at the health facility level. *Malar J.* 2011 Oct 27;10:319. PMID:22029447

Raiten DJ, Namasté S, Brabin B. Considerations for the safe and effective use of iron interventions in areas of malaria burden - executive summary. *Int J Vitam Nutr Res.* 2011 Jan;81(1):57-71. PMID:22002219

Rajatileka S, Burhani J, Ranson H. Mosquito age and susceptibility to insecticides. *Trans R Soc Trop Med Hyg.* 2011 May;105(5):247-53. Epub 2011 Feb 26. PMID:21353689

Rajgor DD, Gogtay NJ, Kadam VS, Kamtekar KD, Dalvi SS, Chogle AR, Aigal U, Bichile LS, Kain KC, Kshirsagar NA. Efficacy of a 14-day primaquine regimen in preventing relapses in patients with Plasmodium vivax malaria in Mumbai, India. *Trans R Soc Trop Med Hyg.* 2003 Jul-Aug;97(4):438-40. PMID:15259476

Raju M, Salazar JC, Leopold H, Krause PJ. Atovaquone and azithromycin treatment for babesiosis in an infant. *Pediatr Infect Dis J.* 2007 Feb;26(2):181-3. PMID:17259886

Rakotomanana F, Ratovonjato J, Randremanana RV, Randrianasolo L, Raherinjafy R, Rudant JP, Richard V. Geographical and environmental approaches to urban malaria in Antananarivo (Madagascar). *BMC Infect Dis.* 2010 Jun 16;10:173. PMID:20553598

Raman J, Little F, Roper C, Kleinschmidt I, Cassam Y, Maharaj R, Barnes KI. Five years of large-scale dhfr and dhps mutation surveillance following the phased implementation of artesunate plus sulfadoxine-pyrimethamine in Maputo Province, Southern Mozambique. *Am J Trop Med Hyg.* 2010 May;82(5):788-94. PMID:20439956

Raman J, Mauff K, Muianga P, Mussa A, Maharaj R, Barnes KI. Five years of antimalarial resistance marker surveillance in Gaza Province, Mozambique, following artemisinin-based combination therapy roll out. *PLoS One.* 2011;6(10):e25992. Epub 2011 Oct 14. PMID:22022487

Ramazani A, Sardari S, Zakeri S, Vaziri B. In vitro antiplasmodial and phytochemical study of five Artemisia species from Iran and in vivo activity of two species. *Parasitol Res.* 2010 Aug;107(3):593-9. Epub 2010 May 18. PMID:20480374

Ramharter M, Noedl H, Thimasarn K, Wiedermann G, Wernsdorfer G, Wernsdorfer WH. In vitro activity of tafenoquine alone and in combination with artemisinin against Plasmodium falciparum. *Am J Trop Med Hyg.* 2002 Jul;67(1):39-43. PMID:12363062

Ramharter M, Walochnik J, Lagler H, Winkler S, Wernsdorfer WH, Stoiser B, Graninger W. Clinical and molecular characterization of a near fatal case of human babesiosis in Austria. *J Travel Med.* 2010 Nov-Dec;17(6):416-8. PMID:21050324

Ramos Júnior WM, Sardinha JF, Costa MR, Santana MS, Alecrim MG, Lacerda MV. Clinical aspects of hemolysis in patients with *P. vivax* malaria treated with primaquine, in the Brazilian Amazon. *Braz J Infect Dis.* 2010 Jul-Aug;14(4):410-2. PMID:20963329

Ranatunga P, Wanduragala L. Reactions and haematology in imported Jersey cattle preimmunized in Ceylon. *Br Vet J.* 1972 Jan;128(1):9-18. PMID:5062160

Ranjbar-Bahadori S, Eckert B, Omidian Z, Shirazi NS, Shayan P. Babesia ovis as the main causative agent of sheep babesiosis in Iran. *Parasitol Res.* 2012 Apr;110(4):1531-6. PMID:21975684

Rank RG, Weidanz WP, Bondi A. Nonsterilizing immunity in avian malaria: an antibody-independent phenomenon. *Proc Soc Exp Biol Med.* 1976 Feb;151(2):257-9. PMID:1082596

Ranque S. The treatment of babesiosis. *N Engl J Med.* 2001 Mar 8;344(10):773-4. PMID:11236790

Raoult D, Soulayrol L, Toga B, Dumon H, Casanova P. Babesiosis, pentamidine, and cotrimoxazole. *Ann Intern Med.* 1987 Dec;107(6):944. PMID:3500663

Rashid HB, Chaudhry M, Rashid H, Pervez K, Khan MA, Mahmood AK. Comparative efficacy of diminazene diaceturate and diminazene aceturate for the treatment of babesiosis in horses. *Trop Anim Health Prod.* 2008 Aug;40(6):463-7. Epub 2007 Dec 15. PMID:18575975

Rashina MG, Sarikian SIa. [On the development of a network of special institutions for the control of malaria and other parasitic diseases in the USSR].[Article in Russian]. *Med Parazitol (Mosk).* 1970 Mar-Apr;39(2):132-8. PMID:5473684

Rathore S, Sinha D, Asad M, Böttcher T, Afrin F, Chauhan VS, Gupta D, Sieber SA, Mohmmmed A. A cyanobacterial serine protease of *Plasmodium falciparum* is targeted to the apicoplast and plays an important role in its growth and development. *Mol Microbiol.* 2010 Jun 10. [Epub ahead of print]. PMID:20545854

Rauwald HW, Kober M, Mutschler E, Lambrecht G. *Cryptolepis sanguinolenta*: antimuscarinic properties of cryptolepine and the alkaloid fraction at M1, M2 and M3 receptors. *Planta Med.* 1992 Dec;58(6):486-8. PMID:1484884

Ravaoarisoa E, Zamanka H, Fusai T, Bellalou J, Bedouelle H, Mercereau-Puijalon O, Fandeur T. ecombinant antibodies specific for the *Plasmodium falciparum* histidine-rich protein 2. *MAbs.* 2010 Jul 22;2(4). [Epub ahead of print]. PMID:20581462

Ravikumar S, Inbaneson SJ, Suganthi P, Gnanadesigan M. In vitro antiplasmodial activity of ethanolic extracts of mangrove plants from South East coast of India against chloroquine-sensitive *Plasmodium falciparum*. *Parasitol Res.* 2011 Apr;108(4):873-8. Epub 2010 Oct 27. PMID:20978786

Ravikumar S, Inbaneson SJ, Suganthi P, Venkatesan M, Ramu A. Mangrove plants as a source of lead compounds for the development of new antiplasmodial drugs from South East coast of India. *Parasitol Res.* 2011 Jun;108(6):1405-10. Epub 2010 Dec 1. PMID:21120528

Ravikumar S, Ramanathan G, Inbaneson SJ, Ramu A. Antiplasmodial activity of two marine polyherbal preparations from Chaetomorpha antennina and Aegiceras corniculatum against Plasmodium falciparum. *Parasitol Res.* 2011 Jan;108(1):107-13. Epub 2010 Sep 16. PMID:20844892

Read AF, Day T, Huijben S. The evolution of drug resistance and the curious orthodoxy of aggressive chemotherapy. *Proc Natl Acad Sci U S A.* 2011 Jun 28;108 Suppl 2:10871-7. Epub 2011 Jun 20. PMID:21690376

Rech A, Bittar CM, de Castro CG, Azevedo KR, dos Santos RP, Machado AR, Schwartsmann G, Goldani L, Brunetto AL. Asymptomatic babesiosis in a child with hepatoblastoma. *J Pediatr Hematol Oncol.* 2004 Mar;26(3):213. PMID:15125618

Redmond AM, Doolan DL. The Australasian contribution to malaria vaccine development. *Parasite Immunol.* 2010 Aug;32(8):607.-22. PMID:20626816

Rees P, Schoeman JP. Plasma insulin concentrations in hypoglycaemic dogs with Babesia canis rossi infection. *Vet Parasitol.* 2008 Mar 25;152(1-2):60-6. Epub 2007 Nov 22. PMID:18164550

Reesink HW. European strategies against the parasite transfusion risk. *Transfus Clin Biol.* 2005 Feb;12(1):1-4. PMID:15814284

Regassa A, Penzhorn BL, Bryson NR. Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch. *Onderstepoort J Vet Res.* 2004 Dec;71(4):333-6. PMID:15732461

Reine NJ. Infection and blood transfusion: a guide to donor screening. *Clin Tech Small Anim Pract.* 2004 May;19(2):68-74. PMID:15179926

Reis C, Cote M, Paul RE, Bonnet S. Questing ticks in suburban forest are infected by at least six tick-borne pathogens. *Vector Borne Zoonotic Dis.* 2011 Jul;11(7):907-16. Epub 2010 Dec 15. PMID:21158500

Reis PA, Comim CM, Hermani F, Silva B, Barichello T, Portella AC, Gomes FC, Sab IM, Frutuoso VS, Oliveira MF, Bozza PT, Bozza FA, Dal-Pizzol F, Zimmerman GA, Quevedo J, Castro-Faria-Neto HC. Cognitive dysfunction is sustained after rescue therapy in experimental cerebral malaria, and is reduced by additive antioxidant therapy. PLoS Pathog. 2010 Jun 24;6(6):e1000963. PMID:20585569

Reis RC, Melo DR, Perinotto WM, Bittencourt VR. [In vitro pathogenicity of fungic formulation on nymphs and adults of *Rhipicephalus sanguineus* (Latreile, 1806) (Acari:Ixodidae)].[Article in Portuguese]. Rev Bras Parasitol Vet. 2005 Jul-Sep;14(3):101-5. PMID:16229753

Reis SP, Maddineni S, Rozenblit G, Allen D. Spontaneous splenic rupture secondary to Babesia microti infection: treatment with splenic artery embolization. J Vasc Interv Radiol. 2011 May;22(5):732-4. PMID:21514529

Repetto EC, Traverso A, Giacomazzi CG. Possible clinical failure of artemether-lumefantrine in an italian traveler with uncomplicated falciparum malaria. Mediterr J Hematol Infect Dis. 2011;3(1):e2011041. Epub 2011 Oct 1. PMID:22084655

Resch S, Korenromp E, Stover J, Blakley M, Krubiner C, Thorien K, Hecht R, Atun R. Economic returns to investment in AIDS treatment in low and middle income countries. PLoS One. 2011;6(10):e25310. Epub 2011 Oct 5. PMID:21998648

Restrepo-Pineda E, Arango E, Maestre A, Do Rosário VE, Cravo P. Studies on antimalarial drug susceptibility in Colombia, in relation to Pfmdr1 and Pf crt. Parasitology. 2008 Apr;135(5):547-53. PMID:18426617

Rey JL. [Public health policy in developing countries and international relations].[Article in French]. Med Trop (Mars). 2011 Apr;71(2):109-10. PMID:21695864

Reyes-Sandoval A, Wyllie DH, Bauza K, Milicic A, Forbes EK, Rollier CS, Hill AV. CD8+ T effector memory cells protect against liver-stage malaria. *J Immunol.* 2011 Aug 1;187(3):1347-57. Epub 2011 Jun 29. PMID:21715686

Richard D, Bartfai R, Volz J, Ralph SA, Muller S, Stunnenberg HG, Cowman AF. A genome-wide chromatin-associated nuclear peroxiredoxin from the malaria parasite Plasmodium falciparum. *J Biol Chem.* 2011 Apr 1;286(13):11746-55. Epub 2011 Jan 31. PMID:21282103

Richards JS, Stanisic DI, Fowkes FJ, Tavul L, Dabod E, Thompson JK, Kumar S, Chitnis CE, Narum DL, Michon P, Siba PM, Cowman AF, Mueller I, Beeson JG. Association between naturally acquired antibodies to erythrocyte-binding antigens of Plasmodium falciparum and protection from malaria and high-density parasitemia. *Clin Infect Dis.* 2010 Oct 15;51(8):e50-60. PMID:20843207

Richier E, Biagini GA, Wein S, Boudou F, Bray PG, Ward SA, Precigout E, Calas M, Dubremetz JF, Vial HJ. Potent antihematozoan activity of novel bisthiazolium drug T16: evidence for inhibition of phosphatidylcholine metabolism in erythrocytes infected with Babesia and Plasmodium spp. *Antimicrob Agents Chemother.* 2006 Oct;50(10):3381-8. PMID:17005821

Ridley DB, Sánchez AC. Introduction of European priority review vouchers to encourage development of new medicines for neglected diseases. *Lancet.* 2010 Sep 11;376(9744):922-7. PMID:20833303

Rieckmann KH, Trenholme GM, Williams RL, Carson PE, Frischer H, Desjardins RE. Prophylactic activity of mefloquine hydrochloride (WR 142490) in drug-resistant malaria. *Bull World Health Organ.* 1974;51(4):375-7. PMID:4619059

Rijken MJ, McGready R, Jullien V, Tarning J, Lindegardh N, Phyto AP, Win AK, His P, Cammas M, Singhasivanon P, White NJ, Nosten F. Pharmacokinetics of amodiaquine and desethylamodiaquine in pregnant and postpartum women with *Plasmodium vivax* malaria. *Antimicrob Agents Chemother*. 2011 Sep;55(9):4338-42. Epub 2011 Jun 27. PMID:21709098

Rikhotso BO, Stoltz WH, Bryson NR, Sommerville JE. The impact of 2 dipping systems on endemic stability to bovine babesiosis and anaplasmosis in cattle in 4 communally grazed areas in Limpopo Province, South Africa. *J S Afr Vet Assoc*. 2005 Dec;76(4):217-23. PMID:16642719

Ríos L, Alvarez G, Blair S. Serological and parasitological study and report of the first case of human babesiosis in Colombia. *Rev Soc Bras Med Trop*. 2003 Jul-Aug;36(4):493-8. Epub 2003 Aug 13. PMID:12937727

Rizal A, Beard J, Patwari A. Acute respiratory infection Boston university's collaborative research work in the last decade. *Indian Pediatr*. 2010 Jan;47(1):19-24. PMID:20139473

Roberts JA, Tracey-Patte PD. Babesia rodhaini: a study of the effects of immune serum. *Int J Parasitol*. 1975 Dec;5(6):577-81. PMID:1201890

Roberts JA. Some quantitative aspects of the adoptive transfer of immunity to *Plasmodium berghei* with immune spleen cells. *J Protozool*. 1971 Aug;18(3):437-40. PMID:5132318

Roberts MC, Groenendyk S. Splenectomy in the horse. *Aust Vet J*. 1978 Apr;54(4):196-7. PMID:687278

Roca MG, Charle P, Jimenez S, Nunez M. A new malaria protocol in a Congolese refugee camp in West Tanzania. *Glob Public Health*. 2011;6(4):398-406. PMID:21308578

Rodrigues LA, Henriques G, Borges ST, Hunt P, Sanchez CP, Martinelli A, Cravo P. Experimental evolution of resistance to artemisinin combination therapy results in amplification of the mdr1 gene in a rodent malaria parasite. *PLoS One.* 2010 Jul 15;5(7):e11593. PMID:20657645

Rodriguez RI, Trees AJ. In vitro responsiveness of Babesia bovis to imidocarb dipropionate and the selection of a drug-adapted line. *Vet Parasitol.* 1996 Mar;62(1-2):35-41. PMID:8638391

Rodríguez SD, Palmer GH, McElwain TF, McGuire TC, Ruef BJ, Chitko-McKown MG, Brown WC. CD4+ T-helper lymphocyte responses against Babesia bigemina rhoptry-associated protein I. *Infect Immun.* 1996 Jun;64(6):2079-87. PMID:8675310

Rodríguez-Vivas RI, Quiñones-Avila FJ, Ramírez-Cruz GT, Cruz D, Wagner G. [Isolation of a field strain of Babesia bigemina (Piroplasma: Babesiidae) and establishment of in vitro culture for antigen production].[Article in Spanish]. *Rev Biol Trop.* 2007 Mar;55(1):127-33. PMID:18457120

Roederer MW, McLeod H, Juliano JJ. Can pharmacogenomics improve malaria drug policy? *Bull World Health Organ.* 2011 Nov 1;89(11):838-45. Epub 2011 Sep 1. PMID:22084530

Roersch CM. *Piper umbellatum* L.: a comparative cross-cultural analysis of its medicinal uses and an ethnopharmacological evaluation. *J Ethnopharmacol.* 2010 Oct 5;131(3):522-37. Epub 2010 Aug 1. PMID:20678569

Rogers RJ. Serum opsonins and the passive transfer of protection in Babesia rodhaini infections of rats. *Int J Parasitol.* 1974 Apr;4(2):197-201. PMID:4822486

Rogers RJ. The acquired resistance to Babesia argentina of cattle exposed to light infestation with cattle tick (*Boophilus microplus*). *Aust Vet J.* 1971 Jun;47(6):237-41. PMID:5106905

Rogers WO, Sem R, Tero T, Chim P, Lim P, Muth S, Socheat D, Ariey F, Wongsrichanalai C. Failure of artesunate-mefloquine combination therapy for uncomplicated Plasmodium falciparum malaria in southern Cambodia. *Malar J.* 2009 Jan 12;8:10. PMID:19138388

Rogerson SJ, Wijesinghe RS, Meshnick SR. Host immunity as a determinant of treatment outcome in Plasmodium falciparum malaria. *Lancet Infect Dis.* 2010 Jan;10(1):51-9. PMID:20129149

Röhrig E, Hamel D, Pfister K. Retrospective evaluation of laboratory data on canine vector-borne infections from the years 2004-2008. *Berl Munch Tierarztl Wochenschr.* 2011 Sep-Oct;124(9-10):411-8. PMID:21950219

Rojas C, Figueroa JV, Alvarado A, Mejia P, Mosqueda JJ, Falcon A, Vega CA, Alvarez A. Bovine babesiosis live vaccine production: use of gamma irradiation on the substrate. *Ann N Y Acad Sci.* 2006 Oct;1081:405-16. PMID:17135544

Rojas Ruiz FA, García-Sánchez RN, Estupiñan SV, Gómez-Barrio A, Torres Amado DF, Pérez-Solórzano BM, Nogal-Ruiz JJ, Martínez-Fernández AR, Kouznetsov VV. Synthesis and antimalarial activity of new heterocyclic hybrids based on chloroquine and thiazolidinone scaffolds. *Bioorg Med Chem.* 2011 Aug 1;19(15):4562-73. Epub 2011 Jun 15. PMID:21723734

Rollo IM. Antiplasmodial efficacy of 2,4-diaminopyrimidine-sulfonamide combinations, especially against chloroquine-resistant malaria. *Can Med Assoc J.* 1975 Jun 14;112(13 Spec No):50-3. PMID:805650

Römsing S, Lindegardh N, Bergqvist Y. Determination of tafenoquine in dried blood spots and plasma using LC and fluorescence detection. *Bioanalysis.* 2011 Aug;3(16):1847-53. PMID:21877894

Rosa FW. International aspects of perinatal mortality. *Clin Obstet Gynecol.* 1970 Mar;13(1):57-78. PMID:5430770

Rosenblatt JE. Antiparasitic agents. Mayo Clin Proc. 1999 Nov;74(11):1161-75. PMID:10560606

Rosenblatt JE. Laboratory diagnosis of infections due to blood and tissue parasites. Clin Infect Dis. 2009 Oct 1;49(7):1103-8. PMID:19691431

Rosenthal PJ. Lessons from sickle cell disease in the treatment and control of malaria. N Engl J Med. 2011 Jun 30;364(26):2549-51. PMID:21714653

Rosner F, Zarrabi MH, Benach JL, Habicht GS. Babesiosis in splenectomized adults. Review of 22 reported cases. Am J Med. 1984 Apr;76(4):696-701. PMID:6424470

Rosowsky A, Huang PC, Papathanasopoulos N, Modest EJ. Quinazolines. 12. 1,3-Diaminobenzo(f)quinazolines containing long-chain alkyl or chloro substituents on the central ring. Synthesis and biological evaluation as candidate antifolate and antimalarial agents. J Med Chem. 1974 Nov;17(11):1217-22. PMID:4606974

Rottmann M, McNamara C, Yeung BK, Lee MC, Zou B, Russell B, Seitz P, Plouffe DM, Dharia NV, Tan J, Cohen SB, Spencer KR, González-Páez GE, Lakshminarayana SB, Goh A, Suwanarusk R, Jegla T, Schmitt EK, Beck HP, Brun R, Nosten F, Renia L, Dartois V, Keller TH, Fidock DA, Winzeler EA, Diagana TT. Spiroindolones, a potent compound class for the treatment of malaria. Science. 2010 Sep 3;329(5996):1175-80. PMID:20813948

Rousset JJ, Couzineau P, Baufine-Ducrocq H. [Plasmodium ovale (Stephens 1922)].[Article in French]. Ann Parasitol Hum Comp. 1969 May-Jun;44(3):273-328. PMID:4905936

Rowe AK, Rowe SY, Holloway KA, Ivanovska V, Muhe L, Lambrechts T. Does shortening the training on Integrated Management of Childhood Illness guidelines reduce its effectiveness? A systematic review. Health Policy Plan. 2011 Apr 23. [Epub ahead of print]. PMID:21515912

Rowin KS, Tanowitz HB, Wittner M. Therapy of experimental babesiosis. *Ann Intern Med.* 1982 Oct;97(4):556-8. PMID:7125412

Ruebush MJ, Hanson WL. Transfer of immunity to Babesia microti of human origin using T lymphocytes in mice. *Cell Immunol.* 1980 Jul 1;52(2):255-65. PMID:6969120

Ruebush MJ, Steel LK, Kennedy DA. Prostaglandin-mediated suppression of delayed-type hypersensitivity to infected erythrocytes during Babesia microti infection in mice. *Cell Immunol.* 1986 Apr 1;98(2):300-10. PMID:2944617

Ruebush MJ, Troutman EH, Kennedy DA. Delayed-type hypersensitivity to Babesia microti-infected erythrocytes in mice. *Cell Immunol.* 1986 Apr 1;98(2):289-99. PMID:3757050

Ruef BJ, Tuo W, Rodriguez SD, Roussel AJ, Chitko-McKown CG, Palmer GH, McElwain TF, Canals A, Zarlinga DS, Gasbarre LC, Brown WC. Immunization with Babesia bigemina rhoptry-associated protein 1 induces a type 1 cytokine response. *J Interferon Cytokine Res.* 1997 Jan;17(1):45-54. PMID:9041471

Ruff MD, Fowler JL, Fernau RC, Matsuda K. Action of certain antiprotozoal compounds against Babesia gibsoni in dogs. *Am J Vet Res.* 1973 May;34(5):641-5. PMID:4703508

Rulisa S, Gatarayiha JP, Kabarisa T, Ndayisaba G. Comparison of different artemisinin-based combinations for the treatment of Plasmodium falciparum malaria in children in Kigali, Rwanda, an area of resistance to sulfadoxine-pyrimethamine: artesunate plus sulfadoxine/pyrimethamine versus artesunate plus sulfamethoxypyrazine/pyrimethamine. *Am J Trop Med Hyg.* 2007 Oct;77(4):612-6. PMID:17978058

Ruocco V, Ruocco E, Schwartz RA, Janniger CK. Kaposi sarcoma and quinine: a potentially overlooked triggering factor in millions of Africans. *J Am Acad Dermatol.* 2011 Feb;64(2):434-6. PMID:21238829

Russell BM, Udomsangpetch R, Rieckmann KH, Kotecka BM, Coleman RE, Sattabongkot J. Simple in vitro assay for determining the sensitivity of Plasmodium vivax isolates from fresh human blood to antimalarials in areas where P. vivax is endemic. *Antimicrob Agents Chemother.* 2003 Jan;47(1):170-3. PMID:12499187.

Ryan R, Krause PJ, Radolf J, Freeman K, Spielman A, Lenz R, Levin A. Diagnosis of babesiosis using an immunoblot serologic test. *Clin Diagn Lab Immunol.* 2001 Nov;8(6):1177-80. PMID:11687460

Sá JM, Chong JL, Wellemes TE. Malaria drug resistance: new observations and developments. *Essays Biochem.* 2011;51:137-60. PMID:22023447

Sá MR. Studies of avian malaria and Brazil in the international scientific context (1907-1945). [Article in English, Portuguese]. *Hist Cienc Saude Manguinhos.* 2011 Jun 1;18(2):499-518. PMID:21779696

Sabin LL, Rizal A, Brooks MI, Singh MP, Tuchman J, Wylie BJ, Joyce KM, Yeboah-Antwi K, Singh N, Hamer DH. Attitudes, knowledge, and practices regarding malaria prevention and treatment among pregnant women in Eastern India. *Am J Trop Med Hyg.* 2010 Jun;82(6):1010-6. PMID:20519593

Sabio y García JV, Farber M, Carrica M, Cravero S, Macedo GC, Bigi F, Oliveira SC, Rossetti O, Campos E. Expression of Babesia bovis rhoptry-associated protein 1 (RAP1) in Brucella abortus S19. *Microbes Infect.* 2008 May;10(6):635-41. Epub 2008 Feb 23. PMID:18462974

Sachs JD. Millennium development goals at 10. *Sci Am.* 2010 Jun;302(6):30. PMID:20521476

Saeki H, Ishii T. Effect of silica treatment on resistance to Babesia rodhaini infection in immunized mice. *Vet Parasitol.* 1996 Feb;61(3-4):201-10. PMID:8720558

Saeki H, Ishii T. Studies on route of immunization with a mixture of killed parasites and adjuvants against Babesia rodhaini infection in mice. *Nihon Juigaku Zasshi.* 1989 Dec;51(6):1173-8. PMID:2601229

Sahgal G, Ramanathan S, Sasidharan S, Mordi MN, Ismail S, Mansor SM. Brine shrimp lethality and acute oral toxicity studies on *Swietenia mahagoni* (Linn.) Jacq. seed methanolic extract. *Pharmacognosy Res.* 2010 Jul;2(4):215-20. PMID:21808570

Sahu SS, Gunasekaran K, Vanamail P, Jambulingam P. Seasonal prevalence & resting behaviour of *Anopheles minimus* Theobald & *An. fluviatilis* James (Diptera: Culicidae) in east-central India. *Indian J Med Res.* 2011 Jun;133(6):655-61. PMID:21727666

Saidel-Odes L, Riesenberk K, Schlaeffer F, Smolyakov R, Kafka M, Borer A. Eritrean and Sudanese migrants presenting with malaria in Israel. *Travel Med Infect Dis.* 2011 Nov;9(6):303-5. Epub 2011 Oct 28. PMID:22037052

Saito-Ito A, Dantrakool A, Kawai A, Yano Y, Takada N. [Babesiosis]. [Article in Japanese]. *Nihon Rinsho.* 2003 Feb;61 Suppl 2:623-8. PMID:12722292

Saitoito A, Rai SK, He S, Kohsaki M, Tsuji M, Ishihara C. [First demonstration of Babesia parasitizing in human in Japan]. [Article in Japanese]. *Kansenshogaku Zasshi.* 1999 Nov;73(11):1163-4. PMID:10624098

Saito-Ito A, Tsuji M, Wei Q, He S, Matsui T, Kohsaki M, Arai S, Kamiyama T, Hioki K, Ishihara C. Transfusion-acquired, autochthonous human babesiosis in Japan: isolation of Babesia microti-like parasites with hu-RBC-SCID mice. *J Clin Microbiol.* 2000 Dec;38(12):4511-6. PMID:11101588

Sakuma M, Setoguchi A, Endo Y. Possible emergence of drug-resistant variants of *Babesia gibsoni* in clinical cases treated with atovaquone and azithromycin. *J Vet Intern Med.* 2009 May-Jun;23(3):493-8. PMID:19645835

Salcedo-Amaya AM, Hoeijmakers WA, Bártfai R, Stunnenberg HG. Malaria: could its unusual epigenome be the weak spot? *Int J Biochem Cell Biol.* 2010 Jun;42(6):781-4. Epub 2010 Mar 18. PMID:20303414

Saleh JA, Yusuph H, Zailani SB, Aji B. Malaria vaccine: the pros and cons. *Niger J Med.* 2010 Jan-Mar;19(1):8-13. PMID:20232750

Salem GH, Liu X, Johnsrude JD, Dame JB, Roman Reddy G. Development and evaluation of an extra chromosomal DNA-based PCR test for diagnosing bovine babesiosis. *Mol Cell Probes.* 1999 Apr;13(2):107-13. PMID:10208801

Salih DA, Ali AM, Liu Z, Bakheit MA, Taha KM, El Imam AH, Kullmann B, El Hussein AM, Ahmed JS, Seitzer U. Development of a loop-mediated isothermal amplification method for detection of *Theileria lestoquardi*. *Parasitol Res.* 2011 Jul 9. [Epub ahead of print]. PMID:21744022

Salwati E, Minigo G, Woodberry T, Piera KA, de Silva HD, Kenangalem E, Tjitra E, Coppel RL, Price RN, Anstey NM, Plebanski M. Differential cellular recognition of antigens during acute *Plasmodium falciparum* and *Plasmodium vivax* malaria. *J Infect Dis.* 2011 Apr 15;203(8):1192-9. PMID:21451007

Samb B, Desai N, Nishtar S, Mendis S, Bekedam H, Wright A, Hsu J, Martiniuk A, Celletti F, Patel K, Adshead F, McKee M, Evans T, Alwan A, Etienne C. Prevention and management of chronic disease: a litmus test for health-systems strengthening in low-income and middle-income countries. *Lancet.* 2010 Nov 20;376(9754):1785-97. Epub 2010 Nov 10. PMID:21074253

Sambo LG, Kirigia JM. Africa's health: could the private sector accelerate the progress towards health MDGs? *Int Arch Med.* 2011 Nov 25;4(1):39. [Epub ahead of print]. PMID:22118626

Sambo LG, Ki-Zerbo G, Kirigia JM. Malaria control in the African Region: perceptions and viewpoints on proceedings of the Africa Leaders Malaria Alliance (ALMA). *BMC Proc.* 2011 Jun 13;5 Suppl 5:S3. PMID:21810213

Sambri V, Marangoni A, Storni E, Cavrini F, Moroni A, Sparacino M, Cevenini R. [Tick borne zoonosis: selected clinical and diagnostic aspects].[Article in Italian]. *Parassitologia*. 2004 Jun;46(1-2):109-13. PMID:15305697

Sam-Wobo SO, Agbeyangi OA, Ekpo UF, Akinloye OA, Mafiana CF, Adeleke MA. Rectal Artesunates, Their Utilization, and Parental Perception in the Management of Malaria in Children from Abeokuta, Southwestern Nigeria. *Vector Borne Zoonotic Dis*. 2011 Oct 24. [Epub ahead of print]. PMID:22022814

Sam-Wobo SO, Akinboroye T, Anosike JC, Adewale B. Knowledge and practices on malaria treatment measures among pregnant women in Abeokuta, Nigeria. *Tanzan J Health Res*. 2008 Oct;10(4):226-31. PMID:19402584

Sandler SG, Yu H, Rassai N. Risks of blood transfusion and their prevention. *Clin Adv Hematol Oncol*. 2003 May;1(5):307-13. PMID:16224428

Sannusi A, Aliu YO. Field observations on adult zebu bulls immunised against anaplasmosis by infection and treatment plus integrated tick control. *Trop Anim Health Prod*. 1986 Feb;18(1):13-20. PMID:3705174

Santoro F, Bernal J, Capron A. Complement activation by parasites. A review. *Acta Trop*. 1979 Mar;36(1):5-14. PMID:35934

Santos F, Coppede JS, Pereira AL, Oliveira LP, Roberto PG, Benedetti RB, Zucoloto LB, Lucas F, Sobreira L, Marins M. Molecular evaluation of the incidence of *Ehrlichia canis*, *Anaplasma platys* and *Babesia* spp. in dogs from Ribeirão Preto, Brazil. *Vet J*. 2009 Jan;179(1):145-8. Epub 2007 Oct 24. PMID:17920967

Santos MN, Nogueira PM, Dias FB, Valle D, Moreira LA. Fitness aspects of transgenic *Aedes vexans* mosquitoes expressing a Plasmodium-blocking molecule. *Transgenic Res*. 2010 Dec;19(6):1129-35. Epub 2010 Feb 13. PMID:20155397

Santos-Magalhães NS, Mosqueira VC. Nanotechnology applied to the treatment of malaria. *Adv Drug Deliv Rev.* 2010 Mar 18;62(4-5):560-75. Epub 2009 Nov 13. PMID:19914313

Saraiva VB, de Souza Silva L, Ferreira-DaSilva CT, da Silva-Filho JL, Teixeira-Ferreira A, Perales J, Souza MC, Henriques MG, Caruso-Neves C, de Sá Pinheiro AA. Impairment of the Plasmodium falciparum erythrocytic cycle induced by angiotensin peptides. *PLoS One.* 2011 Feb 18;6(2):e17174. PMID:21364758

Saralamba S, Pan-Ngum W, Maude RJ, Lee SJ, Tarning J, Lindegårdh N, Chotivanich K, Nosten F, Day NP, Socheat D, White NJ, Dondorp AM, White LJ. Intrahost modeling of artemisinin resistance in Plasmodium falciparum. *Proc Natl Acad Sci U S A.* 2011 Jan 4;108(1):397-402. Epub 2010 Dec 20. PMID:21173254

Sarr SO, Perrottey S, Fall I, Ennahar S, Zhao M, Diop YM, Candolfi E, Marchioni E. *Icacina senegalensis* (Icacinaceae), traditionally used for the treatment of malaria, inhibits in vitro Plasmodium falciparum growth without host cell toxicity. *Malar J.* 2011 Apr 11;10:85. PMID:21481272

Saslis-Lagoudakis CH, Klitgaard BB, Forest F, Francis L, Savolainen V, Williamson EM, Hawkins JA. The use of phylogeny to interpret cross-cultural patterns in plant use and guide medicinal plant discovery: an example from *Pterocarpus* (Leguminosae). *PLoS One.* 2011;6(7):e22275. Epub 2011 Jul 18. PMID:21789247

Sato M, Hori Z, Hirose T, Suzuki N. Immune effect of toxoplasma lysate antigen (TLA) on cattle against *Theileria sergenti* infection. *Nihon Juigaku Zasshi.* 1985 Dec;47(6):921-9. PMID:4094277

Sato M, Igarashi I, Saito A, Hirose T, Suzuki N. Protection against Babesia infection in beagles immunized with Toxoplasma lysate antigen. *Nihon Juigaku Zasshi.* 1990 Feb;52(1):155-8. PMID:2179608

Sauerwein RW, Bijker EM, Richie TL. Empowering malaria vaccination by drug administration. *Curr Opin Immunol.* 2010 Jun;22(3):367-73. Epub 2010 Apr 29. PMID:20434895

Sauerwein RW, Roestenberg M, Moorthy VS. Experimental human challenge infections can accelerate clinical malaria vaccine development. *Nat Rev Immunol.* 2011 Jan;11(1):57-64. PMID:21179119

Sawczuk M. [Cattle babesiosis]. [Article in Polish]. *Wiad Parazytol.* 2007;53(2):73-9. PMID:17912800

Sawer IK, Berry MI, Brown MW, Ford JL. The effect of cryptolepine on the morphology and survival of *Escherichia coli*, *Candida albicans* and *Saccharomyces cerevisiae*. *J Appl Bacteriol.* 1995 Sep;79(3):314-21. PMID:7592125

Schaarschmidt D, Trächsel M, Achermann R, Hartelt K, Oehme R, Müller W. [Importance of PCR for the diagnostics of canine babesiosis]. [Article in German]. *Schweiz Arch Tierheilkd.* 2006 Dec;148(12):633-40. PMID:17263080

Schaller JL, Burkland GA, Langhoff PJ. Are various Babesia species a missed cause for hypereosinophilia? A follow-up on the first reported case of imatinib mesylate for idiopathic hypereosinophilia. *MedGenMed.* 2007 Feb 27;9(1):38. PMID:17435644

Scharf BA, Fricke RF, Baskin SI. Comparison of methemoglobin formers in protection against the toxic effects of cyanide. *Gen Pharmacol.* 1992 Jan;23(1):19-25. PMID:1592224

Schetters T. Vaccination against canine babesiosis. *Trends Parasitol.* 2005 Apr;21(4):179-84. PMID:15780840

Schetters T. Vaccine development from a commercial point of view. *Vet Parasitol.* 1995 Mar;57(1-3):267-75. PMID:7597789

Schetters TH, Kleuskens J, Scholtes N, Bos HJ. Strain variation limits protective activity of vaccines based on soluble Babesia canis antigens. *Parasite Immunol.* 1995 Apr;17(4):215-8. PMID:7542765

Schetters TP, Eling WM. Can Babesia infections be used as a model for cerebral malaria? *Parasitol Today.* 1999 Dec;15(12):492-7. PMID:10557150

Schetters TP, Kleuskens J, Carcy B, Gorenflo A, Vermeulen A. Vaccination against large Babesia species from dogs. *Parassitologia.* 2007 May;49 Suppl 1:13-7. PMID:17691601

Schetters TP, Kleuskens J, Scholtes N, Bos HJ. Vaccination of dogs against Babesia canis infection using parasite antigens from in vitro culture. *Parasite Immunol.* 1992 May;14(3):295-305. PMID:1625906

Schetters TP, Kleuskens J, Scholtes N, Gorenflo A. Parasite localization and dissemination in the Babesia-infected host. *Ann Trop Med Parasitol.* 1998 Jun;92(4):513-9. PMID:9683902

Schetters TP, Kleuskens JA, Scholtes NC, Gorenflo A, Moubri K, Vermeulen AN. Vaccination of dogs against heterologous Babesia canis infection using antigens from culture supernatants. *Vet Parasitol.* 2001 Sep 12;100(1-2):75-86. PMID:11522408

Schetters TP, Kleuskens JA, Scholtes NC, Pasman JW, Bos HJ. Vaccination of dogs against Babesia canis infection using antigens from culture supernatants with emphasis on clinical babesiosis. *Vet Parasitol.* 1994 Apr;52(3-4):219-33. PMID:8073606

Schetters TP, Kleuskens JA, Scholtes NC, Pasman JW, Goovaerts D. Vaccination of dogs against Babesia canis infection. *Vet Parasitol.* 1997 Dec 15;73(1-2):35-41. PMID:9477490

Schetters TP, Kleuskens JA, Scholtes NC, van de Crommert J, Krijnen E, Moubri K, Gorenflo A, Vermeulen AN. Onset and duration of immunity against Babesia canis infection in dogs vaccinated with antigens from culture supernatants. *Vet Parasitol.* 2006 May 31;138(1-2):140-6. Epub 2006 Feb 28. PMID:16504401

Schetters TP, Moubri K, Cooke BM. Comparison of Babesia rossi and Babesia canis isolates with emphasis on effects of vaccination with soluble parasite antigens: a review. J S Afr Vet Assoc. 2009 Jun;80(2):75-8. PMID:19831266

Schetters TP, Moubri K, Précigout E, Kleuskens J, Scholtes NC, Gorenflo A. Different Babesia canis isolates, different diseases. Parasitology. 1997 Nov;115 ( Pt 5):485-93. PMID:9368899

Schetters TP, Scholtes NC, Kleuskens JA, Bos HJ. Not peripheral parasitaemia but the level of soluble parasite antigen in plasma correlates with vaccine efficacy against Babesia canis. Parasite Immunol. 1996 Jan;18(1):1-6. PMID:9223150

Schetters TP, Strydom T, Crafford D, Kleuskens JA, van de Crommert J, Vermeulen AN. Immunity against Babesia rossi infection in dogs vaccinated with antigens from culture supernatants. Vet Parasitol. 2007 Mar 15;144(1-2):10-9. Epub 2006 Oct 23. PMID:17056181

Schindler R, Wokatsch R, Schröder G. [Immunity and serological reactions against Babesia canis in dogs after infection with living parasites and after immunization with a soluble antigen].[Article in German]. Z Tropenmed Parasitol. 1966 Jul;17(2):226-40. PMID:4969377

Schlitzer M. [New malaria drugs: screening against the entire parasite or target-based – which is the right path?].[Article in German]. Pharm Unserer Zeit. 2011 May;40(3):190-1. PMID:21698606

Schmidt M, Sun H, Rogne P, Scriba GK, Griesinger C, Kuhn LT, Reinscheid UM. Determining the absolute configuration of (+)-mefloquine HCl, the side effect reducing enantiomer of the antimalaria drug Lariam. J Am Chem Soc. 2011 Dec 7. [Epub ahead of print]. PMID:22148194

Schoeler GB, Manweiler SA, Wikle SK. *Ixodes scapularis*: effects of repeated infestations with pathogen-free nymphs on macrophage and T lymphocyte cytokine responses of BALB/c and C3H/HeN mice. *Exp Parasitol.* 1999 Aug;92(4):239-48. PMID:10425152

Schoeman JP, Herrtage ME. Adrenal response to the low dose ACTH stimulation test and the cortisol-to-adrenocorticotropic hormone ratio in canine babesiosis. *Vet Parasitol.* 2008 Jul 4;154(3-4):205-13. Epub 2008 Apr 7. PMID:18468798

Schoeman JP, Herrtage ME. The response of the pituitary-adrenal and pituitary-thyroidal axes to the plasma glucose perturbations in *Babesia canis rossi* babesiosis. *J S Afr Vet Assoc.* 2007 Dec;78(4):215-20. PMID:18507221

Schoeman JP, Rees P, Herrtage ME. Endocrine predictors of mortality in canine babesiosis caused by *Babesia canis rossi*. *Vet Parasitol.* 2007 Sep 1;148(2):75-82. Epub 2007 Jul 5. PMID:17614201

Schoeman JP. Canine babesiosis. *Onderstepoort J Vet Res.* 2009 Mar;76(1):59-66. PMID:19967929

Schoepflin S, Marfurt J, Goroti M, Baisor M, Mueller I, Felger I. Heterogeneous distribution of *Plasmodium falciparum* drug resistance haplotypes in subsets of the host population. *Malar J.* 2008 May 6;7:78. PMID:18460212

Schreiber A, Härter G, Schubert A, Bunjes D, Mertens T, Michel D. Antiviral treatment of cytomegalovirus infection and resistant strains. *Expert Opin Pharmacother.* 2009 Feb;10(2):191-209. PMID:19236193

Schrével J, Milleroux V, Sinou V, Frappier F, Santus R, Grellier P. New trends in chemotherapy on human and animal blood parasites. *Parasitol Res.* 1996;82(3):283-4. PMID:8801568

Schuck DC, Ribeiro RY, Nery AA, Ulrich H, Garcia CR. Flow cytometry as a tool for analyzing changes in *Plasmodium falciparum* cell cycle following treatment with indol compounds. *Cytometry A.* 2011 Nov;79(11):959-64. Epub 2011 Aug 30. PMID:22015733

Schwenk RJ, Richie TL. Protective immunity to pre-erythrocytic stage malaria. *Trends Parasitol.* 2011 Jul;27(7):306-14. Epub 2011 Mar 23. PMID:21435951

Schwint ON, Ueti MW, Palmer GH, Kappmeyer LS, Hines MT, Cordes RT, Knowles DP, Scoles GA. Imidocarb dipropionate clears persistent Babesia caballi infection with elimination of transmission potential. *Antimicrob Agents Chemother.* 2009 Oct;53(10):4327-32. Epub 2009 Jul 20. PMID:19620328

Seale A, Bains A, Avrett S. Partnership, sex, and marginalization: Moving the Global Fund sexual orientation and gender identities agenda. *Health Hum Rights.* 2010 Jun 15;12(1):123-35. PMID:20930259

Seboxa T, Mao P, Pinchouk N, Anbessie J, Alemu H, Diro E. Artemether-Lumefantrin (Coartem) and artesunate with sulfadoxine-pyrimethamine therapeutic efficacy in the treatment of uncomplicated malaria at Gilgel Gibe II (GGII) South-Western Ethiopia. *Ethiop Med J.* 2010 Oct;48(4):285-91. PMID:21280430

Sedaghat MM, Dehkordi AS, Khanavi M, Abai MR, Mohtarami F, Vatandoost H. Chemical composition and larvicidal activity of essential oil of Cupressus arizonica E.L. Greene against malaria vector Anopheles stephensi Liston (Diptera: Culicidae). *Pharmacognosy Res.* 2011 Apr;3(2):135-9. PMID:21772758

Seinen W, Stegmann T, Kuil H. Complement does not play a role in promoting Babesia rodhaini infections in Balb/C mice. *Z Parasitenkd.* 1982;68(3):249-57. PMID:6218704

Sellers EL, Ross DA, Green AD. Improvements in compliance with medical force protection measures by simplification of the anti-malarial chemoprophylaxis regime. *J R Army Med Corps.* 2011 Jun;157(2):156-9. PMID:21805765

Semel ME, Tavakkolizadeh A, Gates JD. Babesiosis in the immediate postoperative period after splenectomy for trauma. *Surg Infect (Larchmt)*. 2009 Dec;10(6):553-6. PMID:19622029

Sengaloundeth S, Green MD, Fernández FM, Manolin O, Phommavong K, Insixiengmay V, Hampton CY, Nyadong L, Mildenhall DC, Hostetler D, Khounsaknalah L, Vongsack L, Phompida S, Vanisaveth V, Syhakhang L, Newton PN. A stratified random survey of the proportion of poor quality oral artesunate sold at medicine outlets in the Lao PDR - implications for therapeutic failure and drug resistance. *Malar J*. 2009 Jul 28;8:172. PMID:19638225

Senthil Nathan S. The use of Eucalyptus tereticornis Sm. (Myrtaceae) oil (leaf extract) as a natural larvical agent against the malaria vector Anopheles stephensi Liston (Diptera: Culicidae). *Bioresour Technol*. 2007 Jul;98(9):1856-60. Epub 2006 Sep 25. PMID:16997545

Serghides L. The Case for the Use of PPAR $\gamma$  Agonists as an Adjunctive Therapy for Cerebral Malaria. *PPAR Res*. 2012;2012:513865. Epub 2011 Jun 9. PMID:21772838

Serghides L, Kim H, Lu Z, Kain DC, Miller C, Francis RC, Liles WC, Zapol WM, Kain KC. Inhaled nitric oxide reduces endothelial activation and parasite accumulation in the brain, and enhances survival in experimental cerebral malaria. *PLoS One*. 2011;6(11):e27714. Epub 2011 Nov 16. PMID:22110737

Sergiev VP, Litvinov SK. [Russian experience with international health cooperation at early stages of its development].[Article in Russian]. *Vestn Ross Akad Med Nauk*. 2010;(11):11-5. PMID:21309153

Sertel S, Eichhorn T, Sieber S, Sauer A, Weiss J, Plinkert PK, Efferth T. Factors determining sensitivity or resistance of tumor cell lines towards artesunate. *Chem Biol Interact*. 2010 Apr 15;185(1):42-52. Epub 2010 Feb 6. PMID:20144594

Sertel S, Eichhorn T, Simon CH, Plinkert PK, Johnson SW, Efferth T. Pharmacogenomic identification of c-Myc/Max-regulated genes associated with cytotoxicity of artesunate towards human colon, ovarian and lung cancer cell lines. *Molecules*. 2010 Apr 22;15(4):2886-910. PMID:20428086

Seshadri P, Dev AV, Viggesswarpu S, Sathyendra S, Peter JV. Acute pancreatitis and subdural haematoma in a patient with severe falciparum malaria: case report and review of literature. *Malar J*. 2008 May 30;7:97. PMID:18510778

Sethi S, Alcid D, Kesarwala H, Tolan RW Jr. Probable congenital babesiosis in infant, new jersey, USA. *Emerg Infect Dis*. 2009 May;15(5):788-91. PMID:19402971

Setty S, Khalil Z, Schori P, Azar M, Ferrieri P. Babesiosis. Two atypical cases from Minnesota and a review. *Am J Clin Pathol*. 2003 Oct;120(4):554-9. PMID:14560566

Sevane E, González R, Menéndez C. Current knowledge and challenges of antimalarial drugs for treatment and prevention in pregnancy. *Expert Opin Pharmacother*. 2010 Jun;11(8):1277-93. PMID:20408744

Sevinc F, Turgut K, Sevinc M, Ekici OD, Coskun A, Koc Y, Erol M, Ica A. Therapeutic and prophylactic efficacy of imidocarb dipropionate on experimental Babesia ovis infection of lambs. *Vet Parasitol*. 2007 Oct 21;149(1-2):65-71. Epub 2007 Aug 20. PMID:17709209

Shah F, Mukherjee P, Desai P, Avery M. Computational approaches for the discovery of cysteine protease inhibitors against malaria and SARS. *Curr Comput Aided Drug Des*. 2010 Mar;6(1):1-23. PMID:20370692

Shah M, Kariuki S, Vanden Eng J, Blackstock AJ, Garner K, Gatei W, Gimmig JE, Lindblade K, Terlouw D, Ter Kuile F, Hawley WA, Phillips-Howard P, Nahlen B, Walker E, Hamel MJ, Slutsker L, Shi YP. Effect of Transmission Reduction by Insecticide-Treated Bednets (ITNs) on Antimalarial Drug Resistance in Western Kenya. *PLoS One*. 2011;6(11):e26746. Epub 2011 Nov 11. PMID:22096496

Shah NK, Alker AP, Sem R, Susanti AI, Muth S, Maguire JD, Duong S, Ariey F, Meshnick SR, Wongsrichanalai C. Molecular surveillance for multidrug-resistant Plasmodium falciparum, Cambodia. *Emerg Infect Dis.* 2008 Oct;14(10):1637-40. PMID:18826834

Shah NK, Dhillon GP, Dash AP, Arora U, Meshnick SR, Valecha N. Antimalarial drug resistance of Plasmodium falciparum in India: changes over time and space. *Lancet Infect Dis.* 2011 Jan;11(1):57-64. PMID:21183147

Shaio MF, Yang KD. Response of babesiosis to a combined regimen of quinine and azithromycin. *Trans R Soc Trop Med Hyg.* 1997 Mar-Apr;91(2):214-5. PMID:9196774

Shanks GD, Edstein MD. Modern malaria chemoprophylaxis. *Drugs.* 2005;65(15):2091-110. PMID:16225366

Shanks GD, Kain KC, Keystone JS. Malaria chemoprophylaxis in the age of drug resistance. II. Drugs that may be available in the future. *Clin Infect Dis.* 2001 Aug 1;33(3):381-5. Epub 2001 Jul 5. PMID:11438908

Shanks GD, Oloo AJ, Aleman GM, Ohrt C, Klotz FW, Braitman D, Horton J, Brueckner R. A new primaquine analogue, tafenoquine (WR 238605), for prophylaxis against Plasmodium falciparum malaria. *Clin Infect Dis.* 2001 Dec 15;33(12):1968-74. Epub 2001 Nov 7. PMID:11700577

Shapira MY, Resnick IB, Chou S, Neumann AU, Lurain NS, Stamminger T, Caplan O, Saleh N, Efferth T, Marschall M, Wolf DG. Artesunate as a potent antiviral agent in a patient with late drug-resistant cytomegalovirus infection after hematopoietic stem cell transplantation. *Clin Infect Dis.* 2008 May 1;46(9):1455-7. PMID:18419454

Sharma SK, Jalees S, Kumar K, Rahman SJ. Knowledge, attitude and beliefs about malaria in a tribal area of Bastar district (Madhya Pradesh). *Indian J Public Health.* 1993 Oct-Dec;37(4):129-32. PMID:8077001

Sharma SP, Bansal GC. Chemoprophylaxis with diminazene aceturate in experimental Babesia bigemina infection in cattle. *Res Vet Sci.* 1984 Jul;37(1):126-7. PMID:6473911

Sharma VP. Battling the malaria iceberg with chloroquine in India. *Malar J.* 2007 Aug 7;6:105. PMID:17683630

Shehory-Rubin Z. [Dr. Sarah Ben Ami Solodar: a pioneer in the fight against malaria in the moshavot in the Upper Galilee].[Article in Hebrew]. *Harefuah.* 2010 Sep;149(9):609-13, 618. PMID:21302479

Shepard CC, Walker LL, Van Landingham M, Redus MA. Kinetic testing of drugs against *Mycobacterium leprae* in mice. Activity of cephaloridine, rifampin, streptovaricin, vadrine, and viomycin. *Am J Trop Med Hyg.* 1971 Jul;20(4):616-20. PMID:4398128

Sherr VT. Human babesiosis--an unrecorded reality. Absence of formal registry undermines its detection, diagnosis and treatment, suggesting need for immediate mandatory reporting. *Med Hypotheses.* 2004;63(4):609-15. PMID:15325004

Shewchuk T, O'Connell KA, Goodman C, Hanson K, Chapman S, Chavasse D. The ACTwatch project: methods to describe anti-malarial markets in seven countries. *Malar J.* 2011 Oct 31;10:325. PMID:22039780

Shiff C, Thuma P, Sullivan D, Mharakurwa S. Designing a sustainable strategy for malaria control? *Malar J.* 2011 Aug 3;10:220. PMID:21812949

Shih CM, Wang CC. Ability of azithromycin in combination with quinine for the elimination of babesial infection in humans. *Am J Trop Med Hyg.* 1998 Oct;59(4):509-12. PMID:9790419

Shimada T, Shikano S, Hashiguchi R, Matsuki N, Ono K. Effects of depletion of T cell subpopulations on the course of infection and anti-parasite delayed type hypersensitivity response in mice infected with *Babesia microti* and *Babesia rodhaini*. *J Vet Med Sci.* 1996 Apr;58(4):343-7. PMID:8741267

Shipitcina NK. [Main results of the study of malaria vectors and development of control measures for them in the Soviet Union for the past 50 years].[Article in Russian]. Med Parazitol (Mosk). 1967 Sep-Oct;36(5):525-32. PMID:4886730

Shiraki H, Kozar MP, Melendez V, Hudson TH, Ohrt C, Magill AJ, Lin AJ. Antimalarial activity of novel 5-aryl-8-aminoquinoline derivatives. J Med Chem. 2011 Jan 13;54(1):131-42. Epub 2010 Dec 8. PMID:21141892

Shittu I, Emmanuel A, Nok AJ. Antimalaria Effect of the Ethanolic Stem Bark Extracts of Ficus platyphylla Del. J Parasitol Res. 2011;2011:618209. Epub 2011 Nov 24. PMID:22174991

Shkap V, de Vos AJ, Zweygarth E, Jongejan F. Attenuated vaccines for tropical theileriosis, babesiosis and heartwater: the continuing necessity. Trends Parasitol. 2007 Sep;23(9):420-6. Epub 2007 Jul 25. PMID:17656155

Shkap V, Leibovitz B, Krigel Y, Hammerschlag J, Marcovics A, Fish L, Molad T, Savitsky I, Mazuz M. Vaccination of older Bos taurus bulls against bovine babesiosis. Vet Parasitol. 2005 May 15;129(3-4):235-42. PMID:15845278

Shkap V, Pipano E, McElwain TF, Herzberg U, Krigel Y, Fish L, Palmer GH. Cross-protective immunity induced by Babesia bovis clones with antigenically unrelated variable merozoite surface antigens. Vet Immunol Immunopathol. 1994 Jun;41(3-4):367-74. PMID:7941314

Shkap V, Rasulov I, Abdurasulov S, Fish L, Leibovitz B, Krigel Y, Molad T, Mazuz ML, Savitsky I. Babesia bigemina: attenuation of an Uzbek isolate for immunization of cattle with live calf- or culture-derived parasites. Vet Parasitol. 2007 May 31;146(3-4):221-6. Epub 2007 Mar 26. PMID:17368728

Shoemaker JP, McAllister RG Jr, Selby JB, Hoffman RV Jr. Effect of hypothyroidism on parasitemia and survival in rodent malaria. Am J Med Sci. 1974 Nov;268(5):281-5. PMID:4617503

Shoemaker JP. Plasmodium berghei: possible role of thyroxine in growth and metabolism. *Exp Parasitol.* 1974 Oct;36(2):261-4. PMID:4606914

Shoemaker RC, Hudnell HK, House DE, Van Kempen A, Pakes GE; COL40155 Study Team. Atovaquone plus cholestyramine in patients coinfected with Babesia microti and Borrelia burgdorferi refractory to other treatment. *Adv Ther.* 2006 Jan-Feb;23(1):1-11. PMID:16644602

Shukla RK, Tiwari A. Carbohydrate molecules: an expanding horizon in drug delivery and biomedicine. *Crit Rev Ther Drug Carrier Syst.* 2011;28(3):255-92. PMID:21663577

Shulman IA, Appleman MD. Transmission of parasitic and bacterial infections through blood transfusion within the U.S. *Crit Rev Clin Lab Sci.* 1991;28(5-6):447-59. PMID:1772589

Shulman IA. Parasitic infections and their impact on blood donor selection and testing. *Arch Pathol Lab Med.* 1994 Apr;118(4):366-70. PMID:8166586

Shute PG, Maryon M. Some observations on true latency and long-term relapses in *P. vivax* malaria. *Arch Roum Pathol Exp Microbiol.* 1968 Dec;27(4):893-8. PMID:4393171

Sabinovic KH, Milar R, Ristic M, Cox HW. In vivo and in vitro effects of serum antigens of babesial infection and their antibodies on parasitized and normal erythrocytes. *Ann Trop Med Parasitol.* 1969 Sep;63(3):327-36. PMID:4906995

Sabinovic KH, Sabinovic S, Ristic M, Cox HW. Immunogenic properties of babesial serum antigens. *J Parasitol.* 1967 Dec;53(6):1121-9. PMID:4169599

Sicuri E, Biao P, Hutton G, Tediosi F, Menendez C, Lell B, Kremsner P, Conteh L, Grobusch MP. Cost-effectiveness of intermittent preventive treatment of malaria in infants (IPTi) for averting anaemia in Gabon: a comparison between intention to treat and according to protocol analyses. *Malar J.* 2011 Oct 17;10:305. PMID:22004614

Sicuri E, Davy C, Marinelli M, Oa O, Ome M, Siba P, Conteh L, Mueller I. The economic cost to households of childhood malaria in Papua New Guinea: a focus on intra-country variation. *Health Policy Plan*. 2011 Jun 22. [Epub ahead of print]. PMID:21697246

Sieber S, Gdynia G, Roth W, Bonavida B, Efferth T. Combination treatment of malignant B cells using the anti-CD20 antibody rituximab and the anti-malarial artesunate. *Int J Oncol*. 2009 Jul;35(1):149-58. PMID:19513562

Sikulu M, Dowell KM, Hugo LE, Wirtz RA, Michel K, Peiris KH, Moore S, Killeen GF, Dowell FE. Evaluating RNAlater® as a preservative for using near-infrared spectroscopy to predict Anopheles gambiae age and species. *Malar J*. 2011 Jul 8;10:186. PMID:21740582

Silva O, Duarte A, Cabrita J, Pimentel M, Diniz A, Gomes E. Antimicrobial activity of Guinea-Bissau traditional remedies. *J Ethnopharmacol*. 1996 Jan;50(1):55-9. PMID:8778508

Silver KL, Zhong K, Leke RG, Taylor DW, Kain KC. Dysregulation of angiopoietins is associated with placental malaria and low birth weight. *PLoS One*. 2010 Mar 1;5(3):e9481. PMID:20208992

Simba DO, Kakoko D, Tomson G, Premji Z, Petzold M, Mahindi M, Gustafsson LL. Adherence to artemether/lumefantrine treatment in children under real-life situations in rural Tanzania. *Trans R Soc Trop Med Hyg*. 2012 Jan;106(1):3-9. Epub 2011 Nov 17. PMID:22099005

Simonsen KA, Harwell JI, Lainwala S. Clinical presentation and treatment of transfusion-associated babesiosis in premature infants. *Pediatrics*. 2011 Oct;128(4):e1019-24. Epub 2011 Sep 2. PMID:21890833

Simpson JA, Jamsen KM, Price RN, White NJ, Lindegardh N, Tarning J, Duffull SB. Towards optimal design of anti-malarial pharmacokinetic studies. *Malar J*. 2009 Aug 6;8:189. PMID:19656413

Simpson KN, Baran RW, Kirbach SE, Dietz B. Economics of Switching to Second-Line Antiretroviral Therapy with Lopinavir/Ritonavir in Africa: Estimates Based on DART Trial Results and Costs for Uganda and Kenya. *Value Health.* 2011 Dec;14(8):1048-54. Epub 2011 Nov 6. PMID:22152173

Sinclair D, Gogtay N, Brand F, Olliaro P. Artemisinin-based combination therapy for treating uncomplicated Plasmodium vivax malaria. *Cochrane Database Syst Rev.* 2011 Jul 6;(7):CD008492. PMID:21735431

Singh RK, Dhiman RC, Mittal PK, Dua VK. Susceptibility status of dengue vectors against various insecticides in Koderma (Jharkhand), India. *J Vector Borne Dis.* 2011 Jun;48(2):116-8. PMID:21715737

Singh Y, Sawyer LS, Pinkoski LS, Dupuis KW, Hsu JC, Lin L, Corash L. Photochemical treatment of plasma with amotosalen and long-wavelength ultraviolet light inactivates pathogens while retaining coagulation function. *Transfusion.* 2006 Jul;46(7):1168-77. PMID:16836564

Sinou V, Malaika LT, Taudon N, Lwango R, Alegre SS, Bertaux L, Sugnaux F, Parzy D, Benakis A. Pharmacokinetics and pharmacodynamics of a new ACT formulation: Artesunate/Amodiaquine (TRIMALACT) following oral administration in African malaria patients. *Eur J Drug Metab Pharmacokinet.* 2009 Jul-Sep;34(3-4):133-42. PMID:20166428

Siński E, Welc-Faleciak R, Pogłód R. Babesia spp. infections transmitted through blood transfusion. *Wiad Parazytol.* 2011;57(2):77-81. PMID:21682090

Sipos W, Schmoll F, Bagó Z, Hobbiger A, Wodak E. [Isoimmune haemolytic icterus in neonatal calves as a consequence of vaccination against piroplasmosis].[Article in German]. *Berl Munch Tierarztl Wochenschr.* 2002 May-Jun;115(5-6):167-72. PMID:12058589

Siraskar B, Ballal A, Bobbala D, Föller M, Lang F. Effect of amphotericin B on parasitemia and survival of plasmodium berghei-infected mice. *Cell Physiol Biochem.* 2010;26(3):347-54. Epub 2010 Aug 24. PMID:20798519

Sirima SB, Gansané A. Artesunate-amodiaquine for the treatment of uncomplicated malaria. *Expert Opin Investig Drugs.* 2007 Jul;16(7):1079-85. PMID:17594191

Sirivichayakul C, Sabchareon A, Pengsaa K, Thaiporn I, Chaivisuth A, Na-Bangchang K, Wisetsing P, Chanthavanich P, Pojjaroen-Anant C. Comparative study of the effectiveness and pharmacokinetics of two rectal artesunate/oral mefloquine combination regimens for the treatment of uncomplicated childhood falciparum malaria. *Ann Trop Paediatr.* 2007 Mar;27(1):17-24. PMID:17469728

Siswantoro H, Russell B, Ratcliff A, Prasetyorini B, Chalfen F, Marfurt J, Kenangalem E, Wuwung M, Piera KA, Ebsworth EP, Anstey NM, Tjitra E, Price RN. In vivo and in vitro efficacy of chloroquine against Plasmodium malariae and P. ovale in Papua, Indonesia. *Antimicrob Agents Chemother.* 2011 Jan;55(1):197-202. Epub 2010 Oct 11. PMID:20937779

Skotarczak B, Cichocka A. Isolation and amplification by polymerase chain reaction DNA of Babesia microti and Babesia divergens in ticks in Poland. *Ann Agric Environ Med.* 2001;8(2):187-9. PMID:11748876

Skotarczak B, Sawczuk M. [Occurrence of Babesia microti in ticks Ixodes ricinus on selected areas of western Pomerania].[Article in Polish]. *Wiad Parazytol.* 2003;49(3):273-80. PMID:16889031

Skotarczak B. [Babesiosis of human and domestic dog; ethiology, pathogenesis, diagnostics].[Article in Polish]. *Wiad Parazytol.* 2007;53(4):271-80. PMID:18441872

Slovut DP, Benedetti E, Matas AJ. Babesiosis and hemophagocytic syndrome in an asplenic renal transplant recipient. *Transplantation.* 1996 Aug 27;62(4):537-9. PMID:8781622

Small PM. Tuberculosis: a new vision for the 21st century. *Kekkaku*. 2009 Nov;84(11):721-6. PMID:19999594

Smith LA, Wright-Kanuth MS. Transfusion-transmitted parasites. *Clin Lab Sci*. 2003 Fall;16(4):239-45, 251. PMID:14626442

Smith N, Obala A, Simiyu C, Menya D, Khwa-Otsyula B, O'Meara WP. Accessibility, availability and affordability of anti-malarials in a rural district in Kenya after implementation of a national subsidy scheme. *Malar J*. 2011 Oct 26;10:316. PMID:22029829

Smith RD, Carpenter J, Cabrera A, Gravely SM, Erp EE, Osorno M, Ristic M. Bovine babesiosis: vaccination against tick-borne challenge exposure with culture-derived Babesia bovis immunogens. *Am J Vet Res*. 1979 Dec;40(12):1678-82. PMID:230765

Smith RD, James MA, Ristic M, Aikawa M, Vega y Murguia CA. Bovine babesiosis: protection of cattle with culture-derived soluble Babesia bovis antigen. *Science*. 1981 Apr 17;212(4492):335-8. PMID:7209532

Smith RD. Babesia bovis: computer simulation of the relationship between the tick vector, parasite, and bovine host. *Exp Parasitol*. 1983 Aug;56(1):27-40. PMID:6873224

Smith RP, Evans AT, Popovsky M, Mills L, Spielman A. Transfusion-acquired babesiosis and failure of antibiotic treatment. *JAMA*. 1986 Nov 21;256(19):2726-7. PMID:3773183

Smith TA, Chitnis N, Briët OJ, Tanner M. Uses of mosquito-stage transmission-blocking vaccines against Plasmodium falciparum. *Trends Parasitol*. 2011 May;27(5):190-6. Epub 2011 Feb 1. PMID:21277257

Snow M. Babesiosis: another tick-borne disease. *Nursing*. 2009 Jun;39(6):55. PMID:19474614

Snow RW, Okiro EA, Gething PW, Atun R, Hay SI. Equity and adequacy of international donor assistance for global malaria control: an analysis of populations at risk and external funding commitments. *Lancet.* 2010 Oct 23;376(9750):1409-16. PMID:20889199

Snyder EL, Dodd RY. Reducing the risk of blood transfusion. *Hematology Am Soc Hematol Educ Program.* 2001:433-42. PMID:11722997

Snyman HW. Malaria symposium--opening address. *S Afr Med J.* 1974 May 25;48(25):1075-7. PMID:4602109

Sodeman TM, Contacos PG, Collins WE, Smith CS, Jumper JR. Studies on the prophylactic and radical curative activity of RC-12 against *Plasmodium cynomolgi* in *Macaca mulatta*. *Bull World Health Organ.* 1972;47(3):425-8. PMID:4631044

Soerono M, Badawi AS, Muir DA, Soedono A, Siran M. Observations on doubly resistant *Anopheles aconitus* Dönitz in Java, Indonesia, and on its amenability to treatment with malathion. *Bull World Health Organ.* 1965;33(4):453-9. PMID:5294991

Soh PN, Witkowski B, Olagnier D, Nicolau ML, Garcia-Alvarez MC, Berry A, Benoit-Vical F. In vitro and in vivo properties of ellagic acid in malaria treatment. *Antimicrob Agents Chemother.* 2009 Mar;53(3):1100-6. Epub 2008 Nov 17. PMID:19015354

Sokhna C, Cissé B, Bâ el H, Milligan P, Hallett R, Sutherland C, Gaye O, Boulanger D, Simondon K, Simondon F, Targett G, Lines J, Greenwood B, Trape JF. A trial of the efficacy, safety and impact on drug resistance of four drug regimens for seasonal intermittent preventive treatment for malaria in Senegalese children. *PLoS One.* 2008 Jan 23;3(1):e1471. PMID:18213379

Solano-Gallego L, Baneth G. Babesiosis in dogs and cats--expanding parasitological and clinical spectra. *Vet Parasitol.* 2011 Sep 8;181(1):48-60. Epub 2011 Apr 19. PMID:21571435

Solari MA, Nari A, Cardozo H. Impact of Babesia bovis and Babesia bigemina on the production of beef cattle in Uruguay. Mem Inst Oswaldo Cruz. 1992;87 Suppl 3:143-9. PMID:1343684

Solomon VR, Lee H. Chloroquine and its analogs: a new promise of an old drug for effective and safe cancer therapies. Eur J Pharmacol. 2009 Dec 25;625(1-3):220-33. Epub 2009 Oct 15. PMID:19836374

Soltys MA. A review of studies on immunization against protozoan diseases of animals. Z Tropenmed Parasitol. 1973 Sep;24(3):309-22. PMID:4598206

Soomro S, Langenberg T, Mahringer A, Konkimalla VB, Horwedel C, Holenya P, Brand A, Cetin C, Fricker G, Dewerchin M, Carmeliet P, Conway EM, Jansen H, Efferth T. Design of novel artemisinin-like derivatives with cytotoxic and anti-angiogenic properties. J Cell Mol Med. 2011 May;15(5):1122-35. Epub 2010 Jul 12. PMID:20629994

Sowunmi A, Akinrinola IA, Gbotosho GO, Okuboyejo TM, Happi CT. A Simple Dose Regimen of Artesunate and Amodiaquine Based on Arm Span- or Age Range for Childhood Falciparum Malaria: A Preliminary Evaluation. J Trop Pediatr. 2011 Nov 3. [Epub ahead of print]. PMID:22052702

Sowunmi A, Gbotosho GO, Happi CT, Fateye BA. Factors contributing to anaemia after uncomplicated Plasmodiumfalciparum malaria in children. Acta Trop. 2010 Feb;113(2):155-61. Epub 2009 Oct 27. PMID:19874795

Spadafora C, Gerena L, Kopydlowski KM. Comparison of the in vitro invasive capabilities of Plasmodium falciparum schizonts isolated by Percoll gradient or using magnetic based separation. Malar J. 2011 Apr 18;10:96. PMID:21501476

Spaete J, Patrozou E, Rich JD, Sweeney JD. Red cell exchange transfusion for babesiosis in Rhode Island. J Clin Apher. 2009;24(3):97-105. PMID:19291782

Specos MM, García JJ, Tornesello J, Marino P, Vecchia MD, Tesoriero MV, Hermida LG. Microencapsulated citronella oil for mosquito repellent finishing of cotton textiles. *Trans R Soc Trop Med Hyg.* 2010 Oct;104(10):653-8. Epub 2010 Jul 31. PMID:20673937

Speeckaert MM, Speeckaert R, Delanghe JR. Biological and clinical aspects of soluble transferrin receptor. *Crit Rev Clin Lab Sci.* 2010 Dec;47(5-6):213-28. PMID:21391831

Spicer N, Bogdan D, Brugha R, Harmer A, Murzalieva G, Semigina T. 'It's risky to walk in the city with syringes': understanding access to HIV/AIDS services for injecting drug users in the former Soviet Union countries of Ukraine and Kyrgyzstan. *Global Health.* 2011 Jul 13;7:22. PMID:21752236

Spry C, van Schalkwyk DA, Strauss E, Saliba KJ. Pantothenate utilization by Plasmodium as a target for antimalarial chemotherapy. *Infect Disord Drug Targets.* 2010 Jun;10(3):200-16. PMID:20334619

Squires JM, Ferreira JF, Lindsay DS, Zajac AM. Effects of artemisinin and Artemisia extracts on *Haemonchus contortus* in gerbils (*Meriones unguiculatus*). *Vet Parasitol.* 2011 Jan 10;175(1-2):103-8. Epub 2010 Sep 16. PMID:20943323

Sréter T, Kálmán D, Sréterné Lancz Z, Széll Z, Egyed L. [Babesia microti and Anaplasma phagocytophilum: two emerging zoonotic pathogens in Europe and Hungary].[Article in Hungarian]. *Orv Hetil.* 2005 Mar 27;146(13):595-600. PMID:15856623

Sréter T, Sréterné Lancz Z, Széll Z, Egyed L. [Rickettsia helvetica: an emerging tick-borne pathogen in Hungary and Europe].[Article in Hungarian]. *Orv Hetil.* 2005 Dec 11;146(50):2547-52. PMID:16440500

Sridaran S, McClintock SK, Syphard LM, Herman KM, Barnwell JW, Udhayakumar V. Anti-folate drug resistance in Africa: meta-analysis of reported dihydrofolate reductase (dhfr) and dihydropteroate synthase (dhps) mutant genotype frequencies in African *Plasmodium falciparum* parasite populations. *Malar J.* 2010 Aug 30;9:247. PMID:20799995

Sserugga JN, Jonsson NN, Bock RE, More SJ. Serological evidence of exposure to tick fever organisms in young cattle on Queensland dairy farms. *Aust Vet J.* 2003 Mar;81(3):147-52. PMID:15080428

Staines HM, Croft SL, Horrocks PD. Developing novel strategies to prevent parasitic infections. *Expert Rev Anti Infect Ther.* 2011 Jul;9(7):783-5. PMID:21810050

Stańczak J, Myjak P, Bajer A, Siński E, Wedrychowicz H, Majewska AC, Gołab E, Budak A. [Usefulness of the molecular techniques for detecting and/or identifying of parasites and fungi in humans and animals or pathogens transmitted by ticks. Part III].[Article in Polish]. *Wiad Parazytol.* 2001;47(3):465-75. PMID:16894762

Standfast NF, Bock RE, Wiecek MM, deVos AJ, Jorgensen WK, Kingston TG. Overcoming constraints to meeting increased demand for Babesia bigemina vaccine in Australia. *Vet Parasitol.* 2003 Jul 29;115(3):213-22. PMID:12935736

Standfast NF, Jorgensen WK. Comparison of the infectivity of Babesia bovis, Babesia bigemina and Anaplasma centrale for cattle after cryopreservation in either dimethylsulphoxide (DMSO) or polyvinylpyrrolidone (PVP). *Aust Vet J.* 1997 Jan;75(1):62-3. PMID:9034504

Steele JH. Veterinary public health in the United States, 1776 to 1976. *J Am Vet Med Assoc.* 1976 Jul 1;169(1):74-82. PMID:776913

Stegeman JR, Birkenheuer AJ, Kruger JM, Breitschwerdt EB. Transfusion-associated Babesia gibsoni infection in a dog. *J Am Vet Med Assoc.* 2003 Apr 1;222(7):959-63, 952. PMID:12685786

Steinhardt LC, Magill AJ, Arguin PM. Review: malaria chemoprophylaxis for travelers to latin america. *Am J Trop Med Hyg.* 2011 Dec;85(6):1015-24. PMID:22144437

Steinhaus RK, Baskin SI, Clark JH, Kirby SD. Formation of methemoglobin and metmyoglobin using 8-aminoquinoline derivatives or sodium nitrite and subsequent reaction with cyanide. *J Appl Toxicol.* 1990 Oct;10(5):345-51. PMID:2254586

Steketee RW, Slutsker L. Targeting of intermittent preventive treatment for malaria. *Lancet Infect Dis.* 2011 Dec 13. [Epub ahead of print]. PMID:22172304

Stell JG, Wheelhouse RT, Wright CW. Metabolism of cryptolepine and 2-fluorocryptolepine by aldehyde oxidase. *J Pharm Pharmacol.* 2012 Feb;64(2):237-43. Epub 2011 Nov 18. PMID:22221099

Stephens R, Langhorne J. Effector memory Th1 CD4 T cells are maintained in a mouse model of chronic malaria. *PLoS Pathog.* 2010 Nov 24;6(11):e1001208. PMID:21124875

Stewart NP, de Vos AJ, Shiels I. Elimination of *Theileria buffeli* infections from cattle by concurrent treatment with primaquine phosphate and halofuginone lactate. *Trop Anim Health Prod.* 1990 May;22(2):109-15. PMID:2115212

Stowell CP, Gelfand JA, Shepard JA, Kratz A. Case records of the Massachusetts General Hospital. Case 17-2007. A 25-year-old woman with relapsing fevers and recent onset of dyspnea. *N Engl J Med.* 2007 May 31;356(22):2313-9. PMID:17538091

Stramer SL, Hollinger FB, Katz LM, Kleinman S, Metzel PS, Gregory KR, Dodd RY. Emerging infectious disease agents and their potential threat to transfusion safety. *Transfusion.* 2009 Aug;49 Suppl 2:1S-29S. PMID:19686562

Stresman GH. Beyond temperature and precipitation: ecological risk factors that modify malaria transmission. *Acta Trop.* 2010 Dec;116(3):167-72. Epub 2010 Aug 17. PMID:20727338

Stricker RB, Johnson L. Lyme disease: the next decade. *Infect Drug Resist.* 2011;4:1-9. Epub 2011 Jan 7. PMID:21694904

Stricker RB, Lautin A, Burrascano JJ. Lyme disease: point/counterpoint. *Expert Rev Anti Infect Ther.* 2005 Apr;3(2):155-65. PMID:15918774

Stricker RB, Lautin A, Burrascano JJ. Lyme disease: the quest for magic bullets. *Cancer Chemotherapy.* 2006;52(2):53-9. Epub 2006 Feb 22. PMID:16498239.

Stricker RB. Counterpoint: long-term antibiotic therapy improves persistent symptoms associated with lyme disease. *Clin Infect Dis.* 2007 Jul 15;45(2):149-57. Epub 2007 Jun 5. PMID:17578772

Suarez CE, McElwain TF. Transfection systems for Babesia bovis: a review of methods for the transient and stable expression of exogenous genes. *Vet Parasitol.* 2010 Feb 10;167(2-4):205-15. Epub 2009 Sep 19. PMID:19819628

Suarez CE, Noh S. Emerging perspectives in the research of bovine babesiosis and anaplasmosis. *Vet Parasitol.* 2011 Aug 4;180(1-2):109-25. Epub 2011 May 27. PMID:21684084

Suarez-Mutis MC, de Souza PP, Freitas LF, Miranda ES, Campos MR, Osorio-de-Castro CG. Pharmaceutical services for endemic situations in the Brazilian Amazon: organization of services and prescribing practices for Plasmodium vivax and Plasmodium falciparum non-complicated malaria in high-risk municipalities. *Malar J.* 2011 Nov 3;10(1):335. [Epub ahead of print]. PMID:22050832

Subeki, Matsuura H, Yamasaki M, Yamato O, Maede Y, Katakura K, Suzuki M, Trimurningsih, Chairul, Yoshihara T. Effects of Central Kalimantan plant extracts on intraerythrocytic Babesia gibsoni in culture. *J Vet Med Sci.* 2004 Jul;66(7):871-4. PMID:15297762

Subeki, Nomura S, Matsuura H, Yamasaki M, Yamato O, Maede Y, Katakura K, Suzuki M, Trimurningsih, Chairul, Yoshihara T. Anti-babesial activity of some central kalimantan plant extracts and active oligostilbenoids from Shorea balangeran. *Planta Med.* 2005 May;71(5):420-3. PMID:15931579

Sudomo M, Arianti Y, Wahid I, Safruddin D, Pedersen EM, Charlwood JD. Towards eradication: three years after the tsunami of 2004, has malaria transmission been eliminated from the island of Simeulue? *Trans R Soc Trop Med Hyg.* 2010 Dec;104(12):777-81. Epub 2010 Oct 16. PMID:20952042

Sun T, Tenenbaum MJ, Greenspan J, Teichberg S, Wang RT, Degnan T, Kaplan MH. Morphologic and clinical observations in human infection with Babesia microti. *J Infect Dis.* 1983 Aug;148(2):239-48. PMID:6684141

Sundaram GS, Venkatesh C, Syam Kumar UK, Ila H, Junjappa H. A concise formal synthesis of alkaloid cryptotackiene and substituted 6H-indolo[2,3-b]quinolines. *J Org Chem.* 2004 Aug 20;69(17):5760-2. PMID:15307753

Sutherland CJ, Babiker H, Mackinnon MJ, Ranford-Cartwright L, El Sayed BB. Rational deployment of antimalarial drugs in Africa: should first-line combination drugs be reserved for paediatric malaria cases? *Parasitology.* 2011 Oct;138(12):1459-68. Epub 2011 Aug 3. PMID:21810298

Suwanarusk R, Chavchich M, Russell B, Jaidee A, Chalfein F, Barends M, Prasetyorini B, Kenangalem E, Piera KA, Lek-Uthai U, Anstey NM, Tjitra E, Nosten F, Cheng Q, Price RN. Amplification of pvmdr1 associated with multidrug-resistant Plasmodium vivax. *J Infect Dis.* 2008 Nov 15;198(10):1558-64. PMID:18808339

Suwandittakul N, Chaijaroenkul W, Harnyuttanakorn P, Munghin M, Na Bangchang K. Drug resistance and in vitro susceptibility of Plasmodium falciparum in Thailand during 1988-2003. *Korean J Parasitol.* 2009 Jun;47(2):139-44. Epub 2009 May 27. PMID:19488420

Suzuki K, Wakabayashi H, Takahashi M, Fukushima K, Yabuki A, Endo Y. A Possible treatment strategy and clinical factors to estimate the treatment response in Babesia gibsoni infection. *J Vet Med Sci.* 2007 May;69(5):563-8. PMID:17551236

Swai ES, French NP, Beauchamp G, Fitzpatrick JL, Bryant MJ, Kambarage D, Ogden NH. A longitudinal study of sero-conversion to tick-borne pathogens in smallholder dairy youngstock in Tanzania. *Vet Parasitol.* 2005 Jul 15;131(1-2):129-37. PMID:15936149

Swampillai AL, Salomoni P, Short SC. The Role of Autophagy in Clinical Practice. *Clin Oncol (R Coll Radiol).* 2011 Oct 26. [Epub ahead of print]. PMID:22032864

Sykes A, Hendriksen I, Mtove G, Mandea V, Mrema H, Rutta B, Mapunda E, Manjurano A, Amos B, Reyburn H, Whitty CJ. Azithromycin plus artesunate versus artemether-lumefantrine for treatment of uncomplicated malaria in Tanzanian children: a randomized, controlled trial. *Clin Infect Dis.* 2009 Oct 15;49(8):1195-201. PMID:19769536

Taboada J, Merchant SR. Babesiosis of companion animals and man. *Vet Clin North Am Small Anim Pract.* 1991 Jan;21(1):103-23. PMID:2014615

Tachibana M, Wu Y, Iriko H, Muratova O, MacDonald NJ, Sattabongkot J, Takeo S, Otsuki H, Torii M, Tsuboi T. N-terminal prodomain of Pf<sub>s</sub>230 synthesized using a cell-free system is sufficient to induce complement-dependent malaria transmission-blocking activity. *Clin Vaccine Immunol.* 2011 Aug;18(8):1343-50. Epub 2011 Jun 29. PMID:21715579

Tagbor H, Bruce J, Agbo M, Greenwood B, Chandramohan D. Intermittent screening and treatment versus intermittent preventive treatment of malaria in pregnancy: a randomised controlled non-inferiority trial. *PLoS One.* 2010 Dec 28;5(12):e14425. PMID:21203389

Tagliaferri L, Prunotto G, Hakizimana J, Rios WP, Pelucchi C, Principi N, Esposito S. Knowledge of Malaria Among Women of Burundi and its Impact on the Incidence of the Disease. *J Trop Pediatr.* 2011 Oct 11. [Epub ahead of print]. PMID:21990107

Tahar R, Vivas L, Basco L, Thompson E, Ibrahim H, Boyer J, Nepveu F. Indolone-N-oxide derivatives: in vitro activity against fresh clinical isolates of Plasmodium falciparum, stage specificity and in vitro interactions with established antimalarial drugs. *J Antimicrob Chemother.* 2011 Nov;66(11):2566-72. Epub 2011 Aug 22. PMID:21862474

Taiwo B, Lee C, Venkat D, Tambar S, Sutton SH. Can tumor necrosis factor alpha blockade predispose to severe babesiosis? *Arthritis Rheum.* 2007 Feb 15;57(1):179-81. PMID:17266091

Tajima T, Zhi N, Lin Q, Rikihisa Y, Horowitz HW, Ralfalli J, Wormser GP, Hechemy KE. Comparison of two recombinant major outer membrane proteins of the human granulocytic ehrlichiosis agent for use in an enzyme-linked immunosorbent assay. *Clin Diagn Lab Immunol.* 2000 Jul;7(4):652-7. PMID:10882667

Takabatake N, Okamura M, Yokoyama N, Okubo K, Ikehara Y, Igarashi I. Involvement of a host erythrocyte sialic acid content in Babesia bovis infection. *J Vet Med Sci.* 2007 Oct;69(10):999-1004. PMID:17984585

Takahashi M, Omata Y, Oikawa H, Claveria F, Igarashi I, Saito A, Suzuki N. Protective immune response of *Isospora felis*-infected mice against Babesia microti infection. *J Vet Med Sci.* 1993 Aug;55(4):587-90. PMID:8399737

Takala SL, Coulibaly D, Thera MA, Batchelor AH, Cummings MP, Escalante AA, Ouattara A, Traoré K, Niangaly A, Djimdé AA, Doumbo OK, Plowe CV. Extreme polymorphism in a vaccine antigen and risk of clinical malaria: implications for vaccine development. *Sci Transl Med.* 2009 Oct 14;1(2):2ra5. PMID:20165550

Talour K, Karam A, Dreux N, Lemasson G, Gilbert D, Abasq C, Misery L. Incipiens linear IgA disease with IgA antibodies directed against 200-kDa epidermal antigens. *Eur J Dermatol.* 2011 May-Jun;21(3):411-2. PMID:21515442

Tambrallo LJ, Buening GM, McLaughlin RM. The effect of neutrophils, tumor necrosis factor, and granulocyte macrophage/colony stimulating factor on Babesia bovis and Babesia bigemina in culture. *Vet Parasitol.* 1992 Jul;43(3-4):177-88. PMID:1413450

Tammemagi L. Iron-dextran in the treatment of anaemia associated with bovine babesiosis. *Aust Vet J.* 1966 Jul;42(7):260-1. PMID:4961184

Tan TM, Goh KL, Binh LN, Ting RC, Kara UA. Identification of a Plasmodium berghei antigen sharing common features with P. falciparum and P. chabaudi parasitophorous-vacuole membrane antigens. *Parasitol Res.* 1996;82(2):130-35. PMID:8825207

Tanne JH. Trial shows vaccine halves malaria episodes in children in Africa. *BMJ.* 2011 Oct 20;343:d6832. PMID:22016456

Tapas S, Kumar A, Dhindwal S, Preeti, Kumar P. Structural analysis of chorismate synthase from Plasmodium falciparum: a novel target for antimalaria drug discovery. *Int J Biol Macromol.* 2011 Nov 1;49(4):767-77. Epub 2011 Jul 27. PMID:21801743

Taraskina LA. [The development of public health in the Democratic Republic of Vietnam].[Article in Russian]. *Sov Zdravookhr.* 1968;27(3):80-2. PMID:5675744

Tarello W. Cutaneous lesions in dogs with Dirofilaria (Nochtiella) repens infestation and concurrent tick-borne transmitted diseases. *Vet Dermatol.* 2002 Oct;13(5):267-74. PMID:12358611

Tarello W. Dermatitis associated with Dirofilaria (Nochtiella) repens microfilariae in dogs from central Italy. *Acta Vet Hung.* 2002;50(1):63-78. PMID:12061238

Tarello W. Dermatitis associated with Dirofilaria repens microfilariae in three dogs in Saudi Arabia. *J Small Anim Pract.* 2003 Mar;44(3):132-4. PMID:12653329

Tarello W. Effective imidocarb dipropionate therapy for Babesia shortti in falcons. *Vet Rec.* 2006 Feb 18;158(7):239-40. PMID:16489163

Targett G. Malaria elimination: how far can we go without a vaccine? Clin Med. 2011 Oct;11(5):422-3. PMID:22034696

Tatem AJ, Smith DL. International population movements and regional Plasmodium falciparum malaria elimination strategies. Proc Natl Acad Sci U S A. 2010 Jul 6;107(27):12222-7. Epub 2010 Jun 21. PMID:20566870

Taylor CA, Moreira C, Murray MJ. A retrospective study of malaria in pediatric oncology patients in Senegal. J Pediatr Hematol Oncol. 2011 Jul;33(5):325-9. PMID:21694554

Taylor DA. Profile: Ogobara Doumbo. Mali researcher shows how to reverse brain drain. Science. 2011 Jun 24;332(6037):1498-9. PMID:21700851

Taylor RJ, McHardy N. Preliminary observations on the combined use of imidocarb and Babesia blood vaccine in cattle. J S Afr Vet Assoc. 1979 Dec;50(4):326-9. PMID:553972

Taylor SM, Elliott CT, Kenny J. Babesia divergens: sequential exposure to heterologous tick-borne challenge of cattle immunized with a fraction of parasitized erythrocytes. J Comp Pathol. 1986 Jan;96(1):101-7. PMID:3944282

Taylor SM, Elliott CT, Kenny J. Inhibition of Babesia divergens in cattle by oxytetracycline. Vet Rec. 1986 Jan 25;118(4):98-102. PMID:3952967

Taylor SM, Elliott CT, Kenny J. Isolation of antigenic proteins from erythrocytes parasitised with Babesia divergens and a comparison of their immunising potential. Vet Parasitol. 1986 Jun;21(2):99-105. PMID:3739209

Taylor SM, Kenny J, Mallon T, Elliott CT. The immunization of cattle against Babesia divergens with fractions of parasitized erythrocytes. Vet Parasitol. 1984 Nov;16(3-4):235-42. PMID:6542721

Taylor SM, Kenny J, Mallon T. The effect of route of administration of a Babesia divergens inactivated vaccine on protection against homologous challenge. *J Comp Pathol.* 1983 Jul;93(3):423-8. PMID:6886086

Taylor SM, Kenny J, Purnell RE, Lewis D. Exposure of cattle immunised against redwater to tick challenge in the field: challenge by a homologous strain of *B divergens*. *Vet Rec.* 1980 Feb 23;106(8):167-70. PMID:7361409

Taylor SM, Kenny J, Purnell RE, Lewis D. Exposure of cattle immunised against redwater to tick-induced challenge in the field: challenge by a heterologous strain of *Babesia divergens*. *Vet Rec.* 1980 Apr 26;106(17):385-7. PMID:7434497

Taylor SM, van Eijk AM, Hand CC, Mwandagalirwa K, Messina JP, Tshefu AK, Atua B, Emch M, Muwonga J, Meshnick SR, Ter Kuile FO. Quantification of the burden and consequences of pregnancy-associated malaria in the Democratic Republic of the Congo. *J Infect Dis.* 2011 Dec;204(11):1762-71. Epub 2011 Oct 11. PMID:21990422

Taylor WM, Simpson CF, Martin FG. Certain aspects of toxicity of an amicarbalide formulation to ponies. *Am J Vet Res.* 1972 Mar;33(3):533-41. PMID:5014461

Tchoumbougnang F, Zollo PH, Dagne E, Mekonnen Y. In vivo antimalarial activity of essential oils from *Cymbopogon citratus* and *Ocimum gratissimum* on mice infected with *Plasmodium berghei*. *Planta Med.* 2005 Jan;71(1):20-3. PMID:15678368

Tekete MM, Toure S, Fredericks A, Beavogui AH, Sangare CP, Evans A, Smith P, Maiga H, Traore ZI, Doumbo OK, Barnes KI, Djimde AA. Effects of amodiaquine and artesunate on sulphadoxine-pyrimethamine pharmacokinetic parameters in children under five in Mali. *Malar J.* 2011 Sep 21;10:275. PMID:21936885

Tekwani BL, Walker LA. 8-Aminoquinolines: future role as antiprotozoal drugs. *Curr Opin Infect Dis.* 2006 Dec;19(6):623-31. PMID:17075340

Tempesta MS. The clinical efficacy of cryptolepis sanguinolenta in the treatment of malaria. *Ghana Med J.* 2010 Mar;44(1):1-2. PMID:21326982

ten Hagen TL, Sulzer AJ, Kidd MR, Lal AA, Hunter RL. Role of adjuvants in the modulation of antibody isotype, specificity, and induction of protection by whole blood-stage Plasmodium yoelii vaccines. *J Immunol.* 1993 Dec 15;151(12):7077-85. PMID:8258712

Tepongning RN, Lucantoni L, Nasuti CC, Dori GU, Yerbanga SR, Lupidi G, Marini C, Rossi G, Esposito F, Habluetzel A. Potential of a Khaya ivorensis -Alstonia boonei extract combination as antimalarial prophylactic remedy. *J Ethnopharmacol.* 2011 Sep 1;137(1):743-51. Epub 2011 Jun 30. PMID:21742022

Terkawi MA, Aboge G, Jia H, Goo YK, Ooka H, Yamagishi J, Nishikawa Y, Yokoyama N, Igarashi I, Kawazu SI, Fujisaki K, Xuan X. Molecular and immunological characterization of Babesia gibsoni and Babesia microti heat shock protein-70. *Parasite Immunol.* 2009 Jun;31(6):328-40. PMID:19493212

Terkawi MA, Jia H, Zhou J, Lee EG, Igarashi I, Fujisaki K, Nishikawa Y, Xuan X. Babesia gibsoni ribosomal phosphoprotein P0 induces cross-protective immunity against B. microti infection in mice. *Vaccine.* 2007 Mar 1;25(11):2027-35. Epub 2006 Dec 8. PMID:17229504

Terkawi MA, Zhang G, Jia H, Aboge G, Goo YK, Nishikawa Y, Yokoyama N, Igarashi I, Kawazu SI, Fujisaki K, Xuan X. C3 contributes to the cross-protective immunity induced by Babesia gibsoni phosphoriboprotein P0 against a lethal B. rodhaini infection. *Parasite Immunol.* 2008 Jun-Jul;30(6-7):365-70. PMID:18533933

Terry MC, Heames RM. Antimalarial chemoprophylaxis in a deployed Naval Unit. *J R Nav Med Serv.* 2011;97(2):59-61. PMID:22013637

Terzian LA, Stahler N, Dawkins AT Jr. The sporogonous of Plasmodium vivax in Anopheles mosquitoes as a system for evaluating the prophylactic and curative capabilities of potential antimalarial compounds. *Exp Parasitol.* 1968 Aug;23(1):56-66. PMID:4876903

Tetzlaff CL, Carlomagno MA, McMurray DN. Reduced dietary protein content suppresses infection with Babesia microti. *Med Microbiol Immunol.* 1988;177(6):305-15. PMID:3216813

Tetzlaff CL, Rice-Ficht AC, Woods VM, Brown WC. Induction of proliferative responses of T cells from Babesia bovis-immune cattle with a recombinant 77-kilodalton merozoite protein (Bb-1). *Infect Immun.* 1992 Feb;60(2):644-52. PMID:1730498

Teuscher F, Gatton ML, Chen N, Peters J, Kyle DE, Cheng Q. Artemisinin-induced dormancy in plasmodium falciparum: duration, recovery rates, and implications in treatment failure. *J Infect Dis.* 2010 Nov 1;202(9):1362-8. PMID:20863228

Tewari AK, Sharma NN, Rao JR, Mishra AK, Das SK. Effect of Mycobacterium phlei on the development of immunity to Babesia bigemina. *Vet Parasitol.* 1996 Apr;62(3-4):223-30. PMID:8686168

Tewari K, Flynn BJ, Boscardin SB, Kastenmueller K, Salazar AM, Anderson CA, Soundrapandian V, Ahumada A, Keler T, Hoffman SL, Nussenzweig MC, Steinman RM, Seder RA. Poly(I:C) is an effective adjuvant for antibody and multi-functional CD4+ T cell responses to Plasmodium falciparum circumsporozoite protein (CSP) and  $\alpha$ DEC-CSP in non human primates. *Vaccine.* 2010 Oct 21;28(45):7256-66. Epub 2010 Sep 21. PMID:20846528

Thanaketpaisarn O, Waiwut P, Sakurai H, Saiki I. Artesunate enhances TRAIL-induced apoptosis in human cervical carcinoma cells through inhibition of the NF- $\kappa$ B and PI3K/Akt signaling pathways. *Int J Oncol.* 2011 Jul;39(1):279-85. Epub 2011 Apr 28. PMID:21537836

Thanh NV, Toan TQ, Cowman AF, Casey GJ, Phuc BQ, Tien NT, Hung NM, Biggs BA. Monitoring for Plasmodium falciparum drug resistance to artemisinin and artesunate in Binh Phuoc Province, Vietnam: 1998-2009. *Malar J.* 2010 Jun 24;9:181. PMID:20573274

Thanh NX, Trung TN, Phong NC, Thien NX, Dai B, Shanks GD, Chavchich M, Edstein MD. Open label randomized comparison of dihydroartemisinin-piperaquine and artesunate-amodiaquine for the treatment of uncomplicated Plasmodium falciparum malaria in central Vietnam. *Trop Med Int Health.* 2009 May;14(5):504-11. Epub 2009 Mar 19. PMID:19320869

Thelot FL. [HIV/AIDS in South Africa and Haiti: the failure of epidemic governance and achievement of the MDGs].[Article in French]. *Sante.* 2009 Jul-Sep;19(3):121-32. PMID:20185388

Theron M, Hesketh RL, Subramanian S, Rayner JC. An adaptable two-color flow cytometric assay to quantitate the invasion of erythrocytes by Plasmodium falciparum parasites. *Cytometry A.* 2010 Nov;77(11):1067-74. PMID:20872885

Thomford JW, Conrad PA, Boyce WM, Holman PJ, Jessup DA. Isolation and in vitro cultivation of Babesia parasites from free-ranging desert bighorn sheep (*Ovis canadensis nelsoni*) and mule deer (*Odocoileus hemionus*) in California. *J Parasitol.* 1993 Feb;79(1):77-84. PMID:8437062

Thompson C, Spielman A, Krause PJ. Coinfecting deer-associated zoonoses: Lyme disease, babesiosis, and ehrlichiosis. *Clin Infect Dis.* 2001 Sep 1;33(5):676-85. Epub 2001 Aug 6. PMID:11486290

Thompson JH. Gametocytemia in falciparum malaria. *JAMA.* 1971 Jun 14;216(11):1866. PMID:4931429

Thompson KC, Todorovic RA, Mateus G, Adams LG. Methods to improve the health of cattle in the tropics: immunisation and chemoprophylaxis against haemoparasitic infections. *Trop Anim Health Prod.* 1978 May;10(2):75-81. PMID:664017

Thomsen TT, Ishengoma DS, Mmbando BP, Lusingu JP, Vestergaard LS, Theander TG, Lemnge MM, Bygbjerg IC, Alifrangis M. Prevalence of Single Nucleotide Polymorphisms in the Plasmodium falciparum Multidrug Resistance Gene (Pfmdr-1) in Korogwe District in Tanzania Before and After Introduction of Artemisinin-Based Combination Therapy. *Am J Trop Med Hyg.* 2011 Dec;85(6):979-83. PMID:22144430

Thoongsuwan S, Cox HW, Patrick RA. Serologic specificity of immunoconglutinin associated with infectious anemia of rats and its role in nonspecific acquired resistance. *J Parasitol.* 1978 Dec;64(6):1060-6. PMID:739300

Thoongsuwan S, Cox HW. Antigenic variants of the haemosporidian parasite, Babesia rodhaini, selected by in vitro treatment with immune globulin. *Ann Trop Med Parasitol.* 1973 Dec;67(4):373-85. PMID:4132544

Thwing JI, Odero CO, Odhiambo FO, Otieno KO, Kariuki S, Ord R, Roper C, McMorrow M, Vulule J, Slutsker L, Newman RD, Hamel MJ, Desai M. In-vivo efficacy of amodiaquine-artesunate in children with uncomplicated Plasmodium falciparum malaria in western Kenya. *Trop Med Int Health.* 2009 Mar;14(3):294-300. Epub 2009 Jan 28. PMID:19187521

Tian LG, Cheng GJ, Wang FF, Guo J, Cai YC, Wang TP, Chen JX, Zhou XN. [Efficacy of tribendimidine in treatment of hookworm infection]. [Article in Chinese]. *Zhongguo Xue Xi Chong Bing Fang Zhi Za Zhi.* 2011 Apr;23(2):202-3. PMID:22164629

Tilley L, Dixon MW, Kirk K. The Plasmodium falciparum-infected red blood cell. *Int J Biochem Cell Biol.* 2011 Jun;43(6):839-42. Epub 2011 Mar 31. PMID:21458590

Timms P, Barry DN, Gill AC, Sharp PJ, de Vos AJ. Failure of a recombinant Babesia bovis antigen to protect cattle against heterologous strain challenge. *Res Vet Sci.* 1988 Sep;45(2):267-9. PMID:3194602

Timms P, Dalgliesh RJ, Barry DN, Dimmock CK, Rodwell BJ. Babesia bovis: comparison of culture-derived parasites, non-living antigen and conventional vaccine in the protection of cattle against heterologous challenge. *Aust Vet J.* 1983 Mar;60(3):75-7. PMID:6347164

Timms P, Rodwell BJ, Barry DN. Development of a Babesia rodhaini mouse assay for quality control of the serum component of a bovine babesiosis vaccine. *Res Vet Sci.* 1983 Nov;35(3):331-3. PMID:6665317

Timms P, Stewart NP, Dalgliesh RJ. Comparison of tick and blood challenge for assessing immunity to Babesia bovis. *Aust Vet J.* 1983 Aug;60(8):257-9. PMID:6639533

Timms P, Stewart NP. Growth of Babesia bovis parasites in stationary and suspension cultures and their use in experimental vaccination of cattle. *Res Vet Sci.* 1989 Nov;47(3):309-14. PMID:2595088

Timms P. Development of babesial vaccines. *Trans R Soc Trop Med Hyg.* 1989;83 Suppl:73-9. PMID:2696164

Timofeev BA, Bolotin IM, Stepanova LP, Bogdanov AA Jr, Georgiu K, Malyshev SN, Petrovsky VV, Klibanov AL, Torchilin VP. Liposomal diamidine (imidocarb): preparation and animal studies. *J Microencapsul.* 1994 Nov-Dec;11(6):627-32. PMID:7884627

Timofeev BA, Bolotin IM, Stepanova LP, Bogdanov AA, Georgiu Kh, Malyshev SN, Petrovskii, Klibanov AL, Torchilin VP. [A liposomal form of diamidine: reduced toxicity].[Article in Russian]. *Antibiot Khimioter.* 1991 Sep;36(9):34-6. PMID:1781710

Tine RC, Faye B, Ndour CT, Ndiaye JL, Ndiaye M, Bassene C, Magnussen P, Bygbjerg IC, Sylla K, Ndour JD, Gaye O. Impact of combining intermittent preventive treatment with home management of malaria in children less than 10 years in a rural area of Senegal: a cluster randomized trial. *Malar J.* 2011 Dec 13;10(1):358. [Epub ahead of print]. PMID:22166001

Tinto H, Guekoun L, Zongo I, Guiguemdé RT, D'Alessandro U, Ouédraogo JB. Chloroquine-resistance molecular markers (Pfcrt T76 and Pfmdr-1 Y86) and amodiaquine resistance in Burkina Faso. *Trop Med Int Health.* 2008 Feb;13(2):238-40. PMID:18304270

Tiono AB, Dicko A, Ndububa DA, Agbenyega T, Pitmang S, Awobusuyi J, Pamba A, Duparc S, Goh LE, Harrell E, Carter N, Ward SA, Greenwood B, Winstanley PA. Chlorproguanil-dapsone-artesunate versus chlorproguanil-dapsone: a randomized, double-blind, phase III trial in African children, adolescents, and adults with uncomplicated *Plasmodium falciparum* malaria. *Am J Trop Med Hyg.* 2009 Dec;81(6):969-78. PMID:19996424

Tipke M, Diallo S, Coulibaly B, Störzinger D, Hoppe-Tichy T, Sie A, Müller O. Substandard anti-malarial drugs in Burkina Faso. *Malar J.* 2008 May 27;7:95. PMID:18505584

Titanji VP, Zofou D, Ngemenya MN. The antimalarial potential of medicinal plants used for the treatment of malaria in Cameroonian folk medicine. *Afr J Tradit Complement Altern Med.* 2008 Apr 10;5(3):302-21. PMID:20161952

Tiwari S, Ghosh SK, Mittal PK, Dash AP. Effectiveness of a new granular formulation of biolarvicide *Bacillus thuringiensis* Var. *israelensis* against larvae of malaria vectors in India. *Vector Borne Zoonotic Dis.* 2011 Jan;11(1):69-75. Epub 2010 May 22. PMID:20491582

Tjørnehoj K, Lawrence JA, Whiteland AP, Kafuwa PT. Field observations on the duration of immunity in cattle after vaccination against *Anaplasma* and *Babesia* species. *Onderstepoort J Vet Res.* 1996 Mar;63(1):1-5. PMID:8848296

Tobler WD Jr, Cotton D, Lepore T, Agarwal S, Mahoney EJ. Case Report: Successful non-operative management of spontaneous splenic rupture in a patient with babesiosis. *World J Emerg Surg.* 2011 Jan 20;6:4. PMID:21251311

Todorovic R, Gonzalez E, Lopez G. Immunization against anaplasmosis and babesiosis. Part II. Evaluation of cryo-preserved vaccines using different doses and routes of inoculation. *Tropenmed Parasitol.* 1978 Jun;29(2):210-4. PMID:675843

Todorovic RA, Gonzalez EF, Adams LG. Babesia bigemina, Babesia argentina, and Anaplasma marginale: Coinfectious immunity in bovines. *Exp Parasitol.* 1975 Apr;37(2):179-92. PMID:1123013

Todorovic RA, Gonzalez EF, Adams LG. Bovine babesiosis: sterile immunity to Babesia bigemina and Babesia argentina infections. *Trop Anim Health Prod.* 1973 Nov;5(4):234-45. PMID:4807692

Todorovic RA, Gonzalez EF, Garcia O. Immunization against anaplasmosis and babesiosis. Part III. Evaluation of immunization under field conditions in the Cauca River Valley. *Tropenmed Parasitol.* 1979 Mar;30(1):43-52. PMID:442200.

Todorovic RA, Vizcaino OG, Gonzalez EF, Adams LG. Chemoprophylaxis (Imidocarb) against Babesia bigemina and Babesia argentina infections. *Am J Vet Res.* 1973 Sep;34(9):1153-61. PMID:4747036

Todorovic RA. Bovine babesiosis: its diagnosis and control. *Am J Vet Res.* 1974 Aug;35(8):1045-52. PMID:4850812

Toh SQ, Glanfield A, Gobert GN, Jones MK. Heme and blood-feeding parasites: friends or foes? *Parasit Vectors.* 2010 Nov 18;3:108. PMID:21087517

Tokmalaev AK, Khodzhaeva NM. [Role of cytokines in the clinical course of tropical malaria in children].[Article in Russian]. *Med Parazitol (Mosk).* 2011 Apr-Jun;(2):28-30. PMID:21797063

Tomillero A, Moral MA. Gateways to clinical trials. *Methods Find Exp Clin Pharmacol.* 2010 Jun;32(5):331-88. PMID:20664824

Tona L, Kambu K, Ngimbi N, Cimanga K, Vlietinck AJ. Antiamoebic and phytochemical screening of some Congolese medicinal plants. *J Ethnopharmacol.* 1998 May;61(1):57-65. PMID:9687082

Tona L, Ngimbi NP, Tsakala M, Mesia K, Cimanga K, Apers S, De Bruyne T, Pieters L, Totté J, Vlietinck AJ. Antimalarial activity of 20 crude extracts from nine African medicinal plants used in Kinshasa, Congo. *J Ethnopharmacol.* 1999 Dec 15;68(1-3):193-203. PMID:10624878

Tonhosolo R, Gabriel HB, Matsumura MY, Cabral FJ, Yamamoto MM, D'Alexandri FL, Sussmann RA, Belmonte R, Peres VJ, Crick DC, Wunderlich G, Kimura EA, Katzin AM. Intraerythrocytic stages of *Plasmodium falciparum* biosynthesize menaquinone. *FEBS Lett.* 2010 Dec 1;584(23):4761-8. Epub 2010 Oct 29. PMID:21036171

Tonnetti L, Eder AF, Dy B, Kennedy J, Pisciotto P, Benjamin RJ, Leiby DA. Transfusion-transmitted Babesia microti identified through hemovigilance. *Transfusion.* 2009 Dec;49(12):2557-63. Epub 2009 Jul 16. PMID:19624607

Tonnetti L, Proctor MC, Reddy HL, Goodrich RP, Leiby DA. Evaluation of the Mirasol pathogen [corrected] reduction technology system against Babesia microti in apheresis platelets and plasma. *Transfusion.* 2010 May;50(5):1019-27. Epub 2009 Dec 18. PMID:20030791

Topolovec J, Puntarić D, Antolović-Pozgain A, Vuković D, Topolovec Z, Milas J, Drusko-Barisić V, Venus M. Serologically detected "new" tick-borne zoonoses in eastern Croatia. *Croat Med J.* 2003 Oct;44(5):626-9. PMID:14515426

Torina A, Caracappa S. Anaplasmosis in cattle in Italy. *Vet Res Commun.* 2007 Aug;31 Suppl 1:73-8. PMID:17682850

Torina A, Vicente J, Alongi A, Scimeca S, Turlá R, Nicosia S, Di Marco V, Caracappa S, de la Fuente J. Observed prevalence of tick-borne pathogens in domestic animals in Sicily, Italy during 2003-2005. *Zoonoses Public Health.* 2007;54(1):8-15. PMID:17359441

Torrentino-Madamet M, Desplans J, Travailé C, James Y, Parzy D. Microaerophilic respiratory metabolism of Plasmodium falciparum mitochondrion as a drug target. *Curr Mol Med.* 2010 Feb;10(1):29-46. PMID:20205678

Torres-Vélez FJ, Nace EK, Won KY, Bartlett J, Eberhard M, Guarner J. Development of an immunohistochemical assay for the detection of babesiosis in formalin-fixed, paraffin-embedded tissue samples. *Am J Clin Pathol.* 2003 Dec;120(6):833-8. PMID:14671971

Totino PR, Daniel-Ribeiro CT, Ferreira-da-Cruz Mde F. Refractoriness of erytrotic red blood cells to Plasmodium falciparum infection: a putative host defense mechanism limiting parasitaemia. *PLoS One.* 2011;6(10):e26575. Epub 2011 Oct 21. PMID:22031840

Touré AO, Koné LP, Jambou R, Konan TD, Demba S, Beugre GE, Koné M. [In vitro susceptibility of P. falciparum isolates from Abidjan (Côte d'Ivoire) to quinine, artesunate and chloroquine].[Article in French]. *Sante.* 2008 Jan-Mar;18(1):43-7. PMID:18684691

Tozan Y, Klein EY, Darley S, Panicker R, Laxminarayan R, Breman JG. Prereferral rectal artesunate for treatment of severe childhood malaria: a cost-effectiveness analysis. *Lancet.* 2010 Dec 4;376(9756):1910-5. Epub 2010 Nov 29. PMID:21122910

Trape JF, Tall A, Diagne N, Ndiath O, Ly AB, Faye J, Dieye-Ba F, Roucher C, Bouganali C, Badiane A, Sarr FD, Mazenot C, Touré-Baldé A, Raoult D, Druilhe P, Mercereau-Puijalon O, Rogier C, Sokhna C. Malaria morbidity and pyrethroid resistance after the introduction of insecticide-treated bednets and artemisinin-based combination therapies: a longitudinal study. *Lancet Infect Dis.* 2011 Dec;11(12):925-32. Epub 2011 Aug 17. PMID:21856232

Trenholme KR, Brown CL, Skinner-Adams TS, Stack C, Lowther J, To J, Robinson MW, Donnelly SM, Dalton JP, Gardiner DL. Aminopeptidases of malaria parasites: new targets for chemotherapy. *Infect Disord Drug Targets.* 2010 Jun;10(3):217-25. PMID:20334618

Trigg PI, Gutteridge WE, Williamson J. The effects of cordycepin on malaria parasites. *Trans R Soc Trop Med Hyg.* 1971;65(4):514-20.  
PMID:4999656

Trigg PI. Drug use and design in the nineties. *Acta Leiden.* 1991;60(1):147-56. PMID:1820704

Trigg PI. Parasite cultivation in relation to research on the chemotherapy of malaria. *Bull World Health Organ.* 1976;53(4):399-406.  
PMID:1086733

Tripathi AK, Prajapati V, Ahmad A, Aggarwal KK, Khanuja SP. Piperitenone oxide as toxic, repellent, and reproduction retardant toward malarial vector *Anopheles stephensi* (Diptera: Anophelinae). *J Med Entomol.* 2004 Jul;41(4):691-8. PMID:15311462

Tripathi R, Khanna M, Dwivedi AK. Efficacy of novel oral formulations of  $\alpha/\beta$  arteether against multidrug-resistant malaria in mice. *Cancer Chemotherapy.* 2010;56(3):178-83. Epub 2010 May 21.  
PMID:20501998

Tripathi R, Pandey SK, Rizvi A. Clarithromycin, a cytochrome P450 inhibitor, can reverse mefloquine resistance in *Plasmodium yoelii nigeriensis*- infected Swiss mice. *Parasitology.* 2011 Aug;138(9):1069-76. Epub 2011 Jul 15. PMID:21756423

Trongtokit Y, Rongsriyam Y, Komalamisra N, Krisadaphong P, Apiwathnasorn C. Laboratory and field trial of developing medicinal local Thai plant products against four species of mosquito vectors. *Southeast Asian J Trop Med Public Health.* 2004 Jun;35(2):325-33.  
PMID:15691131

Trotta M, Carli E, Novari G, Furlanello T, Solano-Gallego L. Clinicopathological findings, molecular detection and characterization of *Babesia gibsoni* infection in a sick dog from Italy. *Vet Parasitol.* 2009 Nov 12;165(3-4):318-22. Epub 2009 Jul 21. PMID:19679397

Trumpheller C, Longhi MP, Caskey M, Idoyaga J, Bozzacco L, Keler T, Schlesinger SJ, Steinman RM. Dendritic cell-targeted protein vaccines: a novel approach to induce T cell immunity. *J Intern Med.* 2011 Nov 29. [Epub ahead of print]. PMID:22126373

Tsabang N, Fokou PV, Tchokouaha LR, Noguem B, Bakarnga-Via I, Nguepi MS, Nkongmeneck BA, Boyom FF. Ethnopharmacological survey of Annonaceae medicinal plants used to treat malaria in four areas of Cameroon. *J Ethnopharmacol.* 2012 Jan 6;139(1):171-80. Epub 2011 Nov 4. PMID:22079831

Tschan S, Mordmüller B, Kun JF. Threonine peptidases as drug targets against malaria. *Expert Opin Ther Targets.* 2011 Apr;15(4):365-78. Epub 2011 Feb 1. PMID:21281254

Tsogoeva SB. Recent progress in the development of synthetic hybrids of natural or unnatural bioactive compounds for medicinal chemistry. *Mini Rev Med Chem.* 2010 Aug;10(9):773-93. PMID:20105118

Tsuji M, Terada Y, Arai S, Okada H, Ishihara C. Use of the Bo-RBC-SCID mouse model for isolation of a Babesia parasite from grazing calves in Japan. *Exp Parasitol.* 1995 Dec;81(4):512-8. PMID:8542992

Tsuji N, Miyoshi T, Battsetseg B, Matsuo T, Xuan X, Fujisaki K. A cysteine protease is critical for Babesia spp. transmission in Haemaphysalis ticks. *PLoS Pathog.* 2008 May 16;4(5):e1000062. PMID:18483546

Tsuzuki A, Khamlome B, Kawada H, Eto H, Phompida S, Takagi M. The efficacy and physical condition of olyset insecticide-treated nets after 5 years use in rural Lao PDR. *Southeast Asian J Trop Med Public Health.* 2011 Mar;42(2):268-73. PMID:21710846

Tuliaganov KS. [Status and perspectives of development of therapeutic services in Uzbekistan].[Article in Russian]. *Ter Arkh.* 1974;46(6):98-101. PMID:4279462

Tuo W, Estes DM, Brown WC. Comparative effects of interleukin-12 and interleukin-4 on cytokine responses by antigen-stimulated memory CD4+ T cells of cattle: IL-12 enhances IFN-gamma production, whereas IL-4 has marginal effects on cytokine expression. *J Interferon Cytokine Res.* 1999 Jul;19(7):741-9. PMID:10454344

Tynan A, Atkinson JA, Toaliu H, Taleo G, Fitzgerald L, Whittaker M, Riley I, Schubert M, Vallely A. Community participation for malaria elimination in Tafea Province, Vanuatu: part II. Social and cultural aspects of treatment-seeking behaviour. *Malar J.* 2011 Jul 26;10:204. PMID:21787434

Ucakacon P, Achan J, Kutyabami P, Odoi A, Kalyango Nj. Prescribing practices for malaria in a rural Ugandan hospital: evaluation of a new malaria treatment policy. *Afr Health Sci.* 2011 Aug;11 Suppl 1:S53-9. PMID:22135645

Uguen C, Girard L, Brasseur P, Leblay R. [Human babesiosis in 1997].[Article in French]. *Rev Med Interne.* 1997;18(12):945-51. PMID:9499998

Uhnoo I, Cars O, Christensson D, Nyström-Rosander C. First documented case of human babesiosis in Sweden. *Scand J Infect Dis.* 1992;24(4):541-7. PMID:1411322

Uilenberg G, Franssen FF, Perié NM, Spanjer AA. Three groups of Babesia canis distinguished and a proposal for nomenclature. *Vet Q.* 1989 Jan;11(1):33-40. PMID:2655263

Uilenberg G, Schreuder BE, Silayo RS, Mpangala C. Studies on Theileriidae (Sporozoa) in Tanzania. IV. A field trial on immunization against East Coast fever (Theileria parva infection of cattle). *Tropenmed Parasitol.* 1976 Sep;27(3):329-36. PMID:982549

Uilenberg G, Verdießen PA, Zwart D. Imidocarb: a chemoprophylactic experiment with Babesia canis. *Vet Q.* 1981 Jul;3(3):118-23. PMID:7268745

Uilenberg G. [Notes on bovine babesiosis and anaplasmosis in Madagascar. VI. Artificial premunization].[Article in French]. Rev Elev Med Vet Pays Trop. 1971;24(1):23-35. PMID:5106007

Uilenberg G. [Studies in the field of tick-borne blood parasites].[Article in Dutch]. Tijdschr Diergeneesk. 1987 Oct 15;112(20):1163-71. PMID:3672475

Ukaga CN, Nwoke BE, Onyeka PI, Anosike JC, Udujih OS, Udujih OG, Obilor RC, Nwachukwu MI. The use of herbs in malaria treatment in parts of Imo State, Nigeria. Tanzan Health Res Bull. 2006 Sep;8(3):183-5. PMID:18254512

Ungar-Waron H, Paz R, Shkap V, Bin H, Pipano E. IgM rheumatoid factor in cattle immunized against babesiosis. Zentralbl Veterinarmed B. 1991 Sep;38(7):492-6. PMID:1776376

Urgaonkar S, Cortese JF, Barker RH, Cromwell M, Serrano AE, Wirth DF, Clardy J, Mazitschek R. A concise silylamine approach to 2-amino-3-hydroxy-indoles with potent in vivo antimalaria activity. Org Lett. 2010 Sep 17;12(18):3998-4001. PMID:20718474

Uriel A, Lewthwaite P. Malaria therapy in HIV: drug interactions between nevirapine and quinine. Int J STD AIDS. 2011 Dec;22(12):768. PMID:22174067

Ushe TC, Palmer GH, Sotomayor L, Figueroa JV, Buening GM, Perryman LE, McElwain TF. Antibody response to a Babesia bigemina rhoptry-associated protein 1 surface-exposed and neutralization-sensitive epitope in immune cattle. Infect Immun. 1994 Dec;62(12):5698-701. PMID:7525490

Uzochukwu BS, Obikeze EN, Onwujekwe OE, Onoka CA, Griffiths UK. Cost-effectiveness analysis of rapid diagnostic test, microscopy and syndromic approach in the diagnosis of malaria in Nigeria: implications for scaling-up deployment of ACT. Malar J. 2009 Nov 23;8:265. PMID:19930666

Uzoka FM, Obot O, Barker K, Osuji J. An experimental comparison of fuzzy logic and analytic hierarchy process for medical decision support systems. *Comput Methods Programs Biomed.* 2011 Jul;103(1):10-27. Epub 2010 Jul 15. PMID:20633949

Valbonesi M, Bruni R. Clinical application of therapeutic erythrocytapheresis (TEA). *Transfus Sci.* 2000 Jun;22(3):183-94. PMID:10831921

Valderramos SG, Scanfeld D, Uhlemann AC, Fidock DA, Krishna S. Investigations into the role of the Plasmodium falciparum SERCA (PfATP6) L263E mutation in artemisinin action and resistance. *Antimicrob Agents Chemother.* 2010 Sep;54(9):3842-52. Epub 2010 Jun 21. PMID:20566762

Vale N, Moreira R, Gomes P. Primaquine revisited six decades after its discovery. *Eur J Med Chem.* 2009 Mar;44(3):937-53. Epub 2008 Sep 11. PMID:18930565

Valecha N, Looareesuwan S, Martensson A, Abdulla SM, Krudsood S, Tangpukdee N, Mohanty S, Mishra SK, Tyagi PK, Sharma SK, Moehrle J, Gautam A, Roy A, Paliwal JK, Kothari M, Saha N, Dash AP, Björkman A. Arterolane, a new synthetic trioxolane for treatment of uncomplicated Plasmodium falciparum malaria: a phase II, multicenter, randomized, dose-finding clinical trial. *Clin Infect Dis.* 2010 Sep 15;51(6):684-91. PMID:20687837

Valentin A, Precigout E, L'Hostis M, Carcy B, Gorenflo A, Schrevel J. Cellular and humoral immune responses induced in cattle by vaccination with Babesia divergens culture-derived exoantigens correlate with protection. *Infect Immun.* 1993 Feb;61(2):734-41. PMID:8423099

Van Bortel W, Trung HD, Hoi le X, Van Ham N, Van Chut N, Luu ND, Roelants P, Denis L, Speybroeck N, D'Alessandro U, Coosemans M. Malaria transmission and vector behaviour in a forested malaria focus in central Vietnam and the implications for vector control. *Malar J.* 2010 Dec 23;9:373. PMID:21182774

Van de Maele I, Savary-Bataille K, Gielen I, Daminet S. An unusual form of canine babesiosis. *Can Vet J.* 2008 Mar;49(3):283-6.  
PMID:18390102

Van den Bossche P, Mudenge D. The effect of short-interval deltamethrin applications to control tsetse on the seroprevalence of babesiosis in cattle. *Trop Anim Health Prod.* 1999 Aug;31(4):215-22.  
PMID:10504101

Van den Steen PE, Geurts N, Deroost K, Van Aelst I, Verhenne S, Heremans H, Van Damme J, Opdenakker G. Immunopathology and dexamethasone therapy in a new model for malaria-associated acute respiratory distress syndrome. *Am J Respir Crit Care Med.* 2010 May 1;181(9):957-68. Epub 2010 Jan 21. PMID:20093644

van Duivenvoorde LM, Voorberg-van der Wel A, van der Werff NM, Braskamp G, Remarque EJ, Kondova I, Kocken CH, Thomas AW. Suppression of Plasmodium cynomolgi in rhesus macaques by coinfection with Babesia microti. *Infect Immun.* 2010 Mar;78(3):1032-9. Epub 2010 Jan 4. PMID:20048045

van Eijk AM, Terlouw DJ. Azithromycin for treating uncomplicated malaria. *Cochrane Database Syst Rev.* 2011 Feb 16;(2):CD006688.  
PMID:21328286

van Heerden J. Diamidine poisoning in a dog. *J S Afr Vet Assoc.* 1981 Dec;52(4):338-9. PMID:7341787

Van Miert S, Hostyn S, Maes BU, Cimanga K, Brun R, Kaiser M, Mátyus P, Dommisce R, Lemière G, Vlietinck A, Pieters L. Isoneocryptolepine, a synthetic indoloquinoline alkaloid, as an antiplasmodial lead compound. *J Nat Prod.* 2005 May;68(5):674-7.  
PMID:15921407

Van Miert S, Jonckers T, Cimanga K, Maes L, Maes B, Lemière G, Dommisso R, Vlietinck A, Pieters L. In vitro inhibition of beta-haematin formation, DNA interactions, antiplasmoidal activity, and cytotoxicity of synthetic neocryptolepine derivatives. *Exp Parasitol.* 2004 Nov-Dec;108(3-4):163-8. PMID:15582513

Van Niekerk CJ, Zweygarth E. In vitro cultivation of Babesia occultans. *Onderstepoort J Vet Res.* 1996 Sep;63(3):259-61. PMID:8917864

Van Noorden R. Demand for malaria drug soars. *Nature.* 2010 Aug 5;466(7307):672-3. PMID:20686539

Van Solingen RM, Evans J. Lyme disease. *Curr Opin Rheumatol.* 2001 Jul;13(4):293-9. PMID:11555731

van Vugt M, van Beest A, Sicuri E, van Tulder M, Grobusch MP. Malaria treatment and prophylaxis in endemic and nonendemic countries: evidence on strategies and their cost-effectiveness. *Future Microbiol.* 2011 Dec;6:1485-500. PMID:22122444

van Wolfswinkel ME, Hesselink DA, Zietse R, Hoorn EJ, van Genderen PJ. Hyponatraemia in imported malaria is common and associated with disease severity. *Malar J.* 2010 May 25;9:140. PMID:20497587

Vanderberg JP. Inactivity of rodent malaria anti-sporozoite antibodies against exoerythrocytic forms. *Am J Trop Med Hyg.* 1973 Sep;22(5):573-7. PMID:4580967

Vane JR. The fight against rheumatism: from willow bark to COX-1 sparing drugs. *J Physiol Pharmacol.* 2000 Dec;51(4 Pt 1):573-86. PMID:11192932

Vannier E, Gewurz BE, Krause PJ. Human babesiosis. *Infect Dis Clin North Am.* 2008 Sep;22(3):469-88, viii-ix. PMID:18755385

Vannier E, Krause PJ. Update on babesiosis. *Interdiscip Perspect Infect Dis.* 2009;2009:984568. Epub 2009 Aug 27. PMID:19727410

Vargas S, Ndjoko Ioset K, Hay AE, Ioset JR, Wittlin S, Hostettmann K. Screening medicinal plants for the detection of novel antimalarial products applying the inhibition of  $\beta$ -hematin formation. *J Pharm Biomed Anal.* 2011 Dec 15;56(5):880-6. Epub 2011 Jul 5. PMID:21872416

Vásquez AM, Sanín F, Alvarez LG, Tobón A, Ríos A, Blair S. [Therapeutic efficacy of a regimen of artesunate-mefloquine-primaquine treatment for Plasmodium falciparum malaria and treatment effects on gametocytic development].[Article in Spanish]. *Biomedica.* 2009 Jun;29(2):307-19. PMID:20128355

Vega CA, Buening GM, Rodriguez SD, Carson CA, McLaughlin K. Cryopreservation of Babesia bigemina for in vitro cultivation. *Am J Vet Res.* 1985 Feb;46(2):421-3. PMID:3922260

Vercammen F, De Deken R, Maes L. Prophylactic activity of imidocarb against experimental infection with Babesia canis. *Vet Parasitol.* 1996 Jun;63(3-4):195-8. PMID:8966987

Verma G, Dua VK, Agarwal DD, Atul PK. Anti-malarial activity of Holarrhena antidysenterica and Viola canescens, plants traditionally used against malaria in the Garhwal region of north-west Himalaya. *Malar J.* 2011 Feb 2;10:20. PMID:21288335

Ververis K, Karagiannis TC. Potential non-oncological applications of histone deacetylase inhibitors. *Am J Transl Res.* 2011;3(5):454-67. Epub 2011 Oct 10. PMID:22046487

Vial HJ, Gorenflo A. Chemotherapy against babesiosis. *Vet Parasitol.* 2006 May 31;138(1-2):147-60. Epub 2006 Feb 28. PMID:16504402

Vicente E, Duchowicz PR, Ortiz Edel V, Monge A, Castro EA. Exploring 3-arylquinoxaline-2-carbonitrile 1,4-di-N-oxides activities against neglected diseases with QSAR. *Chem Biol Drug Des.* 2010 Jul;76(1):59-69. Epub 2010 May 11. PMID:20492446

Vinayak S, Alam MT, Sem R, Shah NK, Susanti AI, Lim P, Muth S, Maguire JD, Rogers WO, Fandeur T, Barnwell JW, Escalante AA, Wongsrichanalai C, Ariey F, Meshnick SR, Udhayakumar V. Multiple genetic backgrounds of the amplified Plasmodium falciparum multidrug resistance (pfmdr1) gene and selective sweep of 184F mutation in Cambodia. *J Infect Dis.* 2010 May 15;201(10):1551-60. PMID:20367478

Vincke IH. The effects of pyrimethamine and sulphormethoxine on the pre-erythrocytic and sporogonous cycle of Plasmodium berghei berghei. *Ann Soc Belges Med Trop Parasitol Mycol.* 1970;50(3):339-58. PMID:5514572

Vivas L, Rattray L, Stewart L, Bongard E, Robinson BL, Peters W, Croft SL. Anti-malarial efficacy of pyronaridine and artesunate in combination in vitro and in vivo. *Acta Trop.* 2008 Mar;105(3):222-8. Epub 2007 Dec 23. PMID:18279817

Vivas L, Rattray L, Stewart LB, Robinson BL, Fugmann B, Haynes RK, Peters W, Croft SL. Antimalarial efficacy and drug interactions of the novel semi-synthetic endoperoxide artemisone in vitro and in vivo. *J Antimicrob Chemother.* 2007 Apr;59(4):658-65. Epub 2007 Mar 2. PMID:17337512

Vizcaino O, Corrier DE, Terry MK, Carson CA, Lee AJ, Kuttler KL, Ristic M, Treviño GS. Comparison of three methods of immunization against bovine anaplasmosis: evaluation of protection afforded against field challenge exposure. *Am J Vet Res.* 1980 Jul;41(7):1066-8. PMID:7436100

Vogel G, Roberts L. Malaria. Vaccine trial meets modest expectations, buoys hopes. *Science.* 2011 Oct 21;334(6054):298-9. PMID:22021827

Vogel G. The 'do unto others' malaria vaccine. *Science.* 2010 May 14;328(5980):847-8. PMID:20466919

Vollnberg A, Prajakwong S, Sirichaisinthop J, Wiedermann G, Wernsdorfer G, Wernsdorfer WH. In-vitro interaction of tafenoquine and chloroquine in Plasmodium falciparum from northwestern Thailand. Wien Klin Wochenschr. 2003;115 Suppl 3:28-32. PMID:15508777

Vreden SG, van den Broek MF, Oettinger MC, Verhave JP, Meuwissen JH, Sauerwein RW. Cytokines inhibit the development of liver schizonts of the malaria parasite Plasmodium berghei in vivo. Eur J Immunol. 1992 Sep;22(9):2271-5. PMID:1516619

Vulchovski Ia. [Comparative test of the efficacy of babesicidal agents]. [Article in Bulgarian]. Vet Med Nauki. 1977;14(3):79-87. PMID:906312

Vyas JM, Telford SR, Robbins GK. Treatment of refractory Babesia microti infection with atovaquone-proguanil in an HIV-infected patient: case report. Clin Infect Dis. 2007 Dec 15;45(12):1588-90. PMID:18190320

Waage J, Banerji R, Campbell O, Chirwa E, Collender G, Dieltiens V, Dorward A, Godfrey-Faussett P, Hanvoravongchai P, Kingdon G, Little A, Mills A, Mulholland K, Mwinga A, North A, Patcharanarumol W, Poulton C, Tangcharoensathien V, Unterhalter E. The Millennium Development Goals: a cross-sectoral analysis and principles for goal setting after 2015 Lancet and London International Development Centre Commission. Lancet. 2010 Sep 18;376(9745):991-1023. PMID:20833426

Waki S, Suzuki M. Development and decline of antiplasmodial indirect fluorescent antibodies in mice infected with Plasmodium berghei (NK65) and treated with drugs. Bull World Health Organ. 1974;50(6):521-6. PMID: 4617640.

Waldron SJ, Jorgensen WK. Transmission of Babesia spp by the cattle tick (*Boophilus microplus*) to cattle treated with injectable or pour-on formulations of ivermectin and moxidectin. Aust Vet J. 1999 Oct;77(10):657-9. PMID:10590793

Wallce AL, Harris A, Allen JP. Reiter treponeme. A review of the literature. Bull World Health Organ. 1967;36 Suppl:1-103. PMID:4865377

Walker AS, Ford D, Gilks CF, Munderi P, Ssali F, Reid A, Katabira E, Grosskurth H, Mugyenyi P, Hakim J, Darbyshire JH, Gibb DM, Babiker AG. Daily co-trimoxazole prophylaxis in severely immunosuppressed HIV-infected adults in Africa started on combination antiretroviral therapy: an observational analysis of the DART cohort. Lancet. 2010 Apr 10;375(9722):1278-86. Epub 2010 Mar 27. PMID:20347483

Walsh DS, Eamsila C, Sasiprapha T, Sangkharomya S, Khaewsathien P, Supakalin P, Tang DB, Jarasrumgsichol P, Cherdchu C, Edstein MD, Rieckmann KH, Brewer TG. Efficacy of monthly tafenoquine for prophylaxis of Plasmodium vivax and multidrug-resistant *P. falciparum* malaria. J Infect Dis. 2004 Oct 15;190(8):1456-63. Epub 2004 Sep 20. PMID:15378438

Walsh DS, Looareesuwan S, Wilairatana P, Heppner DG Jr, Tang DB, Brewer TG, Chokejindachai W, Viriyavejakul P, Kyle DE, Milhous WK, Schuster BG, Horton J, Braitman DJ, Brueckner RP. Randomized dose-ranging study of the safety and efficacy of WR 238605 (Tafenoquine) in the prevention of relapse of Plasmodium vivax malaria in Thailand. J Infect Dis. 1999 Oct;180(4):1282-7. PMID:10479159

Walsh DS, Wilairatana P, Tang DB, Heppner DG Jr, Brewer TG, Krudsood S, Silachamroon U, Phumratanaaparin W, Siriyanonda D, Looareesuwan S. Randomized trial of 3-dose regimens of tafenoquine (WR238605) versus low-dose primaquine for preventing Plasmodium vivax malaria relapse. Clin Infect Dis. 2004 Oct 15;39(8):1095-103. Epub 2004 Sep 24. PMID:15486831

Waltisbuhl DJ, Goodger BV, Wright IG, Mirre GB, Commins MA. Babesia bovis: vaccination studies with three groups of high molecular weight antigens from lysate of infected erythrocytes. Parasitol Res. 1987;73(4):319-23. PMID:3303020

Wang C, Ahluwalia SK, Li Y, Gao D, Poudel A, Chowdhury E, Boudreux MK, Kaltenboeck B. Frequency and therapy monitoring of canine Babesia spp. infection by high-resolution melting curve quantitative FRET-PCR. *Vet Parasitol.* 2010 Feb 26;168(1-2):11-8. Epub 2009 Oct 28. PMID:19931290

Wang HZ, He YX, Yang CJ, Zhou W, Zou CG. Hepcidin Is Regulated during Blood-Stage Malaria and Plays a Protective Role in Malaria Infection. *J Immunol.* 2011 Dec 15;187(12):6410-6. Epub 2011 Nov 14. PMID:22084434

Wang TJ, Liang MH, Sangha O, Phillips CB, Lew RA, Wright EA, Berardi V, Fosse AH, Shadick NA. Coexposure to *Borrelia burgdorferi* and *Babesia microti* does not worsen the long-term outcome of lyme disease. *Clin Infect Dis.* 2000 Nov;31(5):1149-54. Epub 2000 Nov 6. PMID:11073744

Wang W, Gallant JN, Katz SI, Dolloff NG, Smith CD, Abdulghani J, Allen JE, Dicker DT, Hong B, Navaraj A, El-Deiry WS. Quinacrine sensitizes hepatocellular carcinoma cells to TRAIL and chemotherapeutic agents. *Cancer Biol Ther.* 2011 Aug 1;12(3):229-38. Epub 2011 Aug 1. PMID:21725212

Wangchuk P, Keller PA, Pyne SG, Taweechotipatr M, Tonsomboon A, Rattanajak R, Kamchonwongpaisan S. Evaluation of an ethnopharmacologically selected Bhutanese medicinal plants for their major classes of phytochemicals and biological activities. *J Ethnopharmacol.* 2011 Sep 1;137(1):730-42. Epub 2011 Jun 28. PMID:21741462

Wanjohi JM, Ngeranwa JN, Rumberia RM, Muraguri GR, Mbogo SK. Immunization of cattle against East Coast fever using *Theileria parva* (Marikebuni) and relaxation of tick control in North Rift, Kenya. *Onderstepoort J Vet Res.* 2001 Sep;68(3):217-23. PMID:11769354

Ward RA. The influence of Ronald Ropss upon the early development of malaria vector control procedures in the United States Army. *J Trop Med Hyg.* 1973 Aug;76(8):207-9. PMID:4582106

Warhurst DC, Folwell RO. Measurement of the growth rate of the erythrocytic stages of Plasmodium berghei and comparisons of the potency of inocula after various treatments. Ann Trop Med Parasitol. 1968 Sep;62(3):349-60. PMID:5714962

Watts G. Lost in translation. BMJ. 2011 Nov 2;343:d7047. PMID:22049526

Webb EL, Mawa PA, Ndibazza J, Kizito D, Namatovu A, Kyosiiimire-Lugemwa J, Nanteza B, Nampijja M, Muhangi L, Woodburn PW, Akurut H, Mpairwe H, Akello M, Lyadda N, Bukusuba J, Kihembo M, Kizza M, Kizindo R, Nabulime J, Ameke C, Namujju PB, Tweyongyere R, Muwanga M, Whitworth JA, Elliott AM. Effect of single-dose anthelmintic treatment during pregnancy on an infant's response to immunisation and on susceptibility to infectious diseases in infancy: a randomised, double-blind, placebo-controlled trial. Lancet. 2011 Jan 1;377(9759):52-62. Epub 2010 Dec 20. PMID:21176950

Webert KE, Cserti CM, Hannon J, Lin Y, Pavenski K, Pendergrast JM, Blajchman MA. Proceedings of a Consensus Conference: pathogen inactivation-making decisions about new technologies. Transfus Med Rev. 2008 Jan;22(1):1-34. PMID:18063190

Wei Q, Tsuji M, Zamoto A, Kohsaki M, Matsui T, Shiota T, Telford SR 3rd, Ishihara C. Human babesiosis in Japan: isolation of Babesia microti-like parasites from an asymptomatic transfusion donor and from a rodent from an area where babesiosis is endemic. J Clin Microbiol. 2001 Jun;39(6):2178-83. PMID:11376054

Weilgama DJ, Jorgensen WK, Dalgliesh RJ, Navaratne M, Weerasinghe C. Comparison between Sri Lankan and Australian strains of Babesia bovis in the vaccination of imported cattle in Sri Lanka. Trop Anim Health Prod. 1989 May;21(2):141-5. PMID:2665254

Wein S, Maynadier M, Tran Van Ba C, Cerdan R, Peyrottes S, Fraisse L, Vial H. Reliability of antimalarial sensitivity tests depends on drug mechanisms of action. J Clin Microbiol. 2010 May;48(5):1651-60. Epub 2010 Mar 10. PMID:20220159

Weinberg GA. Laboratory diagnosis of ehrlichiosis and babesiosis. Pediatr Infect Dis J. 2001 Apr;20(4):435-7. PMID:11332670

Weiss LM, Wittner M, Tanowitz HB. The treatment of babesiosis. N Engl J Med. 2001 Mar 8;344(10):773. PMID:11236789

Weiss LM, Wittner M, Wasserman S, Oz HS, Retsema J, Tanowitz HB. Efficacy of azithromycin for treating Babesia microti infection in the hamster model. J Infect Dis. 1993 Nov;168(5):1289-92. PMID:8228366

Weiss LM. Babesiosis in humans: a treatment review. Expert Opin Pharmacother. 2002 Aug;3(8):1109-15. PMID:12150690

Welc-Faleciak R, Rodo A, Siński E, Bajer A. Babesia canis and other tick-borne infections in dogs in Central Poland. Vet Parasitol. 2009 Dec 23;166(3-4):191-8. Epub 2009 Sep 26. PMID: 19837515

Weld ED, Eimer KM, Saharia K, Orenstein A, Hess JR. Transfusion medicine illustrated. The expanding range and severity of babesiosis. Transfusion. 2010 Feb;50(2):290-1. PMID:20233358

Wells TN, Poll EM. When is enough enough? The need for a robust pipeline of high-quality antimalarials. Discov Med. 2010 May;9(48):389-98. PMID:20515606

Wells TN. Microbiology. Is the tide turning for new malaria medicines? Science. 2010 Sep 3;329(5996):1153-4. PMID:20813940

Wells TN. Natural products as starting points for future anti-malarial therapies: going back to our roots? Malar J. 2011 Mar 15;10 Suppl 1:S3. [Epub ahead of print]. PMID:21411014

Wen W. China: a new medicine born of tradition. UNESCO Cour. 1979 Jul;7:25-7. PMID:12309932

Wendel Neto S. Current concepts on the transmission of bacteria and parasites by blood components. Sao Paulo Med J. 1995 Nov-Dec;113(6):1036-52. PMID:8731290

Wendel S, Leiby DA. Parasitic infections in the blood supply: assessing and countering the threat. *Dev Biol (Basel)*. 2007;127:17-41. PMID:17486879

Wendel S. Current concepts on transmission of bacteria and parasites by blood components. *Vox Sang*. 1994;67 Suppl 3:161-74. PMID:7975485

Were PS, Kinyanjui P, Gicheru MM, Mwangi E, Ozwara HS. Prophylactic and curative activities of extracts from *Warburgia ugandensis* Sprague (Canellaceae) and *Zanthoxylum usambarensis* (Engl.) Kokwaro (Rutaceae) against *Plasmodium knowlesi* and *Plasmodium berghei*. *J Ethnopharmacol*. 2010 Jul 6;130(1):158-62. Epub 2010 Apr 29. PMID:20435133

Wernsdorfer WH. Global challenges of changing epidemiological patterns of malaria. *Acta Trop*. 2011 Jul 19. [Epub ahead of print]. PMID:21784053

Whegang SY, Tahar R, Foumane VN, Soula G, Gwét H, Thalabard JC, Basco LK. Efficacy of non-artemisinin- and artemisinin-based combination therapies for uncomplicated falciparum malaria in Cameroon. *Malar J*. 2010 Feb 19;9:56. PMID:20170477

White DJ, Talarico J, Chang HG, Birkhead GS, Heimberger T, Morse DL. Human babesiosis in New York State: Review of 139 hospitalized cases and analysis of prognostic factors. *Arch Intern Med*. 1998 Oct 26;158(19):2149-54. PMID:9801183

White MT, Conteh L, Cibulskis R, Ghani AC. Costs and cost-effectiveness of malaria control interventions - a systematic review. *Malar J*. 2011 Nov 3;10:337. PMID:22050911

White MT, Griffin JT, Churcher TS, Ferguson NM, Basáñez MG, Ghani AC. Modelling the impact of vector control interventions on *Anopheles gambiae* population dynamics. *Parasit Vectors*. 2011 Jul 28;4:153. PMID:21798055

White NJ. A vaccine for malaria. *N Engl J Med*. 2011 Nov 17;365(20):1926-7. Epub 2011 Oct 18. PMID:22007716

White NJ. Determinants of relapse periodicity in *Plasmodium vivax* malaria. *Malar J.* 2011 Oct 11;10:297. PMID:21989376

Whitty CJ. The RTS,S malaria vaccine. *BMJ.* 2011 Oct 27;343:d6986. PMID:22034149

Wiesner J, Ortmann R, Jomaa H, Schlitzer M. New antimalarial drugs. *Angew Chem Int Ed Engl.* 2003 Nov 10;42(43):5274-93. PMID:14613157

Wiesner J, Reichenberg A, Heinrich S, Schlitzer M, Jomaa H. The plastid-like organelle of apicomplexan parasites as drug target. *Curr Pharm Des.* 2008;14(9):855-71. PMID:18473835

Wijaya A, Wulansari R, Ano H, Inokuma H, Makimura S. Therapeutic effect of clindamycin and tetracycline on Babesia rodhaini infection in mouse model. *J Vet Med Sci.* 2000 Aug;62(8):835-9. PMID:10993180

Wijesinghe RS, Atkinson JA, Bobogare A, Wini L, Whittaker M. Exploring provider and community responses to the new malaria diagnostic and treatment regime in Solomon Islands. *Malar J.* 2011 Jan 10;10:3. PMID:21219614

Willadsen P, Kemp DH, Cobon GS, Wright IG. Successful vaccination against *Boophilus microplus* and *Babesia bovis* using recombinant antigens. *Mem Inst Oswaldo Cruz.* 1992;87 Suppl 3:289-94. PMID:1343705

Willadsen P, Kemp DH. Novel vaccination for control of the *Babesia* vector, *Boophilus microplus*. *Trans R Soc Trop Med Hyg.* 1989;83 Suppl:107. PMID:2623756

Willadsen P. Vaccines, genetics and chemicals in tick control: the Australian experience. *Trop Anim Health Prod.* 1997 Nov;29(4 Suppl):91S-94S. PMID:9512752

Willcox M, Benoit-Vical F, Fowler D, Bourdy G, Burford G, Giani S, Graziouse R, Houghton P, Randrianarivelojosia M, Rasoanaivo P. Do ethnobotanical and laboratory data predict clinical safety and efficacy of anti-malarial plants? *Malar J.* 2011 Mar 15;10 Suppl 1:S7. [Epub ahead of print]. PMID:21411018

Willcox M. Improved traditional phytomedicines in current use for the clinical treatment of malaria. *Planta Med.* 2011 Apr;77(6):662-71. Epub 2011 Jan 3. PMID:21204042

Willcox ML, Graz B, Diakite C, Falquet J, Dackouo F, Sidibe O, Giani S, Diallo D. Is parasite clearance clinically important after malaria treatment in a high transmission area? A 3-month follow-up of home-based management with herbal medicine or ACT. *Trans R Soc Trop Med Hyg.* 2011 Jan;105(1):23-31. Epub 2010 Nov 5. PMID:21056445

Willerson D Jr, Rieckmann KH, Carson PE, Frischer H. Effects of minocycline against chloroquine-resistant falciparum malaria. *Am J Trop Med Hyg.* 1972 Nov;21(6):857-62. PMID:4564446

William T, Menon J, Rajahram G, Chan L, Ma G, Donaldson S, Khoo S, Frederick C, Jelip J, Anstey NM, Yeo TW. Severe Plasmodium knowlesi malaria in a tertiary care hospital, Sabah, Malaysia. *Emerg Infect Dis.* 2011 Jul;17(7):1248-55. PMID:21762579

Williams SL, de Oliveira CA, Vazquez H, McCammon JA. From Zn to Mn: the study of novel manganese-binding groups in the search for new drugs against tuberculosis. *Chem Biol Drug Des.* 2011 Feb;77(2):117-23. PMID:21266015

Wilson AL; IPTc Taskforce. A systematic review and meta-analysis of the efficacy and safety of intermittent preventive treatment of malaria in children (IPTc). *PLoS One.* 2011 Feb 14;6(2):e16976. PMID:21340029

Wilson ML, Walker ED, Mzilahowa T, Mathanga DP, Taylor TE. Malaria elimination in Malawi: Research needs in highly endemic, poverty-stricken contexts. *Acta Trop.* 2011 Nov 15. [Epub ahead of print]. PMID:22100546

Wilson NO, Ceesay FK, Obed SA, Adjei AA, Gyasi RK, Rodney P, Ndjakani Y, Anderson WA, Lucchi NW, Stiles JK. Intermittent preventive treatment with sulfadoxine-pyrimethamine against malaria and anemia in pregnant women. *Am J Trop Med Hyg.* 2011 Jul;85(1):12-21. PMID:21734118

Winger CM, Canning EU, Culverhouse JD. A monoclonal antibody-derived antigen of Babesia divergens: characterization and investigation of its ability to protect gerbils against virulent homologous challenge. *Parasitology.* 1989 Dec;99 Pt 3:341-8. PMID:2608311

Winger CM, Canning EU, Culverhouse JD. A strain of Babesia divergens, attenuated after long term culture. *Res Vet Sci.* 1989 Jan;46(1):110-3. PMID:2922498

Winger CM, Canning EU, Culverhouse JD. A strain of Babesia divergens, attenuated after long term culture. *Res Vet Sci.* 1989 Jan;46(1):110-3. PMID:2922498

Winger CM, Canning EU, Culverhouse JD. Induction of protective immunity to Babesia divergens in Mongolian gerbils, *Meriones unguiculatus*, using culture-derived immunogens. *Vet Parasitol.* 1987 Dec;26(1-2):43-53. PMID:3439004

Winter G, Chen Q, Wahlgren M. Meeting report: the molecular background of severe and complicated malaria. *Mol Biochem Parasitol.* 2004 Mar;134(1):37-41. PMID:14747141

Winter R, Kelly JX, Smilkstein MJ, Hinrichs D, Koop DR, Riscoe MK. Optimization of endochin-like quinolones for antimalarial activity. *Exp Parasitol.* 2011 Feb;127(2):545-51. Epub 2010 Oct 30. PMID:21040724

Winterburn TJ, Philip LH, Bur D, Wyatt DM, Berry C, Kay J. N-terminal extension of the yeast IA3 aspartic proteinase inhibitor relaxes the strict intrinsic selectivity. *FEBS J.* 2007 Jul;274(14):3685-94. Epub 2007 Jul 2. PMID:17608726

Wiseman V, McElroy B, Conteh L, Stevens W. Malaria prevention in The Gambia: patterns of expenditure and determinants of demand at the household level. *Trop Med Int Health.* 2006 Apr;11(4):419-31. PMID:16553925

Wiśniewski M, Zak DJ. [Achievements and perspectives of research into development of a vaccine against malaria].[Article in Polish]. *Wiad Parazytol.* 2010;56(2):133-40. PMID:20707297

Witkowski B, Lelièvre J, Barragán MJ, Laurent V, Su XZ, Berry A, Benoit-Vical F. Increased tolerance to artemisinin in Plasmodium falciparum is mediated by a quiescence mechanism. *Antimicrob Agents Chemother.* 2010 May;54(5):1872-7. Epub 2010 Feb 16. PMID:20160056

Wittlin S, Ekland E, Craft JC, Lotharius J, Bathurst I, Fidock DA, Fernandes P. In Vitro and In Vivo Activity of Solithromycin (CEM-101) Against Plasmodium Species. *Antimicrob Agents Chemother.* 2011 Nov 14. [Epub ahead of print]. PMID:22083475

Wittner M, Lederman J, Tanowitz HB, Rosenbaum GS, Weiss LM. Atovaquone in the treatment of Babesia microti infections in hamsters. *Am J Trop Med Hyg.* 1996 Aug;55(2):219-22. PMID:8780464

Wittner M, Rowin KS, Tanowitz HB, Hobbs JF, Saltzman S, Wenz B, Hirsch R, Chisholm E, Healy GR. Successful chemotherapy of transfusion babesiosis. *Ann Intern Med.* 1982 May;96(5):601-4. PMID:7200341

Wodecka B, Rymaszewska A, Sawczuk M, Skotarczak B. Detectability of tick-borne agents DNA in the blood of dogs, undergoing treatment for borreliosis. *Ann Agric Environ Med.* 2009 Jun;16(1):9-14. PMID:19572472

Wohlfarth C, Efferth T. Natural products as promising drug candidates for the treatment of hepatitis B and C. *Acta Pharmacol Sin.* 2009 Jan;30(1):25-30. Epub 2008 Dec 8. PMID:19060918

Wójcik-Fatla A, Cisak E, Chmielewska-Badora J, Zwoliński J, Buczek A, Dutkiewicz J. Prevalence of Babesia microti in Ixodes ricinus ticks from Lublin region (eastern Poland). Ann Agric Environ Med. 2006;13(2):319-22. PMID:17196008

Wong WS, Chung JY, Wong KF. Images in haematology. Human babesiosis. Br J Haematol. 2008 Feb;140(4):364. Epub 2007 Nov 27. PMID:18042268

Wongsrichanalai C, Meshnick SR. Declining artesunate-mefloquine efficacy against falciparum malaria on the Cambodia-Thailand border. Emerg Infect Dis. 2008 May;14(5):716-9. PMID:18439351

Wongsrichanalai C, Varma JK, Juliano JJ, Kimerling ME, MacArthur JR. Extensive drug resistance in malaria and tuberculosis. Emerg Infect Dis. 2010 Jul;16(7):1063-7. MID:20587175

Wood PR, Clark IA. Genetic control of Propionibacterium acnes-induced protection of mice against Babesia microti. Infect Immun. 1982 Jan;35(1):52-7. PMID:7054129

Wormser GP, Lombardo G, Silverblatt F, El Khoury MY, Prasad A, Yelon JA, Sanda A, Karim S, Coku L, Savino JA. Babesiosis as a cause of fever in patients undergoing a splenectomy. Am Surg. 2011 Mar;77(3):345-7. PMID:21375849

Wormser GP, Prasad A, Neuhaus E, Joshi S, Nowakowski J, Nelson J, Mittleman A, Aguero-Rosenfeld M, Topal J, Krause PJ. Emergence of resistance to azithromycin-atovaquone in immunocompromised patients with Babesia microti infection. Clin Infect Dis. 2010 Feb 1;50(3):381-6. PMID:20047477

Wrenger C, Müller IB, Schifferdecker AJ, Jain R, Jordanova R, Groves MR. Specific inhibition of the aspartate aminotransferase of Plasmodium falciparum. J Mol Biol. 2011 Jan 28;405(4):956-71. Epub 2010 Nov 16. PMID:21087616

Wright CW. Recent developments in naturally derived antimalarials: cryptolepine analogues. *J Pharm Pharmacol.* 2007 Jun;59(6):899-904. PMID:17637183

Wright CW. Recent developments in research on terrestrial plants used for the treatment of malaria. *Nat Prod Rep.* 2010 Jul;27(7):961-8. Epub 2010 Jun 8. PMID:20532364

Wright IG, Casu R, Commins MA, Dalrymple BP, Gale KR, Goodger BV, Riddles PW, Waltisbuhl DJ, Abetz I, Berrie DA, et al. The development of a recombinant Babesia vaccine. *Vet Parasitol.* 1992 Sep;44(1-2):3-13. PMID:1441189

Wright IG, Goodger BV, Leatch G, Aylward JH, Rode-Bramanis K, Waltisbuhl DJ. Protection of Babesia bigemina-immune animals against subsequent challenge with virulent Babesia bovis. *Infect Immun.* 1987 Feb;55(2):364-8. PMID:3542832

Wright IG, Goodger BV, Rode-Bramanis K, Mattick JS, Mahoney DF, Waltisbuhl DJ. The characterisation of an esterase derived from Babesia bovis and its use as a vaccine. *Z Parasitenkd.* 1983;69(6):703-14. PMID:6419487

Wright IG, Mirre GB, Rode-Bramanis K, Chamberlain M, Goodger BV, Waltisbuhl DJ. Protective vaccination against virulent Babesia bovis with a low-molecular-weight antigen. *Infect Immun.* 1985 Apr;48(1):109-13. PMID:3980077

Wright IG, White M, Tracey-Patte PD, Donaldson RA, Goodger BV, Waltisbuhl DJ, Mahoney DF. Babesia bovis: isolation of a protective antigen by using monoclonal antibodies. *Infect Immun.* 1983 Jul;41(1):244-50. PMID:6345394

Wu T, Wu S, Yin Q, Dai H, Li S, Dong F, Chen B, Fang H. [Biosynthesis of amorpha-4,11-diene, a precursor of the antimalarial agent artemisinin, in Escherichia coli through introducing mevalonate pathway].[Article in Chinese]. *Sheng Wu Gong Cheng Xue Bao.* 2011 Jul;27(7):1040-8. PMID:22016988

Wudhikarn K, Perry EH, Kemperman M, Jensen KA, Kline SE. Transfusion-transmitted babesiosis in an immunocompromised patient: a case report and review. *Am J Med.* 2011 Sep;124(9):800-5. Epub 2011 Jun 16. PMID:21683324

Wurtz N, Chapus C, Desplans J, Parzy D. cAMP-dependent protein kinase from *Plasmodium falciparum*: an update. *Parasitology.* 2011 Jan;138(1):1-25. Epub 2010 Jul 21. PMID:20663247

Wylie BJ, Hashmi AH, Singh N, Singh MP, Tuchman J, Hussain M, Sabin L, Yeboah-Antwi K, Banerjee C, Brooks MI, Desai M, Udhayakumar V, Macleod WB, Dash AP, Hamer DH. Availability and utilization of malaria prevention strategies in pregnancy in eastern India. *BMC Public Health.* 2010 Sep 17;10:557. PMID:20849590

Xiao SH, Keiser J, Chen MG, Tanner M, Utzinger J. Research and development of antischistosomal drugs in the People's Republic of China a 60-year review. *Adv Parasitol.* 2010;73:231-95. PMID:20627145

Xiao SH, Sun J, Xue J, Du XL, Zhang HB. Ultrastructural alterations of juvenile *Schistosoma japonicum* harbored in mice following mefloquine administration. *Parasitol Res.* 2011 Jul 13. [Epub ahead of print]. PMID:21750873

Xu WC, Shen JG, Jiang JQ. Phytochemical and biological studies of the plants from the genus *Daphne*. *Chem Biodivers.* 2011 Jul;8(7):1215-33. PMID:21766444

Xu X, Oliveira F, Chang BW, Collin N, Gomes R, Teixeira C, Reynoso D, My Pham V, Elnaiem DE, Kamhawi S, Ribeiro JM, Valenzuela JG, Andersen JF. Structure and function of a "yellow" protein from saliva of the sand fly *Lutzomyia longipalpis* that confers protective immunity against *Leishmania* major infection. *J Biol Chem.* 2011 Sep 16;286(37):32383-93. Epub 2011 Jul 27. PMID:21795673

Xue J, Zhan B, Guo J, He N, Qiang HQ, Hotez P, Xiao SH. Acquired hookworm immunity in the golden hamster (*Mesocricetus auratus*) elicited by living *Necator americanus* third-stage infective larvae. *Exp Parasitol.* 2012 Jan;130(1):6-12. Epub 2011 Oct 21. PMID:22024448

Xue RD. Introduction to symposium on mosquitoes and plants. *J Am Mosq Control Assoc.* 2008 Mar;24(1):134-7. PMID:18437828

Yabsley MJ, Davidson WR, Stallknecht DE, Varela AS, Swift PK, Devos JC Jr, Dubay SA. Evidence of tick-borne organisms in mule deer (*Odocoileus hemionus*) from the western United States. *Vector Borne Zoonotic Dis.* 2005 Winter;5(4):351-62. PMID:16417431

Yabsley MJ, Romines J, Nettles VF. Detection of Babesia and Anaplasma species in rabbits from Texas and Georgia, USA. *Vector Borne Zoonotic Dis.* 2006 Spring;6(1):7-13. PMID:16584322

Yadav S, Mittal PK, Saxena PN, Singh RK. Effect of synergist piperonyl butoxide (PBO) on the toxicity of some essential oils against mosquito larvae. *J Commun Dis.* 2009 Mar;41(1):33-8. PMID:19886173

Yadav S, Mittal PK, Saxena PN, Singh RK. Effect of synergist piperonyl butoxide (PBO) on the toxicity of some essential oils against mosquito larvae. *J Commun Dis.* 2008 Dec;40(4):263-8. PMID:19579718

Yadouleton A, Martin T, Padonou G, Chandre F, Asidi A, Djogbenou L, Dabiré R, Aïkpon R, Boko M, Glitho I, Akogbeto M. Cotton pest management practices and the selection of pyrethroid resistance in *Anopheles gambiae* population in northern Benin. *Parasit Vectors.* 2011 Apr 13;4:60. PMID:21489266

Yamasaki M, Hwang SJ, Ohta H, Yamato O, Maede Y, Takiguchi M. Flow cytometry to evaluate the level of Babesia gibsoni parasitemia in vivo and in vitro by using the fluorescent nucleic acid stain SYTO16. *Jpn J Vet Res.* 2008 Feb;55(4):129-36. PMID:18380154

Yamasaki M, Tajima M, Yamato O, Hwang SJ, Ohta H, Maede Y. Heat shock response of Babesia gibsoni heat shock protein 70. *J Parasitol.* 2008 Feb;94(1):119-24. PMID:18372630

Yao B, Zhao J, Ma L, Liu Z. Studies on the pathogenicity of Babesia bovis in water buffaloes after cryopreservation and resuscitation. *Trop Anim Health Prod.* 1997 Nov;29(4 Suppl):40S-42S. PMID:9512744

Yardley V, Gamarro F, Croft SL. Antileishmanial and antitrypanosomal activities of the 8-aminoquinoline tafenoquine. *Antimicrob Agents Chemother.* 2010 Dec;54(12):5356-8. Epub 2010 Sep 13. PMID:20837750

Yavo W, Faye B, Kuete T, Djohan V, Oga SA, Kassi RR, Diatta M, Ama MV, Tine R, Ndiaye JL, Evi JB, Same-Ekobo A, Faye O, Koné M. Multicentric assessment of the efficacy and tolerability of dihydroartemisinin-piperaquine compared to artemether-lumefantrine in the treatment of uncomplicated Plasmodium falciparum malaria in sub-Saharan Africa. *Malar J.* 2011 Jul 20;10:198. PMID:21774826

Ye VM, Bhatia SK. Metabolic engineering for the production of clinically important molecules: Omega-3 fatty acids, artemisinin, and taxol. *Biotechnol J.* 2011 Oct 21. [Epub ahead of print]. PMID:22021189

Yeates C. Sitamaquine (GlaxoSmithKline/Walter Reed Army Institute). *Curr Opin Investig Drugs.* 2002 Oct;3(10):1446-52. PMID:12431016

Yeboah-Antwi K, Pilingana P, Macleod WB, Semrau K, Siazeele K, Kalesha P, Hamainza B, Seidenberg P, Mazimba A, Sabin L, Kamholz K, Thea DM, Hamer DH. Community case management of fever due to malaria and pneumonia in children under five in Zambia: a cluster randomized controlled trial. *PLoS Med.* 2010 Sep 21;7(9):e1000340. PMID:20877714

Yeshiwondim AK, Tekle AH, Dengela DO, Yohannes AM, Teklehaimanot A. Therapeutic efficacy of chloroquine and chloroquine plus primaquine for the treatment of Plasmodium vivax in Ethiopia. *Acta Trop.* 2010 Feb;113(2):105-13. Epub 2009 Oct 14. PMID:19835832

Yeung S, Van Damme W, Socheat D, White NJ, Mills A. Access to artemisinin combination therapy for malaria in remote areas of Cambodia. *Malar J.* 2008 May 29;7:96. PMID:18510724

Yewhalaw D, Wassie F, Steurbaut W, Spanoghe P, Van Bortel W, Denis L, Tessema DA, Getachew Y, Coosemans M, Duchateau L, Speybroeck N. Multiple insecticide resistance: an impediment to insecticide-based malaria vector control program. *PLoS One.* 2011 Jan 12;6(1):e16066. PMID:21264325

Yin H, Luo J. Ticks of small ruminants in China. *Parasitol Res.* 2007 Sep;101 Suppl 2:S187-9. PMID:17823826

Yoeli M, Most H. Sporozoite-induced infections of *Plasmodium berghei* administered by the oral route. *Science.* 1971 Sep 10;173(4001):1031-2. PMID:5098964

Yoeli M. [The development of malaria research before and since Ronald Ross].[Article in German]. *Munch Med Wochenschr.* 1973 Feb 2;115(5):151-8. PMID:4633457

Yoeli M. Landmarks in malaria research (a review). *Acta Trop.* 1974;31(4):321-8. PMID:4141222

Yokoyama N, Bork S, Nishisaka M, Hirata H, Matsuo T, Inoue N, Xuan X, Suzuki H, Sugimoto C, Igarashi I. Roles of the Maltese cross form in the development of parasitemia and protection against *Babesia microti* infection in mice. *Infect Immun.* 2003 Jan;71(1):411-7. PMID:12496191

Yokoyama N, Okamura M, Igarashi I. Erythrocyte invasion by *Babesia* parasites: current advances in the elucidation of the molecular interactions between the protozoan ligands and host receptors in the invasion stage. *Vet Parasitol.* 2006 May 31;138(1-2):22-32. Epub 2006 Feb 28. PMID:16504403

Yoshida S, Araki H, Yokomine T. Baculovirus-based nasal drop vaccine confers complete protection against malaria by natural boosting of vaccine-induced antibodies in mice. *Infect Immun.* 2010 Feb;78(2):595-602. Epub 2009 Nov 9. PMID:19901059

Yoshinari NH, Abrão MG, Bonoldi VL, Soares CO, Madruga CR, Scofield A, Massard CL, da Fonseca AH. Coexistence of antibodies to tick-borne agents of babesiosis and Lyme borreliosis in patients from Cotia county, State of São Paulo, Brazil. *Mem Inst Oswaldo Cruz.* 2003 Apr;98(3):311-8. Epub 2003 Jul 18. PMID:12886408

Young AS, Cox FE. The effect of betamethasone on Babesia microti and *B. rodhaini* infections in rodents. *Parasitology.* 1971 Dec;63(3):447-53. PMID:4945066

Young AS, Grocock CM, Kariuki DP. Integrated control of ticks and tick-borne diseases of cattle in Africa. *Parasitology.* 1988 Apr;96 ( Pt 2):403-32. PMID:3287285

Young AS, Mutugi JJ, Kariuki DP, Lampard D, Maritim AC, Ngumi PN, Linyonyi A, Leitch BL, Ndungu SG, Lesan AC, et al. Immunisation of cattle against theileriosis in Nakuru District of Kenya by infection and treatment and the introduction of unconventional tick control. *Vet Parasitol.* 1992 May;42(3-4):225-40. PMID: 1496782

Young C, Krause PJ. The problem of transfusion-transmitted babesiosis. *Transfusion.* 2009 Dec;49(12):2548-50. PMID:20163687

Yu DH, Li YH, Yoon JS, Lee JH, Lee MJ, Yu IJ, Chae JS, Park JH. *Ehrlichia chaffeensis* infection in dogs in South Korea. *Vector Borne Zoonotic Dis.* 2008 Jun;8(3):355-8. PMID:18399775

Yu ZX, Li JX, Yang CQ, Hu WL, Wang LJ, Chen XY. The Jasmonate-Responsive AP2/ERF Transcription Factors AaERF1 and AaERF2 Positively Regulate Artemisinin Biosynthesis in *Artemisia annua* L. *Mol Plant.* 2011 Nov 20. [Epub ahead of print]. PMID:22104293

Yuan D, Bassie L, Sabalza M, Miralpeix B, Dashevskaya S, Farre G, Rivera SM, Banakar R, Bai C, Sanahuja G, Arjó G, Avilla E, Zorrilla-López U, Ugidos-Damborienna N, López A, Almacellas D, Zhu C, Capell T, Hahne G, Twyman RM, Christou P. The potential impact of plant biotechnology on the Millennium Development Goals. *Plant Cell Rep.* 2011 Mar;30(3):249-65. Epub 2011 Jan 20. PMID:21249369

Yuan J, Cheng KC, Johnson RL, Huang R, Pattaradilokrat S, Liu A, Guha R, Fidock DA, Inglese J, Wellemes TE, Austin CP, Su XZ. Chemical genomic profiling for antimalarial therapies, response signatures, and molecular targets. *Science.* 2011 Aug 5;333(6043):724-9. PMID:21817045

Yukich J, D'Acremont V, Kahama J, Swai N, Lengeler C. Cost savings with rapid diagnostic tests for malaria in low-transmission areas: evidence from Dar es Salaam, Tanzania. *Am J Trop Med Hyg.* 2010 Jul;83(1):61-8. PMID:20595479

Yunker CE, Kuttler KL, Johnson LW. Attenuation of Babesia bovis by in vitro cultivation. *Vet Parasitol.* 1987 Apr;24(1-2):7-13. PMID:3590611

Yusuf RU, Omar SA, Ngure RM. The effect of point mutations in dihydrofolate reductase genes and multidrug resistance gene 1-86 on treatment of falciparum malaria in Sudan. *J Infect Dev Ctries.* 2010 Mar 8;4(2):61-9. PMID:20212335

Zakeri S, Farahani MS, Afsharpad M, Salehi M, Raeisi A, Djadid ND. High prevalence of the 437G mutation associated with sulfadoxine resistance among Plasmodium falciparum clinical isolates from Iran, three years after the introduction of sulfadoxine-pyrimethamine. *Int J Infect Dis.* 2010 Sep;14 Suppl 3:e123-8. PMID:20399698

Zaman J, Shahbazi A, Asgharzadeh M. Plasmodium vivax dhfr mutations among isolates from malarious areas of Iran. *Korean J Parasitol.* 2011 Jun;49(2):125-31. Epub 2011 Jun 14. PMID:21738267

Zambelli AB, Leisewitz AL. A prospective, randomized comparison of Oxyglobin (HB-200) and packed red blood cell transfusion for canine babesiosis. *J Vet Emerg Crit Care (San Antonio)*. 2009 Feb;19(1):102-12. PMID:19691591

Zamoto A, Tsuji M, Kawabuchi T, Wei Q, Asakawa M, Ishihara C. U.S.-type Babesia microti isolated from small wild mammals in Eastern Hokkaido, Japan. *J Vet Med Sci*. 2004 Aug;66(8):919-26. PMID:15353841

Zamoto A, Tsuji M, Wei Q, Cho SH, Shin EH, Kim TS, Leonova GN, Hagiwara K, Asakawa M, Kariwa H, Takashima I, Ishihara C. Epizootiologic survey for Babesia microti among small wild mammals in northeastern Eurasia and a geographic diversity in the beta-tubulin gene sequences. *J Vet Med Sci*. 2004 Jul;66(7):785-92. PMID:15297749

Zaugg JL, Lane VM. Efficacy of buparvaquone as a therapeutic and clearing agent of Babesia equi of European origin in horses. *Am J Vet Res*. 1992 Aug;53(8):1396-9. PMID:1510317

Zhang B, Watts KM, Hodge D, Kemp LM, Hunstad DA, Hicks LM, Odom AR. A second target of the antimalarial and antibacterial agent fosmidomycin revealed by cellular metabolic profiling. *Biochemistry*. 2011 May 3;50(17):3570-7. Epub 2011 Apr 11. PMID:21438569

Zhang L, Sathunuru R, Caridha D, Pybus B, O'Neil MT, Kozar MP, Lin AJ. Antimalarial activities of new guanidylimidazole and guanidylimidazoline derivatives. *J Med Chem*. 2011 Oct 13;54(19):6634-46. Epub 2011 Sep 2. PMID:21848332

Zhang W, Xu D, Niu Z, Yin K, Liu P, Chen L. Isolation and characterization of *Pseudomonas* sp. DX7 capable of degrading sulfadoxine. Biodegradation. 2011 Nov 25. [Epub ahead of print]. PMID:22116408

Zhang Y, Guigueme WA, Sigal M, Zhu F, Connelly MC, Nwaka S, Guy RK. Synthesis and structure-activity relationships of antimalarial 4-oxo-3-carboxyl quinolones. *Bioorg Med Chem.* 2010 Apr 1;18(7):2756-66. Epub 2010 Feb 11. PMID:20206533

Zhao JL, Liu ZL, Yao BA, Ma LH. Culture-derived Babesia orientalis exoantigens used as a vaccine against buffalo babesiosis. *Parasitol Res.* 2002 May;88(13 Suppl 1):S38-40. PMID:12051606

Zhao Y, Jiang W, Li B, Yao Q, Dong J, Cen Y, Pan X, Li J, Zheng J, Pang X, Zhou H. Artesunate enhances radiosensitivity of human non-small cell lung cancer A549 cells via increasing NO production to induce cell cycle arrest at G2/M phase. *Int Immunopharmacol.* 2011 Dec;11(12):2039-46. Epub 2011 Sep 9. PMID:21907831

Zhao Y, Love KR, Hall SW, Beardell FV. A fatal case of transfusion-transmitted babesiosis in the State of Delaware. *Transfusion.* 2009 Dec;49(12):2583-7. Epub 2009 Nov 9. PMID:19906041

Zhou J, Zhang G, Nishikawa Y, Fujisaki K, Xuan X. A 38-kDa protein from Babesia gibsoni and its antibody response in an experimentally infected dog. *Vet Parasitol.* 2006 Nov 5;141(3-4):345-8. Epub 2006 Jul 3. PMID:16815635

Zhu AY, Zhou Y, Khan S, Deitsch KW, Hao Q, Lin H. Plasmodium falciparum Sir2A Preferentially Hydrolyzes Medium and Long Chain Fatty Acyl Lysine. *ACS Chem Biol.* 2011 Oct 21. [Epub ahead of print]. PMID:21992006

Zhu H, Zhou CS, Liao YK, Bai YY. [Pharmacognostic identification of Cryptolepis buchananii].[Article in Chinese]. *Zhongguo Zhong Yao Za Zhi.* 2004 Jul;29(7):634-6. PMID:15503764

Zhu J, Lin S. [Investigation on folk medicine and health care of She ethnic group in Zhejiang province].[Article in Chinese]. *Zhonghua Yi Shi Za Zhi.* 2002 Oct;32(4):195-9. PMID:12639431

Zhu L, Tian Y. Chemical composition and larvicidal activity of *Blumea densiflora* essential oils against *Anopheles anthropophagus*: a malarial vector mosquito. *Parasitol Res.* 2011 Nov;109(5):1417-22. Epub 2011 May 10. PMID:21556689

Zhu L, Tian YJ. Chemical composition and larvicidal effects of essential oil of *Blumea martiniana* against *Anopheles anthropophagus*. *Asian Pac J Trop Med.* 2011 May;4(5):371-4. Epub 2011 Jun 22. PMID:21771679

Zintl A, Skerrett HE, Gray JS, Brophy PO, Mulcahy G. Babesia divergens (Phylum Apicomplexa) in vitro growth in the presence of calf serum. *Vet Parasitol.* 2004 Jun 21;122(2):127-30. PMID:15177717

Zintl A, Westbrook C, Skerrett HE, Gray JS, Mulcahy G. Chymotrypsin and neuraminidase treatment inhibits host cell invasion by Babesia divergens (Phylum Apicomplexa). *Parasitology.* 2002 Jul;125(Pt 1):45-50. PMID:12166519

Zivkovic D, Seinen W, Kuil H, Albers-van Bemmel CM, Speksnijder JE. Immunity to Babesia in mice. I. Adoptive transfer of immunity to Babesia rodhaini with immune spleen cells and the effect of irradiation on the protection of immune mice. *Vet Immunol Immunopathol.* 1984 Mar;5(4):343-57. PMID:6730310

Zivkovic D, Speksnijder JE, Kuil H, Seinen W. Immunity to Babesia in mice. II. Cross protection between various Babesia and Plasmodium species and its relevance to the nature of Babesia immunity. *Vet Immunol Immunopathol.* 1984 Mar;5(4):359-68. PMID:6730311

Zivkovic Z, Torina A, Mitra R, Alongi A, Scimeca S, Kocan KM, Galindo RC, Almazán C, Blouin EF, Villar M, Nijhof AM, Mani R, La Barbera G, Caracappa S, Jongejan F, de la Fuente J. Subolesin expression in response to pathogen infection in ticks. *BMC Immunol.* 2010 Feb 19;11:7. PMID:20170494

Zobba R, Parpaglia ML, Spezzigu A, Pittau M, Alberti A. First molecular identification and phylogeny of a Babesia sp. from a symptomatic sow (*Sus scrofa* Linnaeus 1758). *J Clin Microbiol.* 2011 Jun;49(6):2321-4. Epub 2011 Apr 13. PMID:21490184

Zofou D, Kengne AB, Tene M, Ngemenya MN, Tane P, Titanji VP. In vitro antiplasmodial activity and cytotoxicity of crude extracts and compounds from the stem bark of *Kigelia africana* (Lam.) Benth (Bignoniaceae). *Parasitol Res.* 2011 Jun;108(6):1383-90. Epub 2011 Apr 13. PMID:21487780

Zong S, Kron MW, Epp C, Engler T, Bujard H, Kochanek S, Kreppel F. ΔE1 and high-capacity adenoviral vectors expressing full-length codon-optimized merozoite surface protein 1 for vaccination against *Plasmodium falciparum*. *J Gene Med.* 2011 Nov 16. [Epub ahead of print]. PMID:22095915

Zsila F, Visy J, Mády G, Fitós I. Selective plasma protein binding of antimalarial drugs to alpha1-acid glycoprotein. *Bioorg Med Chem.* 2008 Apr 1;16(7):3759-72. Epub 2008 Feb 2. PMID:18289858

Zweygarth E, Ahmed JS, Rehbein G. The effect of halofuginone, Wellcome 993 C, oxytetracycline, and diminazene diaceturate on Babesia equi-infected lymphoblastoid cell cultures. *J Parasitol.* 1984 Aug;70(4):542-4. PMID:6502356

Zweygarth E, Just MC, de Waal DT. Continuous in vitro cultivation of erythrocytic stages of Babesia equi. *Parasitol Res.* 1995;81(4):355-8. PMID:7624296

Zweygarth E, Van Niekerk C, Just MC, De Waal DT. In vitro cultivation of a Babesia sp. from cattle in South Africa. *Onderstepoort J Vet Res.* 1995 Jun;62(2):139-42. PMID:8600438



## **Dr. Schaller has been published in:**

Journal of the American Medical Association

Journal of Clinical Neuroscience

Medscape (Academic Journal of WebMD)

Journal of the American Society of Child and Adolescent Psychiatry

American Journal of Psychiatry

European Journal of Child and Adolescent Psychiatry

Compounding Pharmaceuticals: Triad

Fleming Revell Press (Four Languages)

Internal Medicine News

Family Practice News

Spire Mass Market Books

Internet Journal of Family Medicine

Greenwood Press

Child and Adolescent Psychiatry Drug Alerts

Hope Academic Press

Clinical Psychiatry News

Psychiatric Drug Alerts

Townsend Journal

OB/GYN News

AMA News

Currents

# WHAT YOU MAY NOT KNOW ABOUT BARTONELLA, BABESIA, LYME DISEASE AND OTHER TICK & FLEA-BORNE INFECTIONS

IMPROVING TREATMENT SPEED,  
RECOVERY & PATIENT SATISFACTION



## Common Insect Infections Can Cause Hundreds of Illnesses

- Indirect Testing Uncovers Routinely Missed Dangerous Stealth Infections
- Careful Examination of Traditional and Progressive Treatments

JAMES SCHALLER, MD, MAR & KIMBERLY MOUNTJOY, MS

FIRST EDITION

This 800 page book contains a hundred useful treatment testing and treatment pearls. However, it does not give one size fits all “mill medicine” treatments. It also includes advanced and comprehensive diagnostic checklists to prevent health care workers from missing Bartonella, Babesia and Lyme disease. Veteran physicians and functional medicine practitioners report they are learning a great deal from this book. It also shows that very few healers are able to read full time to reach tomorrow’s medical care now, and Dr. Schaller shows he is one of them by clear broad thinking and thousands of references. His primary clinical pearls are in the first 120 pages.

# FIELD SOBRIETY TESTING IS JUNK SCIENCE

A "BEST DOCTOR" AND "TOP PHYSICIAN"  
SHOWS WHY POLICE SHOULD NOT PERFORM  
ADVANCED NEUROLOGY TESTING



Which One is Qualified to Practice  
Advanced Neurology Exams?

---

INCLUDING A FINAL CHAPTER:  
A POWERFUL WARNING TO REPEAT & SERIOUS DUI OFFENDERS

This fascinating book appeals to all peace officers, legislatures, and concerned citizens to rethink the science of these super medical examinations which help save lives, **but also often allow for many to be placed under arrest for over 500 medical problems.**

## A Sample of Other Books by Dr. Schaller


JAMES SCHALLER, M.D.

# The Diagnosis and Treatment of **Babesia**



Lyme's Cruel Cousin: the OTHER Tick-borne Infection

This large textbook is clear and easy to read. It is really three books. While some points are partially outdated since 2006, much would be considered new to most readers.



The only hematology book exclusively dedicated to Babesia.

# **Artemisinin, Artesunate, Artemisinic Acid and Other Derivatives of Artemisia Used for Malaria, Babesia and Cancer**

---

**A Health Care Practitioner's Guide to Dosage,  
Side Effects, Effectiveness, Toxicity and Interactions.  
A Review of the Research on the Most Common  
Clinical Artemisia Medications.**

**JAMES SCHALLER, M.D.**

The most up-to-date academic and patient-centered book  
on practical Artemisia Babesia issues.

# BABESIA UPDATE 2009

**Routine and Advanced Testing Often Fail  
Standard Treatments Do Not Cure**

**A Cause of Excess Weight, Migraines and Fatigue?**

**JAMES SCHALLER, M.D.**

WITH RANDALL BLACKWELL

**HARD COVER EDITION**

A book with advanced research based information, that moves Babesia medicine into a new decade. It presents highly practical information on ways to detect Babesia that are not mere IgM/G titer tests. Learn how to detect new species being discovered routinely and which seriously undermine function. This text also discusses why some individuals do not experience the easy and fast cure promised in other writings.

JAMES SCHALLER, M.D.

# The Diagnosis, Treatment and Prevention of **Bartonella**

***Atypical Bartonella Treatment Failures and  
40 Hypothetical Physical Exam Findings***



Bartonella diagnosis is very complex. This current text creatively uses a new set of tools to assist in diagnosis based on solid research of blood vessel and skin augmentation chemicals created by Bartonella. It literally creates a new Bartonella physical exam. This book helps with limited basic lab testing, and **prevents the use of routinely relapsing or poor treatments promoted in both traditional and integrative medicine.** No other book on this topic is based on over a thousand top research articles, and no one has published anything remotely close to replacing this work in over five years.

*When Traditional Medicine Fails...*

# YOUR GUIDE TO MOLD TOXINS

**Gary Rosen, Ph.D. & James Schaller, M.D.**

- WHAT THEY ARE
- WHO THEY HURT
- AND WHAT YOU CAN  
DO TO RECLAIM YOUR CHILD'S HEALTH,  
LEARNING AND BEHAVIOR



Dr. Schaller is a Certified Mold Investigator and a Certified Mold Remediator. Here is a practical and readable mold mycotoxin book.

JAMES SCHALLER, M.D., CMR      GARY ROSEN, PhD, CIE

# MOLD ILLNESS AND MOLD REMEDIATION MADE SIMPLE

Removing Mold Toxins From Bodies and Sick Buildings



This book is helpful for people who are ill, or have trouble thinking and reading science materials. This is very practical and shows the clean-up errors made by 95% of experienced and expensive licensed mold remediaters and renovation workers. Just reading ten pages from this book has shown people why they are not getting better. And this text helps you spot poor remediaters after simply reading 40 easy to understand comics. Most remediations fail and most building hygiene actions are flawed. See why fast. The six best mycotoxin binders **cannot cure you if you are still in a “sick” home or moldy work location.**

JAMES SCHALLER, M.D.

# SUBOXONE

**TAKE BACK YOUR LIFE  
FROM PAIN MEDICATIONS!**



The only current, practical and advanced clinical book on this revolutionary treatment for opioid addiction and modest pain.

JAMES SCHALLER, M.D., M.A.R.

# A.D.D. IRRITABILITY AND OPPOSITIONAL DISORDERS

**CUTTING-EDGE SOLUTIONS**

SINCERE THERAPISTS AND DOCTORS MISS



The many missed **medical and neurological** causes of poor focus and bad behaviors can no longer be ignored. This unique text advances medicine and shows how much in youth psychiatry has medical roots that are ignored or unknown even in solid child and adolescent psychiatry practices.

# CHECKLISTS FOR BARTONELLA, BABESIA, AND LYME DISEASE

## 2012 EDITION

A "BEST DOCTOR", "PEOPLE'S CHOICE PHYSICIAN" AND "TOP DOCTOR" OFFERS HIGHLY RESEARCHED, ADVANCED DIAGNOSTIC CHECKLISTS FOR DANGEROUS EMERGING INFECTIONS



Which Physician is Going to do a Proper Exam of a Person With Bartonella, Babesia, and Lyme Disease?


The right physician is the one who is going to take the time for a very comprehensive evaluation

JAMES SCIALLER, MD, MAR & KIMBERLY MOUNTJOY, MS

The only tick and flea-borne infection diagnostic checklist book based on over 6,000 references related to Bartonella, Babesia and Lyme disease. It seeks to prevent false negative diagnosis, meaning, the advanced and expanded criteria are set to catch these three infections. This book is available from [www.personalconsult.com](http://www.personalconsult.com) under "free books" or from Amazon.com.

# SOBRIETY TESTING

THE BASIC SCIENTIFIC AND MEDICAL REFERENCES THAT DEMONSTRATE STANDARDIZED FIELD SOBRIETY TESTING IS PRACTICING MEDICINE WITHOUT A LICENSE



Only Licensed Physicians are Trained to Perform Medical Examinations and so FST Should Be Removed From Use



JAMES SCHALLER, M.D., M.A.R.  
KIMBERLY MOUNTJOY, M.S.

This firm book is a strong appeal for all involved in preventing impaired driving, which often causes profound disability and death, to appreciate the medical testing done on dark sidewalks or streets is a practice of advanced medical testing. FST has hundreds of routinely missed medical troubles which cause false positive tests. All civilized societies must lower the many arrests based on a lack of knowledge in human physiology and human pathology.

Further, the simplistic teaching that field sobriety testing is very easy for sober people is wrong. How many adults can walk on a balance beam a mere few feet off the ground?

# WHAT YOU MAY NOT KNOW ABOUT BARTONELLA, BABESIA, LYME DISEASE AND OTHER TICK & FLEA-BORNE INFECTIONS

## IMPROVING TREATMENT SPEED, RECOVERY & PATIENT SATISFACTION



**Beyond 1990's Simplistic Medicine And Its Dangerous  
Protocols Which Are Untailored Treatment "Recipes"**

JAMES SCHALLER, MD, MAR & KIMBERLY MOUNTJOY, MS

ABRIDGED EDITION

This powerful book is from one of the highest rated physicians doing research on all major tick infections. He only treats people who have failed to be cured by a number of previous smart healers. It is a book of ideas proposing reasons you do not feel recovered and back to normal. This book has over 90% of its references removed which are still in the first edition.

## **Disclaimer**

Dr. Schaller is not a specialist in infectious disease medicine. He is also not a pathologist. Both of these specialties have over 2,000 diseases to treat and study. Dr. Schaller is only interested in four infections and has read and published on only these four. The medical ideas, health thoughts, health comments, products and any claims made about specific illnesses, diseases, and causes of health problems in this book are purely speculative, hypothetical, and are not meant to be authoritative in any setting. No comment or image has been evaluated by the FDA, CDC, NIH, IDSA or the AMA. Never assume any United States medical body, society, or the majority of American physicians endorse any comment in this book. No comment in this book is approved by any government agency, medical body or medical society. Nothing in this book is to be used to diagnose, treat, cure or prevent disease. The information provided in this book is for educational purposes only. It is not intended as a substitute for the advice from your physician or other health care professionals.

No patient should use the information in this book for the diagnosis or treatment of any health problem, or for prescription of any medication or other treatment. You should consult with a health care professional before deciding on any diagnosis, or initiating any treatment plan of any kind. Dr. Schaller does not claim to be an expert in any illness, disease or treatment. In this book, he is merely sharing one of his interests. Please do not start any diet, exercise or supplementation program, or take any type of nutrient, herb, or medication, without clear consultation with your licensed health care provider.

Babesia or Malaria diagnosis or treatment comments and reports of possible positive or negative treatment outcomes are hypothetical. No treatment should be rejected or embraced by anyone, based on the preliminary research and study in this book.

## Contacting Dr. Schaller

Should you wish to talk to Dr. Schaller, he offers individualized education consults, which can be arranged by calling 239-263-0133. Please leave all your phone numbers, a working email and a fax number. These consults are typically in 15 minute units and can last as long as you wish. All that is required is the completion of a short informed consent form.

If you would like a full diagnostic consult or to see Dr. Schaller as a patient, know he treats patients from all over the USA and from outside the country. He meets with you first and then does follow-up care with you by phone.

If you would like to fly in to see Dr. Schaller, his staff are very familiar with all the closest airports and hotels.





