



# SUZBIJANJE BIOFILMA

ZAŠTO VAŠI ANTIBIOTICI ANO PROTIV GLJVICA f AIL


Rješenja za lajmsku bolest, kronični sinusitis,  
Pneumonija, gljivične infekcije, rane, uho  
Infekcije, bolesti desni, crijevne bolesti,  
Loš zadah, cistična fibroza i implantati

GLAVNI DOM NEDOSTAJA U ZAGONETCI KRONIČNE BOLESTI

JAMES SCHALLER, M.D., M.A.R.  
KIMBERLY MOUNTJOY, M.S.

## Što je biofilm?

Jednostavna, znanstvena definicija biofilma: svaka skupina mikroorganizama u kojoj se stanice lijepe jedna za drugu na površini. Oni su obično unutar sloja koji stvaraju i naziva se "sluz".



Usporedite biofilm s pečenim jajetom. Žuti žumanjak u središtu pečenog jaja je bakterijska ili gljivična infekcija.

Veći bijeli dio koji okružuje žumanjak može se nazvati "bio-film". Štiti unutarnju infekciju, odnosno žumanjak, i od antibiotika i od ljudskog imunološkog sustava.

Vanjski rub jajeta pokazuje neke vrlo male prene rubove. Lako ih je promašiti zbog veličine jajeta. Pretvarat ćemo se da su to antibiotici ili kemikalije koje ubijaju infekcije. Beskorisni su zbog činjenice da nikada ne prođu vanjski bijeli rub jajeta. Bjelanjak je za njih poput zida.

## Tko ima infekcije biofilmom?

Kada naučite o ogromnoj raznolikosti lokacija i situacija u kojima su biofilmovi uobičajeni i uzmete u obzir da su to često rutinsko stanje bakterija i gljivičnih organizama, počinjete shvaćati da svatko može imati infekciju ili infekcije biofilmom.

### Što tražimo u ovoj knjizi?

Sljedeći materijal pokazat će mnoge načine probijanja "bjelanjka" ili biofilma. Jednom kada se to dogodi, obično je puno lakše uništiti infekciju koju predstavlja žumanjak ili žuto središte.

### Biofilmovi su vodeći uzrok patnje i smrti

#### Mesta i situacije biofilma na tijelu

- Infekcija koja traje više od 2 tjedna
- Vodeći uzrok smrti djece mlađe od 6 godina
- Zubni plak—u ljudskim ustima nalazi se oko 25 000 vrsta bakterija, od kojih se oko 1000 nalazi u biofilmu zubnog plaka.
- Gljivične infekcije
- Postkirurške infekcije
- Rak
- Loš dah
- Bolest desni ili parodontoza\*
- Karijes • Plućne infekcije
- Infekcije mokraćnog sustava
- Oralne bakterije—mogu oštetiti srčane arterije i uzrokovati smrt te povećati broj karcinoma crijeva
- Kronične upale uha
- Infekcije sinusa\*\*
- Kronični tonsilitis
- Rane
- Glave četkica za zube — uključujući zvučne pokretne glave

- Kateteri koji omogućuju uklanjanje urina
- Umjetna koljena, kukovi i drugi nadomjesci
- Infekcije srčanih zalistaka
- Ozljede ili ranice
- Lajmska bolest
- IV kateteri bilo koje vrste
- Urinarni kateteri
- Kontaktne leće
- Ugrađeni uređaji—svaki ugrađeni ili umetnuti uređaj može poslati bakterije u mozak, jetru ili bubrege.
- Kronične infekcije prostate
- Legionarska bolest i mnoge druge biotoksinske bakterije koje eksplodiraju u svakoj vodi u zatvorenim prostorima
- Bolesti pljesni—koje mogu nastati zbog nakupljanja pljesni u stajaćoj vodi u zatvorenom prostoru, npr. poplava, curenje krova, podruma ili prozora, ovlaživači zraka, nekorišteni Waterpik™ ili drugi uređaji za čišćenje zuba, kondenzacija u AC kanalima, itd. •

Cistična fibroza—pretjerano stvaranje služi u dišnim putovima omogućuje bakterijama poput Pseudomonas aeruginosa da pobijede ubojice bakterija iza omotača biofilma.

- Izgubljeni dijelovi tijela
- Infekcije kože, kose ili noktiju
- Artritis
- Endokarditis
- Infekcije kostiju
- Akne

Popisu bi se mogle dodati mnoge druge stvari, uključujući vrlo ozbiljne probleme kontaminacije biofilmom u vodi i desetke drugih zdravstvenih i proizvodnih praksi.

\*Doktor David Kennedy, umirovljeni stomatolog, žali se da većina odraslih Amerikanaca ima bolest desni - još jedno stanje bakterijskog biofilma koje uključuje kroničnu infekciju. Dakle, koliko je raširena ova skrivena epidemija zdravstvene skrbi?

\*\*U Ondine Biopharma, intervju [s Richardom Longlandom] otkrio je da 38.000.000 ljudi u ovoj zemlji ima (ili je imalo) kronični problem sa sinusima.

\*\*\*Ricardo Murga; Terri S. Forster. Uloga biofilmova u preživljavanju Legionella pneumophila u modelu sustava pitke vode. Microbiology (2001), 147, 3121–3126.

# SUZBIJANJE BIOFILMA

Zašto vaši antibiotici i antifungici ne uspijevaju

Rješenja za lajmsku bolest, kronični sinusitis,  
Pneumonija, gljivične infekcije, rane, uho  
Infekcije, bolesti desni, crijevne bolesti,  
Loš zadah, cistična fibroza i implantati

Dio koji nedostaje u slagalici kroničnih bolesti

James Schaller, MD, MAR  
i

Kimberly Mountjoy, MS

International Infectious Disease Press  
Bank Towers • Newgate Center (apartman 305)  
5150 Tamiami Trail North [Autocesta 41]  
Naples, Florida 34103

## Stvaranje aktualnih odgovora koji spašavaju život o biofilmu Često i čvrsto

Upravo sada u novinama, blogovima i knjigama možete pročitati dvije godine o opcijama koje uništavaju biofilm. Za to bi vam trebalo 1000-1500 sati. I imali biste niz opcija za predložiti. Evo nekoliko primjera opcija koje možete pronaći u tim novinama, blogovima i knjigama:

Izbjegavajte magnezij	EDTA	matična mlijec
Izbjegavajte šećere i žitarice	DMSO	Timijan
NAC	Vankomicin	Limunska trava
Norspermidin	Gentamicin	serapeptidaza
Cis 2-decenska kiselina	Svitak	2-aminobenzimidazol
Lumbrokinaza	Izbjegavajte masti	Ehinokandini

### Kako pronaći razuman marketing i povjerenje u sredstvo za biofilm kao rješenje?

Tom i Lisa blogiraju da su proizvod "x" i recept "d" iznimni tretmani za potkopavanje infekcija biofilma kod kroničnog umora (CFS) i fibromialgije (FM).

Ljudi su uzbudeni budući da njihov redoviti liječnik nema veće rješenje niti ih zanimaju infekcije biofilmom.

Problem je u tome što "x" ili "d" mogu imati koristi u potkopavanju biofilma ili pomoći u prevladavanju bolesti. Ali pazite da napravite brze veze. Liječenje "a" može djelovati samo na biofilmu deset infekcija, a imamo dokaz da djeluje samo na tri infekcije.

Naš je cilj pokazati vam što pokazuje dobro istraživanje kako biste vi i vaš liječnik mogli započeti s činjenicama i razumjeti razloge za bilo kojeg mogućeg ispitivanja biofilma.

Na primjer, vaša bi infekcija mogla biti poput Lyme po upotrebi željeza. Saito i mnogi drugi izvješćuju da za razliku od svih drugih poznatih organizama, Borrelia, uzročnik lajmske bolesti, može postojati bez željeza, metalna koji je potreban svakom drugom životu. Umjesto toga, Borrelia koristi mangan.

Što ako se utvrdi da vaša bolest temeljena na biofilmu u budućnosti ima istu sposobnost dobrog života bez željeza? To bi moglo značiti da sredstvo za biofilm koje potkopava biofilm lajmske bolesti može djelovati na vaše. Biofilmovi bakterijskih i gljivičnih infekcija obično imaju sličnu ranjivost na disruptor biofilma. Poznavanje načina na koji vaša infekcija djeluje može pomoći u određivanju koji će agens biofilma djelovati.

<http://phys.org/news/2013-03-scientists-reveal-quirky-feature-lyme.html#jCp>. Pristupljeno 26. ožujka 2014.

## Sadržaj

Medicinska revolucija .....	1
Pet faza biofilma .....	2
Uvodne slike biofilma .....	3
Uobičajena bakterija koja se nalazi na svakoj ljudskoj koži .....	4
"Staph" infekcije postale su otporne na većinu antibiotika .....	5
Biofilmove ignorira medicinska zajednica .....	20
Činjenje "biofilmova" jasnim .....	21
Sprječavanje patnje, slabijeg funkcioniranja, invaliditeta i smrti od biofilmova .....	24
Uklanjanje biofilma prvo čini antibiotike učinkovitim .....	26
Vrlo kratki uzorci ljudi i biofilmova .....	27
Rješenja .....	30
Biofilmovi su vrlo raznoliki .....	32
Primjeri duboke raznolikosti biofilma .....	32
Dvostruki udarac: bakterije s biofilmom i otpornost na lijekove .....	34
'Superbakterije' otporne na antibiotike su ozbiljna prijetnja 'u vrlo bliskoj budućnosti' .....	36
Kratka riječ o biofilmovima u Lymeu .....	37
Lajmska bolest (Borelija) i biofilmovi .....	38
Dvije različite bakterije u jednom biofilmu izazivaju katastrofu: uobičajeno Zubna higijena .....	39
Uzorak njegove biofilma .....	40
Bartonella i Babesia Biofilmovi? .....	43
Zaključak o biofilmovima koje prenose krpelji i buhe .....	43
Biofilmovi i infekcije pluća ili sinusa: anatomija medicinske katastrofe .....	45
Momčadski sportovi: kada sve višestruke infekcije stvaraju biofilm .....	46
Upozorenje: Biofilmovi i kratke, užurbane medicinske sesije .....	47

Esencijalna ulja .....	48
Osnove eugenola .....	52
Eugenol i biofilmovi .....	53
Linalool .....	57
Rezerpin .....	59
"Slaganje" ubojica biofilma .....	60
Terpenoidi .....	61
Alicin i češnjak .....	64
Serapeptidaza .....	67
Lumbrokinaza .....	72
Nattokinase .....	73
Terminalia chebula Retz .....	74
Rak .....	77
Laktoferin .....	82
Kupnja laktoferina .....	84
Kombinirano liječenje laktoferinom i ksilitolom .....	86
Ograničavanje tradicionalnih šećera: smanjenje upale i biofilmova? .....	87
Šećer ksilitol .....	88
Eritritol .....	90
Organoselen .....	93
Smeta li nedostatak magnezija biofilmu? .....	94
Ograničavanje masnoće za tretiranje biofilma .....	97
Houttuynia cordata Thunb (HCT) .....	101
Uzorak kemikalija pokretača biofilma okrenutih protiv bakterija ..	104
Dvostruki tretmani .....	105
Biljni izvori rijetko daju samo jednu korisnu kemikaliju .....	106
Nitroksolin .....	107
Lizozim .....	109

Aspirin i NSAIL .....	110
Azitromicin (Zithromax) .....	113
Srebro .....	115
Gingerol .....	119
Stevija .....	121
Osnove Cumunde .....	123
Kumanda i biofilmovi .....	125
Eritromicin .....	126
Med .....	128
Loš dah .....	134
Reverzne aminokiseline potkopavaju biofilmove .....	136
Katelicidin LL-37 .....	139
Enzim koji inhibira RNAlII (RIP) .....	141
Tinidazol (Tindamax) i metronidazol (Flagyl) .....	142
Tuberkuloza (TB) .....	143
Novi alat koji pomaž e ubiti tuberkulozu? .....	144
Hrana u prahu, antibakterijska snaga .....	145
Zaključak .....	146
Dodatak .....	147
Kliničke publikacije dr. Schallera .....	153
Ostale knjige dr. Schallera .....	155
Odricanje od odgovornosti .....	169
Kontakt s dr. Schallerom .....	170

## Medicinska revolucija

Teorija o infekciji biofilmom duboka je revolucija u proučavanju infekcija koje mogu biti bolne, onesposobljavajuće i zapravo su najveći ubojica ovisno o dobi.


Infekcije nas počinju vraćati u dane kada su ljudi umirali od običnih infekcija. Novi svijet infekcije biofilmom mogao bi ubiti više ljudi nego Prvi i Drugi svjetski rat zajedno ako se stvari brzo ne promijene i u razvijenim i u nerazvijenim zemljama. Zbog sporog razumijevanja važnosti biofilma i stoga liječnici sporog usvajanja novih rješenja za biofilmove, čak i vrhunski liječnici mogli bi ozbiljno uzeti biofilmove tek kada je dokazano da sve više ljudi postaje invalidno i umire zbog njih. Trenutačno većini nedostaju biofilmovi kao uzrok patnje i smrti. Dakle, biofilmovi bez rješenja ozbiljni su kao dječja paraliza u 19. stoljeću bez cjepiva, a po broju žrtava daleko pogubniji od HIV/AIDS-a.

Većina bakterija živi u zajednicama koje obično imaju jedinstvene zaštitne biofilmove. 1% bakterija koje zaraze ljude ili utječu na ljudski život plutaju same i kada se nađu u krvi, ne bi se moglo naći zajedno sa služi biofilma.

Nacionalni instituti za zdravlje procjenjuju da je više od 80% mikrobnih infekcija u ljudskom tijelu uzrokovano biofilmom, a mnoge od njih stvaraju kronične probleme koji se ponavljaju. Ili je Glowacki u pravu i 99% bakterija živi u biofilmu? Bez obzira koristite li NIH-jevih 80% ili Glowackijevih 99% kao procjenu, biofilmovi su ozbiljno razmatranje kod infekcija.

Glowacki R, Strek P, Zagórska-Swiezy K, Składzień J, Oleś K, Hydzik-Sobocińska K, Miodoński A. [Biofilm pacijenata s kroničnim rinosinuitisom. Morfološke SEM studije]. [Članak na poljskom]. Otalaryngol Pol. 2008;62(3):305-10.

## Uvodne slike biofilma



Novi genetski jedinstveni jednostanični parazit koji proizvodi biofilm nazvan FL1953 ili *Protomyxzoa rheumatica*. (Ovaj poseban bris je najbolji način za otkrivanje ovih jednostaničnih parazita u ljudskim tijelima, jer DNK ili PCR testovi nisu uvijek pozitivni).


Stotinu tamnih ovala s vanjske strane ove gore prikazane slike su crvena krvna zrnca (RBC) veličine 8 mikrona. Središnja masa je lopta biofilma s mnogo crvenih krvnih stanica u masi biofilma.

Ovaj gore prikazani biofilm obično se nalazi kod osoba s infekcijama koje prenose krpelji, kao što je vrlo česta *Bartonella*, bakterija *Borrelia* lajmske bolesti i smrtonosna *Babesia*. Dok neke bolesti koje prenose krpelji mogu biti gore od drugih ili češće od drugih, sve su potencijalno smrtonosne ako se ne iskorijene. Ovaj gore prikazani parazit jednostanična je infekcija povezana s babesijom i malarijom, a kada mu se skine biofilm, izgleda kao nezrela malarija. Prema Centrima za kontrolu bolesti, ovo je jedinstvena protozoa. Nije ni babezija ni malarija. Ova infekcija se zove FL1953 ili *Protomyxzoa rheumat-ica*. Stvara ogromne količine biofilma, a ogromna središnja masa na ovoj slici sadrži stotine crvenih krvnih stanica.



Dok promatramo različite organe i uzroke biofilma, ne bismo smjeli izostaviti vektor infekcije biofilmom kojeg prenosi više od 200 životnih bića na najmanje tri kontinenta - Ixodes krpelj. Nosi najmanje dva ozbiljna proizvodča biofilma: FL1953 i vrlo složenu genetski naprednu Lyme bakteriju. Još uvijek učimo koje sve moguće infekcije nosi.

Imajte na umu da dlaka izgleda poput velike trave, tako da je ovaj krpelj djelić ove veličine. Kada kombinirate nevidljivost s ugrizom koji ima sredstvo protiv bolova, antihistaminik, sredstvo protiv zgrušavanja krvi i protuupalno sredstvo, imate prikrivenog prijenosnika infekcije. Jedna kemikalija iz sline krpelja, Sialostatin L, tako je dobar enzim za suzbijanje imuniteta da može inhibirati astmu (Horka 2012).



Psi mogu biti čovjekov najbolji prijatelj, ali ne ako dirate njihovu slinu i ne ako donose krpelje ili buhe u vaš dom ili auto. Pretpostavimo da su svi psi i mačke koji žive izvan grada vjerojatno imali ugrize krpelja ili buha.



## Čnjenje "biofilmova" čistim

Biofilm je poput novčića u sredini bazena maslinovog ulja, a na vanjskom rubu ulja nalazi se papar koji predstavlja stanice koje ubijaju infekcije. Ne mogu se useliti da unište novčić. Zajednice bakterija biofilma uobičajeno su stanje većine ljudskih infekcija. Učili su nas da su infekcije izolirane bakterije koje lebde okolo i to je ozbiljna pogreška.

To pokazuje koliko daleko trebamo ići u znanosti ako je glavni oblik bakterija—biofilmske bakterijske zajednice—nov je, ali ključan koncept. Kad sam 2004. napravio popis od dvadeset pet opcija za uništavanje biofilma, nije bilo previše interesa.

Danas je nemogućnost uništavanja biofilma različitim opcijama doslovno zdravstvena katastrofa.

Cilj pisanja i objavljivanja ove knjige je napraviti pristupačan skup opcija temeljen na istraživanju zajedno s drugim mogućim opcijama, predstaviti čistu knjigu rješenja koja nudi najnovija moguća trenutna i ažurirana rješenja za stotine bolesti povezanih s biofilmovima. Barijeru biološkog filma može biti potpuno nemoguće ukloniti ili probiti rutinskim opcijama koje koriste liječnici, specijalisti za infekcije, naturopati, škole alternativne medicine, praktičari eteričnih ulja, akupunkturisti, medicinske sestre ili travari.

Nadamo se da ćemo ovom knjigom poslužiti vama i vašem liječniku/iscjelitelju istraživanjem opcija koje su sada dostupne. Pretražili smo zadnjih pet godina publikacija na PubMed-u—ogromnoj bazi podataka za medicinsku znanost—za "liječenje biofilmom". Raspon opcija je impresivan i nisu uvijek stvari koje biste očekivali. Ova vam knjiga ima za cilj dati široke mogućnosti za sprječavanje vaše patnje, invaliditeta pa čak i smrti.

Nakon godina istraživanja i proučavanja, shvatio sam da su "stručnjaci" za zarazne bolesti na biofilmu mogu da odavno izgubili rat, a zapravo, mnogi mogu da nikada nisu bili svjesni svih bitaka. Godišnje-

## Vrlo kratki uzorci ljudi i biofilmova

Godine 2004. Richard Longland se vrlo loše oporavio od misteriozne bolesti nakon operacije kraljež nice. U mjesecima koji su uslijedili, patio je od mnogih problema - glavobolja, bolova u zglobovima, a kasnije i srčanih i mož danih problema, brutalnog umora i problema s razmišljanjem.

Medicinski sustav mu se suprotstavio, ali je konačno 2007. godine liječen od mikoplazme koja je nastala nakon moguće operacije, bilo gdje u bolnici ili na javnom mjestu ili krpelja.

Većina mojih pacijenata posjetila je 3 do 200 liječnika prije nego što su došli k meni. Razumijem njegovo iskustvo. G. Longland je morao posjetiti više od dvadeset liječnika radi dijagnoze. U tom teškom razdoblju stvorio je vrhunski film pod nazivom "Why Am I So Sick?" On je pacijent-prvak korištenja farmaceutskih i naturopatskih sredstava za oslobođenje svog tijela od sistemskih bakterijskih biofilmova.

\*\*\*

Edward ima 78 godina i ima tri kćeri i osmero unučadi. Hospitaliziran je zbog otežanog disanja. Ima tešku upalu pluća ili infekciju pluća. Sve mu je gore. Pojedinci su se oporavili koristeći sredstva koja pobjeđuju mnoge upale pluća zaštićene biofilmom.

\*\*\*

Linda je već nekoliko godina umorna i ima problema sa školom. Nedavno sam otkrio da ima nekoliko infekcija krpeljima zbog kojih su više od petnaest laboratorijskih rezultata bili abnormalni. Jučer je nazvala i zbog bolova iza koljena rekao sam joj da ide na hitnu. U manje od jednog dana otkriveno je da ima 23 ugruška u plućima i nogama. Sumnja da je Babesia, upala i FL1953. Imali smo agente koji su ubili te agente, uključujući FL1953, 2006.

\*\*\*

It would be an error to say that nattokinase, lumbrokinase, serra-peptidase, EDTA, gentamicin, vancomycin, Samento, Banderol, olive products, poorly known herbs with fair lab testing in humans, clove bud oil, diet, chelation, three to four part amino acid mixes, NAC, Rife, diet changes or a vast range of other options not listed, will **work for all biofilms**. For example, an elderly patient dying of a lung infection or another person with painful and treatment-resistant sinus infection *will not* have the same biofilm.

As a trend, trying different options to destroy a biofilm is less dangerous than allowing it to spread.

## A Brief Word on Biofilms in Lyme

At times, individuals who have tick- and flea-borne infections, like Bartonella, Babesia and Borrelia (Lyme disease), can feel their treatment is minimal or incomplete. Debates rage over the diagnosis and treatment of Lyme and tick-borne diseases; whether the pain is from residual dead infection incorporated into tissue or one of the many infections carried by the *I. scapularis* tick, we still have patients' misery.

After writing **twelve books** which include many pages on non-Borrelia infections, “Lyme testing” seems like alphabet testing in which ***one only looks for the vowel “a.”*** Due to the lack of acceptance of the number and complexity of tick-borne infections, there is a lack of up to date education, leaving quality medical doctors to evaluate tick and flea infections in the ***abstract***, by which I mean that they very falsely and sadly do not realize the full magnitude of “***the alphabet.***”

Specifically, they “diagnose” by ignoring inflammation alterations, nutrient changes, hormone deficits, immunity changes caused by tick-borne infections, and chemicals made or suppressed by direct tick and flea infectious agents. I discuss these in my three most recent tick and flea infection books. All are available in English. All can be found free through inter-library loan, for less than \$20 USD, or at [www.personal-consult.com](http://www.personal-consult.com) under the “free books” button. No one can expect to become an expert in this massive area after reading any guide or merely going to ten conferences, because these cluster infections impact twenty areas of medical and scientific knowledge.

In the last four years, researchers like **Dr. Eva Sapi** have shown **Lyme is like some other spirochetes—it has biofilms. These are very tough biofilms to defeat unless caught in the “acute stage.”** A tough, “mature biofilm” allows organisms to “laugh at” many antibiotics.

Some medical professionals interested in Lyme often ignore the immune suppressing Bartonella bacterium, which is more common than Lyme. Ignoring coinfections may increase the risk of fatality with Babesia and possibly **FL1953**. These healers also may not realize that the highly

genetically complex Lyme spirochete appears to have a troublesome biofilm. Performing a simple direct test at laboratory companies whose testing kits have reduced sensitivity will probably result in more negatives for tick-borne diseases. The ultimate result is anti-science and anti-truth. Searching for tick infections with one test is like writing in “Lincoln” at the next presidential election.

## Lyme Disease (Borrelia) and Biofilms

Several researchers believe *Borrelia burgdorferi*, the active agent of Lyme disease, has biofilms. Lyme organism biofilms have been found in culture and in the tick gut. Lyme cysts and biofilms have also been noted in patient skin biopsies using focus floating microscopy according to Dr. Eisendle publishing in the *American Journal of Pathology*.

Further, we see in Lyme that biofilm formation is dependent on cyclic di-GMP expression and we see that in Lyme (Stricker and Johnson).

Brihuega B, Samartino L, Auteri C, Venzano A, Caimi K. In vivo cell aggregations of a recent swine biofilm-forming isolate of *Leptospira interrogans* strain from Argentina. Rev Argent Microbiol. 2012 Jul-Sep;44(3):138-43. PMID:23102459

Cogoni V, Morgan-Smith A, Fenno JC, Jenkinson HF, Dymock D. *Treponema denticola* chymotrypsin-like proteinase (CTLP) integrates spirochaetes within oral microbial communities. Microbiology. 2012 Mar;158(Pt 3):759-70. Epub 2012 Feb 7. PMID:22313692

Sapi E, Kaur N, Anyanwu S, Luecke DF, Datar A, Patel S, Rossi M, Stricker RB. Evaluation of in-vitro antibiotic susceptibility of different morphological forms of *Borrelia burgdorferi*. Infect Drug Resist. 2011;4:97-113. Epub 2011 May 3. PMID:21753890

Stricker RB, Johnson L. Lyme disease: the next decade. Infect Drug Resist. 2011; 4: 1-9. PMID: 21694904

Sapi E, Bastian SL, Mpoy CM, Scott S, Rattelle A, Pabbati N, Poruri A, Burugu D, Theophilus PA, Pham TV, Datar A, Dhaliwal NK, MacDonald A, Rossi MJ, Sinha SK, Luecke DF. Characterization of biofilm formation by *Borrelia burgdorferi* in vitro. PLoS One. 2012;7(10):e48277. Epub 2012 Oct 24. PMID:23110225

lease of bacteria in the human body will be like a dangerous tornado in a field. It is a wise concern.

For these two problems regarding biofilm-held infections suddenly being released, here are useful solutions:

1. You need many infection killing options for use since more is better to prevent “seeding” of dispersed infection.
2. You want the biofilm killing options to destroy biofilms by different mechanisms. This makes the dispersed seeded infections naked to the immune system.
3. Biofilm tools are given initially at low doses and then increased gradually to large doses since often in the beginning patients have massive inflammation and a drastic increase in killing of biofilm organisms in a short time could cause trouble with bone marrow, liver, heart, eye, or kidney issues, or merely create more dead infectious debris resulting in patient misery.
4. You may need to pulse (use every other day) or fully stop this treatment because once a wave of biofilm eroding agents strips off or severely damages a biofilm of an infection, the same antibiotics that were useless in the past can become very effective.
5. There is no single master biofilm destroyer, yet some are broader than others.

## Bartonella and Babesia Biofilms?

Most people have heard of the profoundly common tick infection Lyme disease, but they may not know Bartonella is more common than Lyme and is carried by far more vectors (Breitschwerdt). Babesia decimated the cattle population in the southern United States many decades ago and is more dangerous in humans than Lyme.

Currently, we have no solid data showing Bartonella and Babesia have biofilms.


## Tick and Flea-Borne Biofilms Conclusion

Below you will see that mouth spirochetes routinely have biofilms. Another spirochete is Leptospira which is able to make biofilms in many environments and may contribute to lost pregnancy in mammals (Brihuega).

In terms of tick and flea infection biofilms, I would focus on **FL1953** (Protomyxzoa) and Lyme, since both have been known and treated by us since 2006, though the former was killed without knowing its genetic uniqueness. We are learning what decreases their biofilm pathology and have agents that should work if one is open to look at diverse approaches. A synthetic “antibiotic only approach” to biofilms, including antibiotics targeted to hit biofilms, might be similar to typing with one finger.

There are herbalists, such as Stephen Buhner, who propose selected herbs to treat some tick infections. And, in terms of **primary treating herbs to kill organisms**, there are also credible options that are not always herbal in use for a tick or flea infection. We will continue to use **advanced lab testing**, typically only allowed under physician supervision, to determine by serious extensive **indirect blood exam** biochemistry tests to see which infection is actually destroyed in people experiencing benefit from herbal therapy. In any event, I enjoyed this line from Buhner: “*I can’t really say what will clear all biofilms.*”

### Još jedna slika uzorka biofilma



Tamni IOWId oVlls ai:e crvena krv "°Us (-blade upp« crow), Tho  
"sheet" diat počinje od llo desno nisko" '°'11«, mič ući prema  
tijevom gornjem dijelu, i bioispuna, rnlfffial IOW\ll' kositia—  
poi111i11g na mali bam:rium. (Piy Labaratoriea)

## Osnove eugenola

Eugenol se nalazi u mnogim eteričnim uljima i biljkama. Na primjer, nalazi se u visokoj potenciji u eteričnom ulju klinčića, ali također u nižoj dozi u listu cimeta i njegovom eteričnom ulju. Također se nalazi u uljima pimenta, lovora, sassafrasa, masoy kore, ulju kamfora i biljkama chamchwi prema PubChemu. Jačina i koncentracija uvelike variraju ovisno o izvoru i metodi ekstrakcije. Nadalje, ovo nije samo snažno biološko sredstvo; ima i druga nevjerovatna svojstva poput antivirusnog djelovanja i učinaka protiv raka.



Na primjer, Tragoolpua i Jatisatienu pokazali su da eugenol utječe na oralni i genitalni herpes ovisno o vrsti, soju i drugim čimbenicima. Jasno su rekli da eterično ulje može biti moćnije od običnog ekstrakta. Doista, oralni i genitalni herpes, HSV-1 odnosno HSV-2, nisu se mogli razmnožavati u prisutnosti eugenola. Al-Sharif je pokazao značajne učinke na rak. Vrlo niska koncentracija ( $2 \mu\text{M}$ ) ima specifičnu toksičnost protiv različitih stanica raka dojke. Ovaj učinak ubijanja bio je posredovan induciranjem staze smrti stanica raka i smanjenjem razina E2F 1 i survivina - dviju molekula koje su ključne za preživljavanje stanica. Također je spriječio rak dojke

**genes.** Importantly, these anti-proliferative and pro-cancer cell death effects were also observed inside body grafts placed in non-human animals.

<http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=3314>

Tragoolpua Y, Jatisatiennr A. Anti-herpes simplex virus activities of Eugenia caryophyllus (Spreng.) Bullock & S. G. Harrison and essential oil, eugenol. *Phytother Res.* 2007; 21(12):1153-8.

Al-Sharif I, Remmal A, Aboussekhra A. Eugenol triggers apoptosis in breast cancer cells through E2F1/survivin down-regulation. *BMC Cancer.* 2013 Dec 13;13(1):600. [Epub ahead of print]

## Eugenol and Biofilms

Recently, Dr. Zhou has reminded us of a special process that is involved in the formation of dangerous biofilms. Basically, many bacteria have a “chatty” way of talking to other cells such as other bacteria. So, bacteria use chemicals or cause other bacteria to make chemicals to help them survive and often act to harm you or a loved one.

Eugenol is so effective that at very low amounts, it still disrupted bacteria chemical communication. This is very important in a biofilm destroying agent. If cells cannot communicate, it is doubtful they can form communities. Biofilms are community creations. **Further, eugenol at very low doses, called “sub-inhibitory concentrations” inhibited biofilm formation.**

One type of biofilm research being conducted compares biofilm killers head to head. The results are not always the same, perhaps in part because the infections are not always the same. Note that in an Epub abstract before publication, Malic explains that the best essential oil for urinary catheters, with or without biofilms, against fourteen different bacteria was eugenol. This is why I believe this substance is a “double killer.” It can defeat many biofilms, and then kill the organism making the biofilm. Finally, in this study, eugenol did better than tea tree oil.

## Linalool

According to the Merriam-Webster dictionary, the word linalool is derived from a Medieval Latin phrase meaning “wood of the aloe.” Linalool has a nice smelling alcohol and essential oils. It is used in perfumes, soaps, and flavoring materials.

In terms of biofilms, it seems to be most effective when **the essential oil part** is used, which has **the most evidence of killing Candida albicans**. (*Candida albicans* is the cause of yeast infections.) Yet, again, it is the essential oil fraction that not only **inhibits the growth** of *Candida albicans* but also of the bacteria *Lactobacillus casei*, *Staphylococcus aureus*, *Streptococcus sobrinus*, *Porphyromonas gingivalis* and *Streptococcus mutans* cell suspensions, all of them associated with oral cavity disease, according to Alviano and Mendonça-Filho. Yet, Budzyńska reported this essential oil did not fully remove biofilms formed by *Staphylococcus aureus* (ATCC 29213) and *Escherichia coli* (NCTC 8196) on the surface of routine medical materials such as urinary catheters, infusion tubes and surgical mesh.

Hsu found that linalool could be effective against *Candida albicans* due to its many genetic blocking effects. For example, using a scanning electron microscope and other technology, many signs of the effect of linalool to destroy *Candida* or inhibit its growth could be noted. Hsu found blocking actions against genes involving adhesion production and the formation of “branches” or the mold’s hyphae were both decreased by linalool.

<http://www.merriam-webster.com/dictionary/linalool>

Budzyńska A, Wieckowska-Szakiel M, Sadowska B, Kalemba D, Różalska B. Antibiofilm activity of selected plant essential oils and their major components. *Pol J Microbiol*. 2011;60(1):35-41. PMID:21630572

Alviano WS, Mendonça-Filho RR, Alviano DS, Bizzo HR, Souto-Padrón T, Rodrigues ML, Bolognese AM, Alviano CS, Souza MM. Antimicrobial activity of *Croton cajucara* Benth linalool-rich essential oil on artificial biofilms and planktonic microorganisms. *Oral Microbiol Immunol*. 2005 Apr;20(2):101-5.

## Reserpine

Reserpine is a substance found in the roots of some types of Rauwolfia that has been made into a traditional medicine. It is used to lower high blood pressure and help with psychotic symptoms, but side effects have limited its use.

While it may not be comfortable to use at modest or high dosing, very low dosing, according to Magesh, showed it to be profoundly powerful against Klebsiella pneumoniae. In one report, he used reserpine and was able to stop biofilms in this pneumoniae infection at a fraction of the dose thought to inhibit growth.

Specifically, a tiny fraction of this drug, a mere 0.0156 mg/ml, stopped biofilm production in Klebsiella pneumoniae. So, it may be possible that we have another example of a medical truth I use every day:

### **“Change the dose and you change the drug or herb.”**

In this case, perhaps it is possible that 1/10th of the lowest size tablet, 0.1 mg, could harm Klebsiella and other infections and be safe for the patient. However, the raw materials for making it may be hard to find some months according to ASHP who tracks pharmacy shortages.

Magesh H, Kumar A, Alam A, Priyam, Sekar U, Sumantran VN, Vaidyanathan R. Identification of natural compounds which inhibit biofilm formation in clinical isolates of Klebsiella pneumoniae. Indian J Exp Biol. 2013 Sep;51(9):764-72.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=975>

## "Stacking" Biofilm Killers

While physicians may ponder the problems caused by biofilms in practice, I rarely encounter the doctor who understands that it is usually better to have more than one treatment. In the article below, **oral biofilm infections were controlled best by three agents, not merely one.** For example, Alves explains that when you are going to irrigate or clean a root canal area, that two mouth bacteria infections protected by their biofilms have these same film barriers decreased significantly by treatment with farnesol, xylitol and lactoferrin together.

The same results were found in wounds. One of the best treatments for wounds is the use of a silver-based wound dressing or bandage, together with a gel containing xylitol and lactoferrin (Ammons).

Alves FR, Silva MG, Rôças IN, Siqueira JF Jr. Biofilm biomass disruption by natural substances with potential for endodontic use. *Braz Oral Res.* 2013 Jan-Feb;27(1):20-5. PMID:23306623

Ammons MC, Ward LS, James GA. Anti-biofilm efficacy of a lactoferrin/xylitol wound hydrogel used in combination with silver wound dressings. *Int Wound J.* 2011 Jun;8(3):268-73. Epub 2011 Apr 1. PMID:21457463

## Terpenoids

I would like to mention a class of options that come from a familiar substance, chemicals from tea tree oil. We have already mentioned linalool which is part of this class individually, since it comes up as a leading biofilm killer. According to Raut, as many as 14 terpenoids derived from tea tree oil inhibit biofilms, and  $\alpha$ -terpineol, nerol, isopulegol, carvone, linalool,  $\alpha$ -thujone and farnesol are worthy of special note. Eight terpenoids have effects on **mature** yeast biofilms (*Candida albicans*).

A study by Ramage shows tea tree oil (TTO), terpinen-4-ol (T-4-ol), and  $\alpha$ -terpineol displaying potent activity against 69 biofilm-forming *Candida* strains, of which T-4-ol and  $\alpha$ -terpineol displayed rapid kill action.

Of these three, T-4-ol displayed no significant toxicity to cells. These data provide further laboratory evidence that TTO and its derivative components, specifically T-4-ol, exhibit strong antimicrobial properties against fungal biofilms. Further, T-4-ol appears to possess safety advantages over the complete essential oil (TTO) and may be suitable for prevention and treatment of established oral and upper throat cavity candidosis. Certain terpenoids are components of spices or food ingredients generally regarded as safe (GRAS) (Pauli 2006).

In another study, several chemicals from plants were tried against two very common bacteria (Budzyńska), *Staphylococcus aureus* (ATCC 29213) and *Escherichia coli* (NCTC 8196), both with biofilms on the surface of **routine** medical products, i.e., urinary catheter, infusion tube and surgical mesh. All three are present in most advanced hospitals and other settings. Surgical mesh was the surface most prone to persistent colonization since the biofilms that formed on it, both by *S. aureus* and *E. coli*, were difficult to destroy.

*Melaleuca alternifolia* is the source of Tea Tree Oil (TTO). *Lavandula angustifolia* yields Lavender, English Lavender and True Lavender (LEO). *Melissa officinalis* is Lemon balm (MEO). Tea Tree oil, Lemon balm, alpha-terpineol and terpinen-4-ol showed stronger anti-biofilm

## Allicin and Garlic

Garlic has been used as a medicine throughout human history. Allicin is considered one of the medically useful components of garlic. Other useful components are discussed in Chinese language pharmacology texts.

As early as 2003, the use of allicin against *Staphylococcus epidermidis* had reported effects on biofilm formation at low dosing. Pérez-Giraldo reported that lab testing showed that allicin diminished biofilm formations.

Lihua reported ten years later that allicin impacts *Pseudomonas aeruginosa* biofilm. This is hardly casual information, since *P. aeruginosa* is likely resistant to multiple antibiotics, and this resistance may be due to biofilms. Organosulfur allicin has been shown to inhibit surface-adherence of bacteria and Lihua demonstrated that allicin could inhibit early bacterial adhesion which is a first step to bacterial community formation, usually just before biofilm production.

Other researchers isolated various components of garlic and tested the most active components. The following three components were examined:

1. garlic extract
2. allicin
3. diallyl sulfide (DAS)

They were tested against the serious mouth and dental infection *Aggregatibacter actinomycetemcomitans*, the primary cause of severe aggressive periodontitis and other non-oral infections.

## Lumbrokinase

We appreciate that some people interested in progressive medicine feel this enzyme, Lumbrokinase, is a useful substance. Some have suggested it is useful in the removal of biofilms. If that is true, we had trouble finding the evidence for that position. However, it does seem that some researchers see a potential for this enzyme to “digest” pathological clots. This possibility seems to have some support, and at this time we will only wait for further research. Since we are only proposing biofilm options that are supported by research and since human use is just starting in research settings, we do not promote this agent at this time.

Ryu GH, Park S, Han DK, Kim YH, Min B. Antithrombotic activity of a lumbrokinase immobilized polyurethane surface. ASAIO J. 1993 Jul-Sep;39(3):M314-8.  
PMID:8268550

Kim JS, Kang JK, Chang HC, Lee M, Kim GS, Lee DK, Kim ST, Kim M, Park S. The thrombolytic effect of lumbrokinase is not as potent as urokinase in a rabbit cerebral embolism model. J Korean Med Sci. 1993 Apr;8(2):117-20. PMID: 8397927

Mihara H, Sumi H, Yoneta T, Mizumoto H, Ikeda R, Seiki M, Maruyama M. A novel fibrinolytic enzyme extracted from the earthworm, *Lumbricus rubellus*. Jpn J Physiol. 1991;41(3):461-72. PMID:1960890

Wang KY, Tull L, Cooper E, Wang N, Liu D. Recombinant Protein Production of Earthworm Lumbrokinasefor Potential Antithrombotic Application. Evid Based Complement Alternat Med. 2013;2013:783971. Epub 2013 Dec 12. Review. PMID:24416067

Cao YJ, Zhang X, Wang WH, Zhai WQ, Qian JF, Wang JS, Chen J, You NX, Zhao Z, Wu QY, Xu Y, Yuan L, Li RX, Liu CF. Oral fibrinogen-depleting agent lumbrokinase for secondary ischemic stroke prevention: results from a multicenter, randomized, parallel-group and controlled clinical trial. Chin Med J (Engl). 2013 Nov;126(21):4060-5. PMID:24229674

Huang CY, Kuo WW, Liao HE, Lin YM, Kuo CH, Tsai FJ, Tsai CH, Chen JL, Lin JY. Correction to Lumbrokinase Attenuates Side-Stream-Smoke-Induced Apoptosis and Autophagy in Young Hamster Hippocampus: Correlated with eNOS Induction and NF $\kappa$ B/iNOS/COX-2 Signaling Suppression. Chem Res Toxicol. 2013 Jul 15;26(7):1126. Epub 2013 Jun 7. PMID:23746067

tract also made the pneumonia far more susceptible to the antibiotic tobramycin. Further, genes involved with resistance to antibiotics were down-regulated.

- Bag published that highly resistant urine organ infections were more vulnerable to treatment with *T. chebula* but proposed this is due to its ability to collect iron, since adding iron reduced its effect. However, Bag only tested one of many chemicals from this fruit, and I would suggest other components may have antibacterial action and work by other means.
- Four carefully chosen antibacterial plants (*P. guajava*, *T. chebula*, *A. aspera*, and *M. elengi*) are combined with four solvent extracts (hexane, ethyl acetate, ethanol, and methanol) by Kamal Rai Aneja, who initially evaluated their anti-cavity activity against *S. mutans*. All four of the plants showed activity against *S. mutans*. Ethyl acetate extracts of the four plants showed high antibacterial activity against *S. mutans*, superior to the other solvent extracts. Further, *T. chebula* ethyl acetate extract acts as an effective anti-cavity agent by inhibiting *S. mutans* and *C. albicans*. However, we were unable to find evidence if the benefit of these chemicals involved biofilm removal.

In conclusion, we appreciate that this medicine is proposed to both dissolve Lyme biofilms and also destroy the underlying Lyme bacteria. We offer no opinion on this belief. We do not want to oppose or support its use in terms of biofilm ability. It appears this fruit does act on the bacteria biofilm of *P. aeruginosa*, but Lyme bacteria are not the same as *P. aeruginosa* bacteria. Lyme is also profoundly more genetically complex than a “relative” spirochete bacterium, syphilis.

Therefore, while we do note that this medicine has antibacterial and cell protection actions, and **we accept some patients feel better**, we presently cannot say it is due to biofilm removal in those with tick-borne infections.

## Cancer

Cancer has many causes. Some things increase your risk and other things can decrease your risk. It is rarely pure genetics, even in those with genetic vulnerability. We know some types of plastics increase rates of breast cancer. We know the 200 poisons in cigarettes cause lung cancer. We know various chemicals made by various companies can increase cancer, despite the reality that most US and international chemicals have limited or no top research on their safety.

I like my dental hygienist. And, I like making sure my gums and teeth are “safe.” Why? At first it was because I want to have teeth in twenty years. But, she correctly reminds me that heart attacks are increased by gum disease which is routine in many countries.

Yet, even this passionate healer was not aware of the role of biofilms in cancer. Yes, I said cancer. We are only beginning to understand the role of infections in triggering cancer diseases.

Many years ago, I was working with a physician who asked me to help research possible cures for his cancer. Eventually, that cure was found and written up, taking over 200 hours and many months to complete, with the help of a top medical editor in North America—the former editor of the *Journal of the American Medical Society* and forty other journals, specifically, George Lundberg, who worked feverishly to get this death disorder cure in print ASAP (Schaller).

Years later, he asked me to write a follow up, and we had found that over eight top infection specialists in the United States had missed Babesia, a common parasite that is harder to kill than malaria and which can occasionally increase eosinophils (Schaller). The patient’s trouble included the fact that he had so many eosinophils, his blood could clot quickly. The point? Eosinophils are a type of white blood cell designed to kill parasites. The man’s disorder (HES) Idiopathic Hypereosinophilic Syndrome, which is often fatal and means that eosinophils reproduce out of control, was primed by a Babesia infection. Not all patients with HES also have a Babesia infection, but after writing six books which

## Lactoferrin Xylitol Combination Treatment

In a fascinating look at this proposed double treatment, Mary Ammons shares that treatment of *Pseudomonas aeruginosa* biofilm with both lactoferrin and xylitol inhibits the ability of bacteria to respond to damage resulting from lactoferrin iron chelation.

*Pseudomonas aeruginosa* has been identified as the most common biofilm-forming infection in chronic wounds. The immune stimulating molecule lactoferrin and the rare sugar alcohol xylitol, together, were effective in the lab against *P. aeruginosa* biofilms.

How? Lactoferrin iron chelation was identified as the primary means by which lactoferrin undermines the bacterial membrane. Amazingly, this combination showed huge alterations in the expression of the bacteria's genes, but these changes are too complex for a summary. The findings mean that critical chemicals made by *P. aeruginosa* had changed.

Siderophore detection verified that xylitol is the component of this unique double treatment that inhibits the ability of the bacteria to produce siderophores under conditions of iron restriction. Siderophores sound complicated—here is the simple meaning: they are some of the strongest iron binders in the world and they are made by bacteria, viruses and fungi.

The study concludes with two points:

1. Lactoferrin treatment of *P. aeruginosa* biofilms results in destabilization of the bacterial cell membrane through iron chelation.
2. Combining lactoferrin and xylitol inhibits the ability of *P. aeruginosa* biofilms to respond to environmental iron restriction.

Access to iron is profoundly hard for bacteria when this combination is used.

## Erythritol

Erythritol is an amazing sugar. For example, when it was given to children head-to-head with xylitol or sorbitol it was clearly superior. Here is a summary of the research:

Runnel writes: “Three-year consumption of erythritol-containing candies by initially 7- to 8-year old children was associated with reduced plaque growth, lower levels of plaque acetic acid and propionic acid, and reduced oral counts of mutans streptococci compared with the consumption of xylitol or sorbitol candies.”

In a similar way, Japanese researchers show highly advanced reasons for erythritol superiority over xylitol and sorbitol (Hashino). While this study is very dense, let me at least try to list the stunning findings:

1. By advanced confocal microscopic observations, the most effective sugar used to reduce *P. gingivalis* accumulation onto an *S. gordonii* substratum was erythritol, as compared with xylitol and sorbitol.
2. In addition, erythritol moderately suppressed *S. gordonii* monotypic biofilm formation.
3. To examine the inhibitory effects of erythritol, they analyzed the metabolomic profiles of erythritol-treated *P. gingivalis* and *S. gordonii* cells. Metabolome analyses showed that a number of critical bacteria chemicals were decreased by erythritol.
4. Next, metabolites of erythritol- and sorbitol-treated cells were examined. Erythritol significantly decreased the levels of *P. gingivalis* dipeptides. They tended to be increased by sorbitol.

Amazingly, it appears erythritol has inhibitory effects on two diverse species with biofilms, and it acts by at least five very distinct mechanisms.

Dowd reported that biofilm formation was completely inhibited in a standard wound approach by 10% erythritol in either of the two San-

## Does Magnesium Deprivation Hinder Biofilms?

Before we decide to remove an element that is used in vast numbers of important enzymes, we have to have a foundation. First, in some basic physiology texts, calcium displaces magnesium inside human cells.

My impression of this research is that suboptimal magnesium increases systemic inflammation, vascular death such as heart attacks, and cancer. Dibaba shows that the higher the magnesium in diet the lower C-reactive protein. This protein is associated with inflammation. If you lower inflammation you decrease deaths.

Qu pooled studies of approximately a half a million people to examine the results. The greatest risk reduction occurred when magnesium intake increased from 150 to 400 mg/day. A significant inverse association was found between dietary magnesium intake and total cardiovascular events. Serum magnesium concentrations are linearly and inversely associated with the risk of cardiovascular troubles such as heart attacks and brain strokes. Since magnesium is poorly absorbed even when chelated to an amino acid, it is perhaps useful to note the useful dose was 400 mg, when compared to minimal benefit from 150 mg orally.

Del Gobbo also examined vast studies and wrote: “Clinical hypomagnesemia and experimental restriction of dietary magnesium increase cardiac arrhythmias.” Deadly ischemic heart disease, in which a person dies due to poorly oxygenated blood reaching the entire heart, was more common in those with no magnesium supplementation or very low oral magnesium dosing. Simply, “circulating and dietary magnesium are inversely associated with [cardiovascular disease].” Further, Qu shows, in another study, a significant drop in intestinal cancers with a reasonable magnesium intake. While we may not know the mechanism for these useful findings, they are not felt to be due to chance.

Song and Leff clearly show why a small number of scientists and physicians have pondered lowering human magnesium Mg<sup>2+</sup> levels. They remind us that Mg<sup>2+</sup> can influence bacterial adhesion, which is part of biofilm process. In their study, the bacterium *Pseudomonas fluorescens* was used to investigate the influence of Mg<sup>2+</sup> on biofilm growth.

## Nitroxoline

We are not going to spend significant time on this fifty year-old antibiotic because it is not used in many countries, and it is a quinolone, and quinolones all seem to have serious risk of tendon damage. For example, it is possible nitroxoline has the same risks as other quinolones ([www.drugbank.ca/drugs/DB01422](http://www.drugbank.ca/drugs/DB01422)).

Quinolones easily enter cells and are often used to treat intracellular pathogens such as *Mycoplasma pneumoniae*.

The FDA has increased warnings regarding side effects since the drugs were first approved. I just want to focus on three side effects that might not be routine but are possible risks with many quinolones:

- Damage to nerves outside the brain: This could present as sensory nerve or muscle nerve injury causing paresthesias, hypoesthesia, dysesthesias, and weakness. New pain, burning, tingling, numbness and/or weakness, or new decreased abilities to detect light touch, pain, temperature, position sense, vibratory sensation, and/or motor strength are basic nerve functions and show damage; these are reasons to stop taking the drug.
- Tendon damage: While some focus on the Achilles tendon, actual tears of tendons have occurred in the hand, the shoulder, the thigh, or other locations. Some are helped with surgery. Other patients feel the surgical or other treatment still leaves them with damage. It is believed by some that the use of prednisone and other cortical steroids meant to drop inflammation increases the risk of tendon damage. Perhaps this is especially true in older seniors. Surprisingly, tendons can rupture after the medication is stopped. Some have suggested that IV, transdermal or sublingual magnesium might decrease the risk, but I am not aware this hypothesis has been proven (Schaller).

## Aspirin and NSAIDS

We have previously said it is best to see biofilms like a key, and using AIDS as an example, it was only after AZT in 1996 with **the arrival of protease inhibitors that those quickly dying, experienced a “Lazarus effect,” in which AIDS patients who looked to be ready to die recovered markedly in 30 days.** Medications used in AIDS are tough medications, even if they are miracles. Some may question offering a section on the tough medications aspirin and NSAIDS.

While we appreciate that aspirin and various other over the counter NSAIDS may not be optimal, perhaps due to concerns of liver, kidney or ulcer issues, we are discussing infections that invade and cannot be stopped by your body. You might need all the help you can get. So we offer some synthetic options here that may offer help against a top killing and disabling problem—**biofilm-protected** infections.

For example, fluconazole-resistant Candida is increasing worldwide. Fluconazole is also called Diflucan. Biofilms are one reason for a decreased effect in treatment. Aspirin, diclofenac, ketoprofen, tenoxicam, and ketorolac all undermined biofilms or their processes. They all reduced fungal adhesion, and increased biofilm detachment with low concentrations of anti-inflammatory agents. Microscopic examination confirmed the tested drugs had a significant effect on reduction of Candida adhesion and biofilm development. The drugs also made fluconazole work more effectively against fluconazole-resistant C. albicans (Abdelmegeed).

Another useful way to involve aspirin is by teaming it up with the chelation chemical EDTA. Both aspirin and EDTA possess broad antimicrobial activity for biofilm cultures. Aspirin used for 24 hours was successful in eradicating P. aeruginosa, E. coli and C. albicans biofilms. Moreover, exposure to the Aspirin-EDTA combination completely destroyed bacterial biofilms after only four hours in simulation lab testing (Al-Bakri).

## Azithromycin (Zithromax)

This medication is almost a household name and is known as the “Z-Pak” which contains brand name Zithromax pills that are still in use today. Despite being in use many years and used very routinely, this medication still has a strong use in addressing biofilms.

For example, Maezono showed that azithromycin was markedly superior compared to other routine antibiotics in killing gum infection bacteria. Specifically, azithromycin at **very low dosing** undermined four strains of *Porphyromonas gingivalis*. This determination involved the use of two fascinating techniques.

Azithromycin dropped the bacteria “gasoline” or ATP in the bacteria, which means the bacteria had decreased function or were dead. Cyanide kills humans in part due to dropping ATP levels—it is not a trivial substance. Further, the power of azithromycin was seen clearly with a confocal laser scanning microscope, which has the ability that the long name suggests—seeing the decreased amount of bacteria.

One of the most common hospital infection risks is MRSA; it causes a number of potentially deadly diseases. This “MRSA” simply means routine *staph aureus* is no longer able to be killed or it is resistant to methicillin, so it reproduces unchecked. Azithromycin is proposed as one solution to MRSA based partly on its biofilm defeating abilities at very low dosing.


Gui shows that azithromycin was active against methicillin-resistant *Staphylococcus aureus* (MRSA) strains. It reduced the production of  $\alpha$ -hemolysin and biofilm formation at very low “sub-inhibitory” concentrations. So, azithromycin may be useful in the treatment of  $\alpha$ -hemolysin-producing and biofilm-forming MRSA infections.

Maezono H, Noiri Y, Asahi Y, Yamaguchi M, Yamamoto R, Izutani N, Azakami H, Ebisu S. Antibiofilm effects of azithromycin and erythromycin on *Porphyromonas gingivalis*. *Antimicrob Agents Chemother*. 2011 Dec;55(12):5887-92. Epub 2011 Sep 12. PMID:21911560

## Srebro

Tretman srebrom protiv biofilmova u ranama očito je bio učinkovit. Doista, krema s 1 % srebra uspješno se koristi za liječenje i prevenciju infekcija u propalica diljem svijeta.

Pregled Međunarodnog instituta za infekcije rana pokazuje da podaci još uvijek upućuju na srebro kao vrhunski tretman. Na primjer, Monteiro je testirao koloidno srebro protiv gljivičnih biofilmova. Zaključak tog rada je vrlo čvrst: bez obzira na koncentracije korištene u studiji, srebro je utjecalo na sastav matrice i strukturu biofilma Candide.



Trodimenzionalni prikaz *Candida albicans* izbliza.

## Cumanda and Biofilms

Dr. Eva Sapi and her colleagues found in their superior laboratory that cumanda had some mild killing effects on the Lyme bacteria, but more importantly for this book, Lyme **biofilm** communities grown in her lab were reduced 43% by this herb at low dosing. The dosing for a dynamic human or animal body was not explored or proposed by this researcher or any other researcher as of February 2014. Searching by its Latin and popular name did not yield any articles relevant for use on infections.

Finally, while Lyme disease is a common and disabling infection, it is hardly the only infectious agent in the many infections carried by Ixodes ticks. While this preliminary research is very useful, it is possible cumanda may have impact inside a body for Lyme and Bartonella treatment. More study is needed. I regret that we only examined cumanda for Bartonella and not Lyme.

Our conclusion was that cumunda hindered Bartonella more than Levaquin (levofloxacin), Zithromax (azithromycin), Rifabutin (mycobutin) and other proposed options. To determine treatment effect one needs to know **the indirect actions of Bartonella, Babesia, FL1953, Lyme, inflammation systems, etc. by lab analysis using different companies.**

Theophilus PA, Burugu D, Poururi A, Luecke DF, Sapi E. Effect of Medicinal Agents on the Different Forms of Borrelia burgdorferi Lyme disease or Lyme borreliosis is a tick-borne multisystemic disease caused by different species of Borrelia. <http://healthyeats-nl.blogspot.com/2013/07/effect-of-medicinal-agents-stevia-and.html>

## Erythromycin

Gomes found that erythromycin at low doses actually enhanced the growth of biofilms in *C. diphtheriae*. Penicillin acted the same way. Of further concern is that not only did these antibiotics increase biofilm formation but in this case they enhanced infections by strains of *C. diphtheriae*. Diphtheriae is a very dangerous infection without access to effective antibiotics. It is dangerous enough with good ones.

Returning to biofilm-promoted gum disease such as gingivitis, in the United States, over 50% of adults had gingivitis on an average of 3 to 4 teeth. Adult periodontitis, measured by the presence of periodontal pockets > or = 4 mm, was found in about 30% of the population on an average of 3 to 4 teeth. Lost gum attachment to teeth of at least 3 mm was found in 40% of the population (Oliver).

The density of adherent *P. gingivalis* cells were significantly decreased by using erythromycin at very low dosing called “sub-MIC levels.” One strain was not affected by erythromycin. Finally, erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.

### Erythromycin Key Findings

- Low doses actually grew some biofilms
- Penicillin also grew some biofilms
- It enhanced strains of dangerous *C. diphtheriae*
- Gum disease from *P. gingivalis* cells was much less sticky at very low dosing.
- Erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.

### Contacting Dr. Schaller

Should you wish to talk to Dr. Schaller he offers individualized education consults, which can be arranged by calling 239-263-0133. Please leave all your phone numbers, a working email and a fax number. These consults are typically in 15 minute units and can last as long as you wish. All that is required is the completion of a short informed consent form.

If you would like a full diagnostic consult or to see Dr. Schaller as a patient, know he treats patients from all over the USA and from outside the country. He meets with you first and then does follow-up care with you by phone.

If you would like to fly in to see Dr. Schaller, his staff are very familiar with all the closest airports, and we have special hotel discounts.