



# BOJ PROTI BIOFILMOM

ZAKAJ VAŠI ANTIBIOTIKI ANO PROTI GLIVICAM F AIL

Rešitve za lymsko boreliozo, kronični sinusitis,

Pljučnica, glivične okuž be, rane, uho

Okuž be, bolezni dlesni, črevesne bolezni,

Slab zadah, cistična fibroza in vsadki


GLAVNI MANJKAJOČ KOŠ V UGANKI KRONIČNE BOLEZNI

JAMES SCHALLER, M.D., M.A.R.

KIMBERLY MOUNTJOY, M.S.

## Kaj je biofilm?

Preprosta, znanstvena definicija biofilma: vsaka skupina mikroorganizmov, v kateri se celice na površini držijo druga druge. Običajno so znotraj plasti, ki jo ustvarijo in se imenuje "sluz".



Primerjajte biofilm z ocvrtim jajcem. Rumeni rumenjak v središču ocvrtega jajca je bakterijska ali glivična okužba.

Veči beli del, ki obdaja rumenjak, lahko imenujemo "bio-film". Ščiti notranjo okužbo ali rumenjak pred antibiotiki in človeškim imunskim sistemom.

Zunanji rob jajca kaže nekaj zelo majhnih ocvrtih robov. Zaradi velikosti jajca jih je zlahka spregledati. Pretvarjali se bomo, da so antibiotiki ali kemikalije za ubijanje okužbe. Neuporabni so zaradi dejstva, da nikoli ne pridejo čez zunanji beli rob jajca. Jajčni beljak jim je kot zid.

## Kdo ima okuž be z biofilmom?

Ko izveš o ogromni raznolikosti lokacij in situacij, v katerih so biofilmi pogosti, in pomisliš, da je to pogosto rutinsko stanje bakterij in glivičnih organizmov, se začneš zavedati, da ima lahko kdorkoli okuž bo ali okuž be z biofilmom.

## Kaj iščemo v tej knjigi?

Naslednje gradivo bo pokazalo veliko načinov, kako prebiti "jajčni beljak" ali biofilm. Ko se to zgodi, je običajno veliko laž je uničiti okuž bo, ki jo predstavlja jajčni rumenjaki ali rumena sredica.

## Biofilmi so glavni vzrok trpljenja in smrti

### Lokacije in situacije na telesu z biofilmom

- Okuž ba, ki traja več kot 2 tedna
- Glavni vzrok smrti pri otrocih, mlajših od 6 let
- Zobne obloge – v človeških ustih je približno 25.000 vrst bakterij, od katerih jih približno 1.000 prebiva v biofilmu zobnih oblog.
- Glivične okuž be
- Pooperativne okuž be
- Rak
- Slab zadah
- Bolezen dlesni ali parodontoz\*
- Zobna gniloba
- Pljučne okuž be
- Okuž be sečil
- Oralne bakterije—lahko poškodujejo srčne arterije in povzročijo smrt ter povečajo število črvenih rakov
- Kronična vnetja ušes
- okuž be sinusov\*\*
- Kronični tonzilitis
- Rane
- Glave zobne ščetke — vključno z zvočno premikajočimi se glavami

- Katetri za odvajanje urina
- Umetna kolena, kolki in drugi nadomestki
- Okuž be srčnih zaklopk
- Lezije ali rane
- Lymska bolezen
- IV katetri katere koli vrste
- Urinski katetri
- Kontaktne leče
- Vsajene naprave – vsaka vsajena ali vstavljena naprava lahko pošlje bakterije v mož gane, jetra ali ledvice.
- Kronične okuž be prostate
- Legionarska bolezen in številne druge biotoksinske bakterije, ki eksplodirajo v kateri koli vodi v zaprtih prostorih
- Bolezni plesni—ki lahko nastanejo zaradi nabiranja plesni v kakršni koli stoječi vodi v zaprtih prostorih, npr. poplave, puščanje strehe, kleti ali oken, vlaž ilci zraka, neuporabljeni Waterpik™ ali druge naprave za čiščenje zob, kondenzacija v AC kanalih itd.
- Cistična fibroza – prekomerno nastajanje sluzi v dihalnih poteh omogoča bakterijam, kot je *Pseudomonas aeruginosa*, da premagajo morilce bakterij za ovojom biofilma.
- Izgubljeni deli telesa
- Okuž be kož e, las ali nohtov
- Artritis
- Endokarditis
- Okuž be kosti
- Akne

Na seznam bi lahko dodali še veliko drugih stvari, vključno z zelo resnimi vprašanji kontaminacije biofilmov v vodi in na desetine drugih zdravstvenih in proizvodnih praks.

\*Doktor David Kennedy, upokojeni zobozdravnik, je obž aloval, da ima večina odraslih Američanov bolezen dlesni – drugo stanje bakterijskega biofilma, ki vključuje kronično okuž bo. Torej, kako razširjena je ta prikrita epidemija zdravstvenega varstva?

\*\*Pri Ondine Biopharma je intervju [z Richardom Longlandom] razkril, da ima (ali je imelo) 38.000.000 ljudi v tej drž avi kronične tež ave s sinusi.

\*\*\*Ricardo Murga; Terri S. Forster. Vloga biofilmov pri prež ivetju *Legionella pneumophila* v modelnem sistemu pitne vode. *Mikrobiologija* (2001), 147, 3121–3126.



# BOJ PROTI BIOFILMOM

Zakaj so vaši antibiotiki in protiglivična zdravila neuspešni

Rešitve za lymsko boreliozo, kronični sinusitis,  
Pljučnica, glivične okuž be, rane, uho  
Okuž be, bolezni dlesni, črevesne bolezni,  
Slab zadah, cistična fibroza in vsadki

Glavni manjkajoč delček v sestavljanju kroničnih bolezni

James Schaller, dr.med., MAR  
in

Kimberly Mountjoy, MS

International Infectious Disease Press  
Bank Towers • Newgate Center (apartma 305)  
5150 Tamiami Trail North [Highway 41]  
Naples, Florida 34103

## Ustvarjanje trenutnih odgovorov, ki rešujejo žiljenja Čisto in trdno

Prav zdaj lahko v časopisih, blogih in knjigah preberete dve leti vredne možnosti za premaganje biofilma. To bi vam vzelo 1000-1500 ur. In imeli bi številne možnosti za predlaganje. Tukaj je nekaj primerov možnosti, ki jih lahko najdete v teh časopisih, blogih in knjigah:

Izogibajte se magneziju	EDTA	matični mleček
Izogibajte se sladkorjem in žitom	DMSO	timijan
NAC	vankomicin	Limonska trava
Norspermidin	Gentamicin	serapeptidaza
Cis 2-decenska kislina	Banderol	2-aminobenzimidazol
Lumbrokinaza	Izogibajte se maščobam	Ehinokandini

## Kako najdete razumno trženje in zaupanje v sredstvo za biofilm kot rešitev?

Tom in Lisa pišeta v blogu, da sta izdelek "x" in recept "d" izjemna zdravljenja za spodkopavanje okužb z biofilmom pri kronični utrujenosti (CFS) in fibromialgiji (FM).

Ljudje so navdušeni, saj njihov redni zdravnik nima večje rešitve in se ne zanima za okužbe z biofilmom.

Težava je v tem, da sta lahko "x" ali "d" uporabna pri spodkopavanju biofilma ali pomoč pri premaganju bolezni. Vendar pazite, da naredite hitre povezave. Zdravljenje "a" morda deluje samo v biofilmu desetih okužb in imamo samo dokaz, da deluje pri treh okužbah.

Naš cilj je pokazati vam, kaj kažejo dobre raziskave, tako da lahko vi in vaš zdravnik začnete z dejstvi in boste lahko razumeli razlog za morebitno preskušanje biofilma.

Na primer, vaša okužba je lahko podobna Lyme pri uporabi železa. Saito in mnogi drugi poročajo, da za razliko od vseh drugih znanih organizmov lahko borelija, povzročitelj borelioze, obstaja brez železa, kovine, ki jo potrebuje vsa druga žiljenja. Namesto tega borelija uporablja mangan.

Kaj pa, če bo vaša prihodnja bolezen, ki temelji na biofilmu, imela enako sposobnost žiljenja brez železa? To lahko pomeni, da bi lahko sredstvo za biofilm, ki spodkopuje biofilm lymeske borelioze, delovalo za vas. Biofilmi proti bakterijskim in glivičnim okužbam imajo običajno podobno ranljivost kot motilec biofilma. Če veste, kako deluje vaša okužba, lahko pomagate ugotoviti, katero sredstvo za biofilm bo delovalo.

<http://phys.org/news/2013-03-scientists-reveal-quirky-feature-lyme.html#jCp>. Dostopan 26. marca 2014.

# Vsebina

Medicinska revolucija .....	1
Pet stopenj biofilmov .....	2
Uvodne slike biofilma .....	3
Pogosta bakterija, ki jo najdemo na vseh doveških kož ah .....	4
Okuž be s staphom so postale odporne na večno antibiotikov .....	5
Medicinska skupnost ignorira biofilme .....	20
Ustvarjanje jasnih "biofilmov" .....	21
Preprečevanje trpljenja, slabšega delovanja, invalidnosti in smrti zaradi biofilmov .....	24
Z odstranitvijo biofilma najprej postanejo antibiotiki učinkoviti .....	26
Zelo kratki vzorci ljudi in biofilmov .....	27
Rešitve .....	30
Biofilmi so zelo raznoliki .....	32
Primeri izjemne raznolikosti biofilmov .....	32
Dvojni udarec: bakterije z biofilmom in odpornostjo na zdravila .....	34
Na antibiotike odporne "superbakterije" so resna grožnja 'v zelo bližnji prihodnosti' .....	36
Kratka beseda o biofilmih v Lymu .....	37
Lymska borelioza (borelia) in biofilmi .....	38
Dve različni bakteriji v enem biofilmu pomenita katastrofo: pogosto Zobna higiena .....	39
Vzorec nege biofilma .....	40
Biofilma Bartonella in Babesia? .....	43
Biofilmi, ki jih prenašajo klopi in bolhe Zaključek .....	43
Biofilmi in okuž be pljučali sinusov: anatomija medicinske katastrofe .....	45
Ekipni športi: ko vse večokuž b tvori biofilm .....	46
Opozorilo: Biofilmi in kratka, hitra zdravstvena srečanja .....	47

Esencialna olja .....	48	
Osnove evgenola .....		52
Eugenol in biofilmi .....	53	
Linalool .....	57	
Rezerpin .....	59	
»Zlaganje« uničevalcev biofilma .....	60	
Terpenoidi .....	61	
Alicin in česen .....	64	
Serrapeptidaza .....	67	
Lumbrokinaza .....	72	
Nattokinaza .....	73	
Terminalia chebula Retz .....	74	
Rak .....	77	
Laktoferin .....		82
Nakup laktoferina .....		84
Kombinirano zdravljenje z laktoferinom in ksilitolom .....		86
Omejevanje tradicionalnih sladkorjev: zmanjšanje vnetja in biofilmov? .....		87
Sladkorni ksilitol .....		88
Eritritol .....	90	
Organoselen .....	93	
Ali pomanjkanje magnezija ovira biofilme? .....	94	
Omejevanje maščobe za zdravljenje biofilmov .....		97
Houttuynia cordata Thunb (HCT) .....		101
Vzorec kemikalij, ki sproži biofilm, se obrne nazaj proti bakterijam ..		104
Dvojno zdravljenje .....		105
Rastlinski viri redko dajejo samo eno uporabno kemikalijo .....		106
Nitroksolin .....		107
Lizocim .....	109	

Aspirin in nesteroidna protivnetna zdravila .....	110
Azitromicin (Zithromax) .....	113
Srebro .....	115
Gingerol .....	119
Stevia .....	121
Osnove Cumunde .....	123
Cumanda in biofilmi .....	125
Eritromicin .....	126
Draga .....	128
Slab zadah .....	134
Obrnjene aminokisliline spodkopavajo biofilme .....	136
Katelicidin LL-37 .....	139
Encim, ki zavira RNAlI (RIP) .....	141
Tinidazol (Tindamax) in metronidazol (Flagyl) .....	142
Tuberkuloza (TBC) .....	143
Novo orodje za pomoč pri ubijanju tuberkuloze? .....	144
Hrana v prahu, antibakterijska moč.....	145
Zaključek .....	146
Dodatek .....	147
Klinične publikacije dr. Schallerja .....	153
Druge knjige dr. Schallerja .....	155
Zavrnitev odgovornosti .....	169
Stik z dr. Schallerjem .....	170

## Medicinska revolucija

Teorija o okužbi z biofilmom je globoka revolucija v preučevanju okužb, ki so lahko boleče, onesposobljive in so dejansko glavni morilec, odvisno od starosti.


Okužbe nas začnjo vračati v čase, ko so ljudje umirali zaradi preprostih okužb. Novi svet okužb z biofilmom bi lahko ubil več ljudi kot prva in druga svetovna vojna skupaj, če se stvari ne bodo hitro spremenile v razvitih in nerazvitih državah. Zaradi počasnega razumevanja pomena biofilmov in posledično počasnega sprejemanja novih rešitev za biofilme s strani zdravnikov, bodo morda celo vrhunski zdravniki resno vzeli biofilme šele, ko bo dokazano, da vse več ljudi zaradi njih postane invalidov in umre. Trenutno večna pogreša biofilme kot vzrok trpljenja in smrti. Biofilmi brez rešitev so torej tako resni kot otroška paraliza v 19. stoletju brez cepiva, po številu žrtev pa veliko bolj unižujoč kot HIV/AIDS.

Večna bakterij živi v skupnostih, ki imajo običajno edinstvene zaščitne biofilme. 1 % bakterij, ki okužijo ljudi ali vplivajo na doveško žiljenje, plavajo same in ko jih najdemo v krvi, jih ne bi našli skupaj s kakršno koli biofilmsko sluzjo.

Nacionalni inštitut za zdravje ocenjuje, da več kot 80 % mikrobnih okužb v dovškem telesu povzročajo biofilm, pri čemer mnoge od njih povzročajo kronične in ponavljajoče se težave. Ali pa ima Glowacki prav in 99 % bakterij živi v biofilmu? Ne glede na to, ali kot oceno uporabite NIH 80 % ali Glowacki 99 %, so biofilmi resna obravnava pri okužbah.

Glowacki R, Strek P, Zagórska-Swiezy K, Składzień J, Oleś K, Hydzik-Sobocińska K, Miodoński A. [Biofilm bolnikov s kroničnim rinosinusitisom. Morfološke študije SEM]. [Članek v poljščini]. *Otorinolaringol Pol.* 2008;62(3):305-10.

## Uvodne slike biofilma



Nov genetsko edinstven enocelični parazit, ki proizvaja biofilm, imenovan FL1953 ali *Protomyxzoa rheumatica*. (Ta poseben bris je najboljši način za odkrivanje teh enoceličnih parazitov v dovleških telesih, saj test DNK ali PCR ni vedno pozitiven).

Sto temnih ovalov na zunanji strani te slike, prikazane zgoraj, je rdečih krvnih celic (RBC) velikosti 8 mikronov. Osrednja masa je kroglica biofilma z veliko rdečimi krvnimi celicami v masi biofilma.


Ta zgoraj prikazani biofilm običajno najdemo pri tistih z okužbami, ki jih prenašajo klopi, kot je zelo pogosta *Bartonella*, bakterija *Borrelia lysmke* bolezni in smrtonosna *Babesia*. Čeprav so nekatere bolezni, ki jih prenašajo klopi, hujše od drugih ali pogostejše od drugih, so vse potencialno smrtonosne, če jih ne izkoreninimo. Ta zgoraj prikazani parazit je enocelična okužba, povezana z babezijo in malarijo, in ko mu odstranijo biofilm, je videti kot nezrela malarija. Po podatkih centrov za nadzor bolezni je to edinstvena praznina. To ni niti babezija niti malarija. Ta okužba se imenuje FL1953 ali *Protomyxzoa rheumatica*. Ustvari ogromne količine biofilma in ogromna osrednja masa na tej sliki vsebuje na stotine rdečih krvnih celic.





Ko preučujemo različne organe in povzročitelje biofilmov, ne smemo izpustiti vektorja okužb z biofilmom, ki ga prenaša več kot 200 živalskih bitij na vsaj treh celinah – Ixodes klop. Ima vsaj dva resna proizvajalca biofilmov: FL1953 in zelo zapleteno genetsko napredno bakterijo Lyme. O vseh možnih okužbah, ki jih prenaša, se še učimo.

Upoštevajte, da je dlaka videti kot velika trava, zato je ta klop le delček te velikosti. Ko združite nevidnost z ugrizom, ki ima protibolečinsko, antihistaminsko, antikoagulantno in protivnetno sredstvo, imate prikritega nosilca okužbe. Ena kemikalija iz klopove sline, sialostatin L, je tako dober encim za zatiranje imunskega sistema, da lahko zavira astmo (Horka 2012).



Psi so lahko dovekov najboljši prijatelj, vendar ne, če se dotaknete njihove slin in ne, če v vaš dom ali avto prinesejo klope ali bolhe. Predpostavimo, da je vsak pes in mačka, ki živi zunaj mesta, verjetno imel ugrize klosov ali bolh.



## Ustvarjanje čistih "biofilmov".

Biofilm je kot drobiž v središču bazena oljnega olja, na zunanjem robu olja pa je poper, ki predstavlja celice, ki ubijajo okužbe. Ne morejo se primakniti, da bi uničili dime. Biofilmske bakterijske skupnosti so običajno stanje večne dovedskih okužb. Ušli so nas, da so okužbe izolirane bakterije, ki lebdi naokoli, in to je resna napaka.

Kaže, kako daleč moramo iti v znanosti, če je glavna oblika bakterij – biofilmske bakterijske skupnosti – je nov, a ključen koncept. Ko sem leta 2004 naredil seznam petindvajsetih možnosti za uničenje biofilmov, ni bilo veliko zanimanja.

Danes je nezmožnost uničenja biofilmov z različnimi možnostmi dobesedno zdravstvena katastrofa.

Cilj pisanja in objave te knjige je ustvariti cenovno dostopen nabor možnosti, ki temelji na ponovnem iskanju, skupaj z drugimi možnostmi, predstaviti čisto knjigo rešitev, ki ponuja najnovejše možne trenutne in najnovejše rešitve za stotine bolezni, povezanih z biofilmi. Pregrado biološkega filma je lahko popolnoma nemogoče odstraniti ali prebiti z rutinskimi možnostmi, ki jih uporabljajo zdravniki, specialisti za okužbe, naturopati, šole alternativne medicine, strokovnjaki za eterična olja, akupunkturisti, medicinske sestre ali zeliščarji.

Upamo, da bomo s to knjigo služili vam in vašemu zdravniku/zdravitelju z raziskovanjem možnosti, ki so zdaj na voljo. Preiskali smo publikacije zadnjih petih let na PubMed-ogromni zbirki podatkov za medicinsko znanost – za »obdelavo biofilma«. Razpon možnosti je impresiven in niso vedno stvari, ki bi jih morda pričakovali. Ta knjiga naj bi vam ponudila široke možnosti za preprečevanje trpljenja, invalidnosti in celo smrti.

Po letih raziskovanja in preučevanja sem ugotovil, da so »strokovnjaki« za nalezljive bolezni na biofilmu morda že zdavnaj izgubili vojno in da se mnogi dejansko morda nikoli niso zavedali vseh bitk. Pa-

## Zelo kratki vzorci ljudi in biofilmov

Leta 2004 je Richard Longland zelo slabo okrevljal od skrivnostne bolezni po operaciji hrbtenice. V mesecih, ki so sledili, je trpel za številnimi težavami - glavoboli, bolečine v sklepih, kasneje pa težave s srcem in možgani, huda utrujenost in težave z razmišljanjem.

Zdravstveni sistem mu je nasprotoval, a končno so ga leta 2007 zdravili zaradi mikoplazme, ki je prišla iz morebitnega kirurškega posega, kjerkoli v bolnišnici ali na javnem mestu ali klopa.

Večina mojih pacientov je obiskala od 3 do 200 zdravnikov, preden so prišli k meni. Razumem njegovo izkušnjo. G. Longland je moral za diagnozo obiskati več kot dvajset zdravnikov. V tem težkem obdobju je ustvaril vrhunski film z naslovom "Zakaj sem tako bolan?" Je pacient-zagovornik uporabe farmacevtskih in naturopatskih sredstev za osvoboditev svojega telesa sistemskih bakterijskih biofilmov.

\*\*\*

Edward je star 78 let in ima tri hčere in osem vnukov. Zaradi zasoplosti so ga hospitalizirali. Ima hudo pljučnico ali okužbo v pljuščih. Postaja mu vse slabše. Posamezniki so ozdraveli z uporabo sredstev, ki premagajo številne pljučnice, zaščitene z biofilmom.

\*\*\*

Linda je že nekaj let utrujena in ima težave s šolo. Nedavno sem ugotovil, da ima številne okužbe s klopi, zaradi katerih je več kot petnajst laboratorijskih izvidov nenormalnih. Včeraj je klicala in zaradi bolečine za kolenom sem ji rekla naj gre na urgenco. V manj kot enem dnevu so ji odkrili 23 strdkov v pljuščih in nogah. Sumi, da gre za babezijo, vnetje in FL1953. Imeli smo agente, ki so leta 2006 ubili te agente, vključno z FL1953.

\*\*\*

It would be an error to say that nattokinase, lumbrokinase, serrapeptidase, EDTA, gentamicin, vancomycin, Samento, Banderol, olive products, poorly known herbs with fair lab testing in humans, clove bud oil, diet, chelation, three to four part amino acid mixes, NAC, Rife, diet changes or a vast range of other options not listed, will **work for all biofilms**. For example, an elderly patient dying of a lung infection or another person with painful and treatment-resistant sinus infection *will not* have the same biofilm.

As a trend, trying different options to destroy a biofilm is less dangerous than allowing it to spread.

## A Brief Word on Biofilms in Lyme

At times, individuals who have tick- and flea-borne infections, like Bartonella, Babesia and Borrelia (Lyme disease), can feel their treatment is minimal or incomplete. Debates rage over the diagnosis and treatment of Lyme and tick-borne diseases; whether the pain is from residual dead infection incorporated into tissue or one of the many infections carried by the I. scapularis tick, we still have patients' misery.

After writing **twelve books** which include many pages on non-Borrelia infections, “Lyme testing” seems like alphabet testing in which ***one only looks for the vowel “a.”*** Due to the lack of acceptance of the number and complexity of tick-borne infections, there is a lack of up to date education, leaving quality medical doctors to evaluate tick and flea infections in the ***abstract***, by which I mean that they very falsely and sadly do not realize the full magnitude of ***“the alphabet.”***

Specifically, they “diagnose” by ignoring inflammation alterations, nutrient changes, hormone deficits, immunity changes caused by tick-borne infections, and chemicals made or suppressed by direct tick and flea infectious agents. I discuss these in my three most recent tick and flea infection books. All are available in English. All can be found free through inter-library loan, for less than \$20 USD, or at [www.personal-consult.com](http://www.personal-consult.com) under the “free books” button. No one can expect to become an expert in this massive area after reading any guide or merely going to ten conferences, because these cluster infections impact twenty areas of medical and scientific knowledge.

In the last four years, researchers like **Dr. Eva Sapi have shown Lyme is like some other spirochetes—it has biofilms. These are very tough biofilms to defeat unless caught in the “acute stage.”** A tough, “mature biofilm” allows organisms to **“laugh at” many antibiotics.**

Some medical professionals interested in Lyme often ignore the immune suppressing Bartonella bacterium, which is more common than Lyme. Ignoring coinfections may increase the risk of fatality with Babesia and possibly **FL1953**. These healers also may not realize that the highly

genetically complex Lyme spirochete appears to have a troublesome biofilm. Performing a simple direct test at laboratory companies whose testing kits have reduced sensitivity will probably result in more negatives for tick-borne diseases. The ultimate result is anti-science and anti-truth. Searching for tick infections with one test is like writing in “Lincoln” at the next presidential election.

## Lyme Disease (*Borrelia*) and Biofilms

Several researchers believe *Borrelia burgdorferi*, the active agent of Lyme disease, has biofilms. Lyme organism biofilms have been found in culture and in the tick gut. Lyme cysts and biofilms have also been noted in patient skin biopsies using focus floating microscopy according to Dr. Eisendle publishing in the *American Journal of Pathology*.

Further, we see in Lyme that biofilm formation is dependent on cyclic di-GMP expression and we see that in Lyme (Stricker and Johnson).

Brihuega B, Samartino L, Auteri C, Venzano A, Caimi K. In vivo cell aggregations of a recent swine biofilm-forming isolate of *Leptospira interrogans* strain from Argentina. *Rev Argent Microbiol*. 2012 Jul-Sep;44(3):138-43. PMID:23102459

Cogoni V, Morgan-Smith A, Fenno JC, Jenkinson HF, Dymock D. *Treponema denticola* chymotrypsin-like proteinase (CTLP) integrates spirochaetes within oral microbial communities. *Microbiology*. 2012 Mar;158(Pt 3):759-70. Epub 2012 Feb 7. PMID:22313692

Sapi E, Kaur N, Anyanwu S, Luecke DF, Datar A, Patel S, Rossi M, Stricker RB. Evaluation of in-vitro antibiotic susceptibility of different morphological forms of *Borrelia burgdorferi*. *Infect Drug Resist*. 2011;4:97-113. Epub 2011 May 3. PMID:21753890

Stricker RB, Johnson L. Lyme disease: the next decade. *Infect Drug resist*. 2011; 4: 1-9. PMID: 21694904

Sapi E, Bastian SL, Mpoy CM, Scott S, Rattelle A, Pabbati N, Poruri A, Burugu D, Theophilus PA, Pham TV, Datar A, Dhaliwal NK, MacDonald A, Rossi MJ, Sinha SK, Luecke DF. Characterization of biofilm formation by *Borrelia burgdorferi* in vitro. *PLoS One*. 2012;7(10):e48277. Epub 2012 Oct 24. PMID:23110225



lease of bacteria in the human body will be like a dangerous tornado in a field. It is a wise concern.

For these two problems regarding biofilm-held infections suddenly being released, here are useful solutions:

1. You need many infection killing options for use since more is better to prevent “seeding” of dispersed infection.
2. You want the biofilm killing options to destroy biofilms by different mechanisms. This makes the dispersed seeded infections naked to the immune system.
3. Biofilm tools are given initially at low doses and then increased gradually to large doses since often in the beginning patients have massive inflammation and a drastic increase in killing of biofilm organisms in a short time could cause trouble with bone marrow, liver, heart, eye, or kidney issues, or merely create more dead infectious debris resulting in patient misery.
4. You may need to pulse (use every other day) or fully stop this treatment because once a wave of biofilm eroding agents strips off or severely damages a biofilm of an infection, the same antibiotics that were useless in the past can become very effective.
5. There is no single master biofilm destroyer, yet some are broader than others.

## Bartonella and Babesia Biofilms?

Most people have heard of the profoundly common tick infection Lyme disease, but they may not know Bartonella is more common than Lyme and is carried by far more vectors (Breitschwerdt). Babesia decimated the cattle population in the southern United States many decades ago and is more dangerous in humans than Lyme.

Currently, we have no solid data showing Bartonella and Babesia have biofilms.


## Tick and Flea-Borne Biofilms Conclusion

Below you will see that mouth spirochetes routinely have biofilms. Another spirochete is Leptospira which is able to make biofilms in many environments and may contribute to lost pregnancy in mammals (Brihuega).

In terms of tick and flea infection biofilms, I would focus on **FL1953** (Protomyxzoa) and Lyme, since both have been known and treated by us since 2006, though the former was killed without knowing its genetic uniqueness. We are learning what decreases their biofilm pathology and have agents that should work if one is open to look at diverse approaches. A synthetic “antibiotic only approach” to biofilms, including antibiotics targeted to hit biofilms, might be similar to typing with one finger.

There are herbalists, such as Stephen Buhner, who propose selected herbs to treat some tick infections. And, in terms of **primary treating herbs to kill organisms**, there are also credible options that are not always herbal in use for a tick or flea infection. We will continue to use **advanced lab testing**, typically only allowed under physician supervision, to determine by serious extensive **indirect blood exam** biochemistry tests to see which infection is actually destroyed in people experiencing benefit from herbal therapy. In any event, I enjoyed this line from Buhner: *“I can’t really say what will clear all biofilms.”*

## Še ena vzorčna slika biofilma



Temna IOWld oVlls ai:e rdeča kri "°Us (-rezilo navzgor« vrana), Tho "sheet" diat se začne od llo desno spodaj« '°'11«, premika proti levemu zgornjemu oomerju, ill biofilu, rnlffflal IOWll' kosi ia poiTTTTTg do majhnega bam:riuma. (Piy Labaratoriea)

## Osnove evgenola

Evgenol najdemo v številnih eteričnih oljih in zeliščih. Na primer, najdemo ga v visoki moči v eteričnem olju popkov nageljnovih žbic, vendar tudi v nižjem odmerku v listih cimeta in njegovem eteričnem olju. Najdemo ga tudi v oljih pimenta, lovora, sassafrasa, masojevega lubja, olju kafre in rastlinah chamchwi glede na PubChem. Močnin koncentracija se zelo razlikujeta glede na vir in metodo ekstrakcije. Poleg tega to ni samo močno biološko sredstvo; ima še druge neverjetne lastnosti, kot so protivirusno delovanje in učinki proti raku.



Na primer, Tragoolpua in Jatisatienr sta pokazala, da evgenol vpliva na oralni in genitalni herpes, odvisno od vrste, seva in drugih dejavnikov. Pojasnili so, da je lahko eterično olje močnejše od preprostega izvlečka. Pravzaprav se oralni in genitalni herpes, HSV-1 oziroma HSV-2, ne moreta razmnoževati v prisotnosti eugenola. Al-Sharif je pokazal pomembne učinke na raka. Zelo nizka koncentracija ( $2 \mu\text{M}$ ) ima specifično toksičnost za različne celice raka dojke. Ta ubijalski učinek je bil posredovan z indukcijo poti smrti rakavih celic in znižanjem ravni E2F 1 in survivina - dveh molekul, ki sta bistveni za preživetje celice. Prav tako je ovirala raka dojke

**genes.** Importantly, these anti-proliferative and pro-cancer cell death effects were also observed inside body grafts placed in non-human animals.

<http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=3314>

Tragoalpua Y, Jatisatiennr A. Anti-herpes simplex virus activities of *Eugenia caryophyllus* (Spreng.) Bullock & S. G. Harrison and essential oil, eugenol. *Phytother Res.* 2007; 21(12):1153-8.

Al-Sharif I, Remmal A, Aboussekhra A. Eugenol triggers apoptosis in breast cancer cells through E2F1/survivin down-regulation. *BMC Cancer.* 2013 Dec 13;13(1):600. [Epub ahead of print]

## Eugenol and Biofilms

Recently, Dr. Zhou has reminded us of a special process that is involved in the formation of dangerous biofilms. Basically, many bacteria have a “chatty” way of talking to other cells such as other bacteria. So, bacteria use chemicals or cause other bacteria to make chemicals to help them survive and often act to harm you or a loved one.

Eugenol is so effective that at very low amounts, it still disrupted bacteria chemical communication. This is very important in a biofilm destroying agent. If cells cannot communicate, it is doubtful they can form communities. Biofilms are community creations. **Further, eugenol at very low doses, called “sub-inhibitory concentrations” inhibited biofilm formation.**

One type of biofilm research being conducted compares biofilm killers head to head. The results are not always the same, perhaps in part because the infections are not always the same. Note that in an Epub abstract before publication, Malic explains that the best essential oil for urinary catheters, with or without biofilms, against fourteen different bacteria was eugenol. This is why I believe this substance is a “double killer.” It can defeat many biofilms, and then kill the organism making the biofilm. Finally, in this study, eugenol did better than tea tree oil.

## Linalool

According to the Merriam-Webster dictionary, the word linalool is derived from a Medieval Latin phrase meaning “wood of the aloe.” Linalool has a nice smelling alcohol and essential oils. It is used in perfumes, soaps, and flavoring materials.

In terms of biofilms, it seems to be most effective when **the essential oil part** is used, which has **the most evidence of killing Candida albicans**. (*Candida albicans* is the cause of yeast infections.) Yet, again, it is the essential oil fraction that not only **inhibits the growth** of *Candida albicans* but also of the bacteria *Lactobacillus casei*, *Staphylococcus aureus*, *Streptococcus sobrinus*, *Porphyromonas gingivalis* and *Streptococcus mutans* cell suspensions, all of them associated with oral cavity disease, according to Alviano and Mendonça-Filho. Yet, Budzyńska reported this essential oil did not fully remove biofilms formed by *Staphylococcus aureus* (ATCC 29213) and *Escherichia coli* (NCTC 8196) on the surface of routine medical materials such as urinary catheters, infusion tubes and surgical mesh.

Hsu found that linalool could be effective against *Candida albicans* due to its many genetic blocking effects. For example, using a scanning electron microscope and other technology, many signs of the effect of linalool to destroy *Candida* or inhibit its growth could be noted. Hsu found blocking actions against genes involving adhesion production and the formation of “branches” or the mold’s hyphae were both decreased by linalool.

<http://www.merriam-webster.com/dictionary/linalool>

Budzyńska A, Wieckowska-Szakiel M, Sadowska B, Kalemba D, Różalska B. Antibiofilm activity of selected plant essential oils and their major components. *Pol J Microbiol*. 2011;60(1):35-41. PMID:21630572

Alviano WS, Mendonça-Filho RR, Alviano DS, Bizzo HR, Souto-Pradón T, Rodrigues ML, Bolognese AM, Alviano CS, Souza MM. Antimicrobial activity of *Croton cajucara* Benth linalool-rich essential oil on artificial biofilms and planktonic microorganisms. *Oral Microbiol Immunol*. 2005 Apr;20(2):101-5.

## Reserpine

Reserpine is a substance found in the roots of some types of Rauwolfia that has been made into a traditional medicine. It is used to lower high blood pressure and help with psychotic symptoms, but side effects have limited its use.

While it may not be comfortable to use at modest or high dosing, very low dosing, according to Magesh, showed it to be profoundly powerful against *Klebsiella pneumoniae*. In one report, he used reserpine and was able to stop biofilms in this pneumoniae infection at a fraction of the dose thought to inhibit growth.

Specifically, a tiny fraction of this drug, a mere 0.0156 mg/ml, stopped biofilm production in *Klebsiella pneumoniae*. So, it may be possible that we have another example of a medical truth I use every day:

**“Change the dose and you change the drug or herb.”**

In this case, perhaps it is possible that 1/10th of the lowest size tablet, 0.1 mg, could harm *Klebsiella* and other infections and be safe for the patient. However, the raw materials for making it may be hard to find some months according to ASHP who tracks pharmacy shortages.

Magesh H, Kumar A, Alam A, Priyam, Sekar U, Sumantran VN, Vaidyanathan R. Identification of natural compounds which inhibit biofilm formation in clinical isolates of *Klebsiella pneumoniae*. *Indian J Exp Biol*. 2013 Sep;51(9):764-72.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=975>



## “Stacking” Biofilm Killers

While physicians may ponder the problems caused by biofilms in practice, I rarely encounter the doctor who understands that it is usually better to have more than one treatment. In the article below, **oral bio-film infections were controlled best by three agents, not merely one.** For example, Alves explains that when you are going to irrigate or clean a root canal area, that two mouth bacteria infections protected by their biofilms have these same film barriers decreased significantly by treatment with farnesol, xylitol and lactoferrin together.

The same results were found in wounds. One of the best treatments for wounds is the use of a silver-based wound dressing or bandage, together with a gel containing xylitol and lactoferrin (Ammons).

Alves FR, Silva MG, Rôças IN, Siqueira JF Jr. Biofilm biomass disruption by natural substances with potential for endodontic use. *Braz Oral Res.* 2013 Jan-Feb;27(1):20-5. PMID:23306623

Ammons MC, Ward LS, James GA. Anti-biofilm efficacy of a lactoferrin/xylitol wound hydrogel used in combination with silver wound dressings. *Int Wound J.* 2011 Jun;8(3):268-73. Epub 2011 Apr 1. PMID:21457463

## Terpenoids

I would like to mention a class of options that come from a familiar substance, chemicals from tea tree oil. We have already mentioned linalool which is part of this class individually, since it comes up as a leading biofilm killer. According to Raut, as many as 14 terpenoids derived from tea tree oil inhibit biofilms, and  $\alpha$ -terpineol, nerol, isopulegol, carvone, linalool,  $\alpha$ -thujone and farnesol are worthy of special note. Eight terpenoids have effects on **mature** yeast biofilms (*Candida albicans*).

A study by Ramage shows tea tree oil (TTO), terpinen-4-ol (T-4-ol), and  $\alpha$ -terpineol displaying potent activity against 69 biofilm-forming *Candida* strains, of which T-4-ol and  $\alpha$ -terpineol displayed rapid kill action.

Of these three, T-4-ol displayed no significant toxicity to cells. These data provide further laboratory evidence that TTO and its derivative components, specifically T-4-ol, exhibit strong antimicrobial properties against fungal biofilms. Further, T-4-ol appears to possess safety advantages over the complete essential oil (TTO) and may be suitable for prevention and treatment of established oral and upper throat cavity candidosis. Certain terpenoids are components of spices or food ingredients generally regarded as safe (GRAS) (Pauli 2006).

In another study, several chemicals from plants were tried against two very common bacteria (Budzyńska), *Staphylococcus aureus* (ATCC 29213) and *Escherichia coli* (NCTC 8196), both with biofilms on the surface of **routine** medical products, i.e., urinary catheter, infusion tube and surgical mesh. All three are present in most advanced hospitals and other settings. Surgical mesh was the surface most prone to persistent colonization since the biofilms that formed on it, both by *S. aureus* and *E. coli*, were difficult to destroy.

*Melaleuca alternifolia* is the source of Tea Tree Oil (TTO). *Lavandula angustifolia* yields Lavender, English Lavender and True Lavender (LEO). *Melissa officinalis* is Lemon balm (MEO). Tea Tree oil, Lemon balm,  $\alpha$ -terpineol and terpinen-4-ol showed stronger anti-biofilm

## Allicin and Garlic

Garlic has been used as a medicine throughout human history. Allicin is considered one of the medically useful components of garlic. Other useful components are discussed in Chinese language pharmacology texts.

As early as 2003, the use of allicin against *Staphylococcus epidermidis* had reported effects on biofilm formation at low dosing. Pérez-Giraldo reported that lab testing showed that allicin diminished biofilm formations.

Lihua reported ten years later that allicin impacts *Pseudomonas aeruginosa* biofilm. This is hardly casual information, since *P. aeruginosa* is likely resistant to multiple antibiotics, and this resistance may be due to biofilms. Organosulfur allicin has been shown to inhibit surface-adherence of bacteria and Lihua demonstrated that allicin could inhibit early bacterial adhesion which is a first step to bacterial community formation, usually just before biofilm production.

Other researchers isolated various components of garlic and tested the most active components. The following three components were examined:

1. garlic extract
2. allicin
3. diallyl sulfide (DAS)

They were tested against the serious mouth and dental infection *Aggregatibacter actinomycetemcomitans*, the primary cause of severe aggressive periodontitis and other non-oral infections.

## Lumbrokinase

We appreciate that some people interested in progressive medicine feel this enzyme, Lumbrokinase, is a useful substance. Some have suggested it is useful in the removal of biofilms. If that is true, we had trouble finding the evidence for that position. However, it does seem that some researchers see a potential for this enzyme to “digest” pathological clots. This possibility seems to have some support, and at this time we will only wait for further research. Since we are only proposing biofilm options that are supported by research and since human use is just starting in research settings, we do not promote this agent at this time.

Ryu GH, Park S, Han DK, Kim YH, Min B. Antithrombotic activity of a lumbrokinase immobilized polyurethane surface. *ASAIO J.* 1993 Jul-Sep;39(3):M314-8. PMID:8268550

Kim JS, Kang JK, Chang HC, Lee M, Kim GS, Lee DK, Kim ST, Kim M, Park S. The thrombolytic effect of lumbrokinase is not as potent as urokinase in a rabbit cerebral embolism model. *J Korean Med Sci.* 1993 Apr;8(2):117-20. PMID: 8397927

Mihara H, Sumi H, Yoneta T, Mizumoto H, Ikeda R, Seiki M, Maruyama M. A novel fibrinolytic enzyme extracted from the earthworm, *Lumbricus rubellus*. *Jpn J Physiol.* 1991;41(3):461-72. PMID:1960890

Wang KY, Tull L, Cooper E, Wang N, Liu D. Recombinant Protein Production of Earthworm Lumbrokinase for Potential Antithrombotic Application. *Evid Based Complement Alternat Med.* 2013;2013:783971. Epub 2013 Dec 12. Review. PMID:24416067

Cao YJ, Zhang X, Wang WH, Zhai WQ, Qian JF, Wang JS, Chen J, You NX, Zhao Z, Wu QY, Xu Y, Yuan L, Li RX, Liu CF. Oral fibrinogen-depleting agent lumbrokinase for secondary ischemic stroke prevention: results from a multicenter, randomized, parallel-group and controlled clinical trial. *Chin Med J (Engl).* 2013 Nov;126(21):4060-5. PMID:24229674

Huang CY, Kuo WW, Liao HE, Lin YM, Kuo CH, Tsai FJ, Tsai CH, Chen JL, Lin JY. Correction to Lumbrokinase Attenuates Side-Stream-Smoke-Induced Apoptosis and Autophagy in Young Hamster Hippocampus: Correlated with eNOS Induction and NF $\kappa$ B/iNOS/COX-2 Signaling Suppression. *Chem Res Toxicol.* 2013 Jul 15;26(7):1126. Epub 2013 Jun 7. PMID:23746067

tract also made the pneumonia far more susceptible to the antibiotic tobramycin. Further, genes involved with resistance to antibiotics were down-regulated.

- Bag published that highly resistant urine organ infections were more vulnerable to treatment with *T. chebula* but proposed this is due to its ability to collect iron, since adding iron reduced its effect. However, Bag only tested one of many chemicals from this fruit, and I would suggest other components may have antibacterial action and work by other means.
- Four carefully chosen antibacterial plants (*P. guajava*, *T. chebula*, *A. aspera*, and *M. elengi*) are combined with four solvent extracts (hexane, ethyl acetate, ethanol, and methanol) by Kamal Rai Aneja, who initially evaluated their anti-cavity activity against *S. mutans*. All four of the plants showed activity against *S. mutans*. Ethyl acetate extracts of the four plants showed high antibacterial activity against *S. mutans*, superior to the other solvent extracts. Further, *T. chebula* ethyl acetate extract acts as an effective anti-cavity agent by inhibiting *S. mutans* and *C. albicans*. However, we were unable to find evidence if the benefit of these chemicals involved biofilm removal.

In conclusion, we appreciate that this medicine is proposed to both dissolve Lyme biofilms and also destroy the underlying Lyme bacteria. We offer no opinion on this belief. We do not want to oppose or support its use in terms of biofilm ability. It appears this fruit does act on the bacteria biofilm of *P. aeruginosa*, but Lyme bacteria are not the same as *P. aeruginosa* bacteria. Lyme is also profoundly more genetically complex than a “relative” spirochete bacterium, syphilis.

Therefore, while we do note that this medicine has antibacterial and cell protection actions, and **we accept some patients feel better**, we presently cannot say it is due to biofilm removal in those with tick-borne infections.

## Cancer

Cancer has many causes. Some things increase your risk and other things can decrease your risk. It is rarely pure genetics, even in those with genetic vulnerability. We know some types of plastics increase rates of breast cancer. We know the 200 poisons in cigarettes cause lung cancer. We know various chemicals made by various companies can increase cancer, despite the reality that most US and international chemicals have limited or no top research on their safety.

I like my dental hygienist. And, I like making sure my gums and teeth are “safe.” Why? At first it was because I want to have teeth in twenty years. But, she correctly reminds me that heart attacks are increased by gum disease which is routine in many countries.

Yet, even this passionate healer was not aware of the role of biofilms in cancer. Yes, I said cancer. We are only beginning to understand the role of infections in triggering cancer diseases.

Many years ago, I was working with a physician who asked me to help research possible cures for his cancer. Eventually, that cure was found and written up, taking over 200 hours and many months to complete, with the help of a top medical editor in North America—the former editor of the *Journal of the American Medical Society* and forty other journals, specifically, George Lundberg, who worked feverishly to get this death disorder cure in print ASAP (Schaller).

Years later, he asked me to write a follow up, and we had found that over eight top infection specialists in the United States had missed Babesia, a common parasite that is harder to kill than malaria and which can occasionally increase eosinophils (Schaller). The patient’s trouble included the fact that he had so many eosinophils, his blood could clot quickly. The point? Eosinophils are a type of white blood cell designed to kill parasites. The man’s disorder (HES) Idiopathic Hypereosinophilic Syndrome, which is often fatal and means that eosinophils reproduce out of control, was primed by a Babesia infection. Not all patients with HES also have a Babesia infection, but after writing six books which

## Lactoferrin Xylitol Combination Treatment

In a fascinating look at this proposed double treatment, Mary Ammons shares that treatment of *Pseudomonas aeruginosa* biofilm with both lactoferrin and xylitol inhibits the ability of bacteria to respond to damage resulting from lactoferrin iron chelation.

*Pseudomonas aeruginosa* has been identified as the most common biofilm-forming infection in chronic wounds. The immune stimulating molecule lactoferrin and the rare sugar alcohol xylitol, together, were effective in the lab against *P. aeruginosa* biofilms.

How? Lactoferrin iron chelation was identified as the primary means by which lactoferrin undermines the bacterial membrane. Amazingly, this combination showed huge alterations in the expression of the bacteria's genes, but these changes are too complex for a summary. The findings mean that critical chemicals made by *P. aeruginosa* had changed.

Siderophore detection verified that xylitol is the component of this unique double treatment that inhibits the ability of the bacteria to produce siderophores under conditions of iron restriction. Siderophores sound complicated—here is the simple meaning: they are some of the strongest iron binders in the world and they are made by bacteria, viruses and fungi.

The study concludes with two points:

1. Lactoferrin treatment of *P. aeruginosa* biofilms results in destabilization of the bacterial cell membrane through iron chelation.
2. Combining lactoferrin and xylitol inhibits the ability of *P. aeruginosa* biofilms to respond to environmental iron restriction.

Access to iron is profoundly hard for bacteria when this combination is used.



## Erythritol

Erythritol is an amazing sugar. For example, when it was given to children head-to-head with xylitol or sorbitol it was clearly superior. Here is a summary of the research:

Runnel writes: “Three-year consumption of erythritol-containing candies by initially 7- to 8-year old children was associated with reduced plaque growth, lower levels of plaque acetic acid and propionic acid, and reduced oral counts of mutans streptococci compared with the consumption of xylitol or sorbitol candies.”

In a similar way, Japanese researchers show highly advanced reasons for erythritol superiority over xylitol and sorbitol (Hashino). While this study is very dense, let me at least try to list the stunning findings:

1. By advanced confocal microscopic observations, the most effective sugar used to reduce *P. gingivalis* accumulation onto an *S. gordonii* substratum was erythritol, as compared with xylitol and sorbitol.
2. In addition, erythritol moderately suppressed *S. gordonii* monotypic biofilm formation.
3. To examine the inhibitory effects of erythritol, they analyzed the metabolomic profiles of erythritol-treated *P. gingivalis* and *S. gordonii* cells. Metabolome analyses showed that a number of critical bacteria chemicals were decreased by erythritol.
4. Next, metabolites of erythritol- and sorbitol-treated cells were examined. Erythritol significantly decreased the levels of *P. gingivalis* dipeptides. They tended to be increased by sorbitol.

Amazingly, it appears erythritol has inhibitory effects on two diverse species with biofilms, and it acts by at least five very distinct mechanisms.

Dowd reported that biofilm formation was completely inhibited in a standard wound approach by 10% erythritol in either of the two San-

## Does Magnesium Deprivation Hinder Biofilms?

Before we decide to remove an element that is used in vast numbers of important enzymes, we have to have a foundation. First, in some basic physiology texts, calcium displaces magnesium inside human cells. My impression of this research is that suboptimal magnesium increases systemic inflammation, vascular death such as heart attacks, and cancer. Dibaba shows that the higher the magnesium in diet the lower C-reactive protein. This protein is associated with inflammation. If you lower inflammation you decrease deaths.

Qu pooled studies of approximately a half a million people to examine the results. The greatest risk reduction occurred when magnesium intake increased from 150 to 400 mg/day. A significant inverse association was found between dietary magnesium intake and total cardiovascular events. Serum magnesium concentrations are linearly and inversely associated with the risk of cardiovascular troubles such as heart attacks and brain strokes. Since magnesium is poorly absorbed even when chelated to an amino acid, it is perhaps useful to note the useful dose was 400 mg, when compared to minimal benefit from 150 mg orally.

Del Gobbo also examined vast studies and wrote: “Clinical hypomagnesemia and experimental restriction of dietary magnesium increase cardiac arrhythmias.” Deadly ischemic heart disease, in which a person dies due to poorly oxygenated blood reaching the entire heart, was more common in those with no magnesium supplementation or very low oral magnesium dosing. Simply, “circulating and dietary magnesium are inversely associated with [cardiovascular disease].” Further, Qu shows, in another study, a significant drop in intestinal cancers with a reasonable magnesium intake. While we may not know the mechanism for these useful findings, they are not felt to be due to chance.

Song and Leff clearly show why a small number of scientists and physicians have pondered lowering human magnesium  $Mg^{2+}$  levels. They remind us that  $Mg^{2+}$  can influence bacterial adhesion, which is part of biofilm process. In their study, the bacterium *Pseudomonas fluorescens* was used to investigate the influence of  $Mg^{2+}$  on biofilm growth.

## Nitroxoline

We are not going to spend significant time on this fifty year-old antibiotic because it is not used in many countries, and it is a quinolone, and quinolones all seem to have serious risk of tendon damage. For example, it is possible nitroxoline has the same risks as other quinolones ([www.drugbank.ca/drugs/DB01422](http://www.drugbank.ca/drugs/DB01422)).

Quinolones easily enter cells and are often used to treat intracellular pathogens such as *Mycoplasma pneumoniae*.

The FDA has increased warnings regarding side effects since the drugs were first approved. I just want to focus on three side effects that might not be routine but are possible risks with many quinolones:

- **Damage to nerves outside the brain:** This could present as sensory nerve or muscle nerve injury causing paresthesias, hypoaesthesias, dysesthesias, and weakness. New pain, burning, tingling, numbness and/or weakness, or new decreased abilities to detect light touch, pain, temperature, position sense, vibratory sensation, and/or motor strength are basic nerve functions and show damage; these are reasons to stop taking the drug.
- **Tendon damage:** While some focus on the Achilles tendon, actual tears of tendons have occurred in the hand, the shoulder, the thigh, or other locations. Some are helped with surgery. Other patients feel the surgical or other treatment still leaves them with damage. It is believed by some that the use of prednisone and other cortical steroids meant to drop inflammation increases the risk of tendon damage. Perhaps this is especially true in older seniors. Surprisingly, tendons can rupture after the medication is stopped. Some have suggested that IV, transdermal or sublingual magnesium might decrease the risk, but I am not aware this hypothesis has been proven (Schaller).

## Aspirin and NSAIDS

We have previously said it is best to see biofilms like a key, and using AIDS as an example, it was only after AZT in 1996 with **the arrival of protease inhibitors that those quickly dying, experienced a “Lazarus effect,” in which AIDS patients who looked to be ready to die recovered markedly in 30 days.** Medications used in AIDS are tough medications, even if they are miracles. Some may question offering a section on the tough medications aspirin and NSAIDS.

While we appreciate that aspirin and various other over the counter NSAIDS may not be optimal, perhaps due to concerns of liver, kidney or ulcer issues, we are discussing infections that invade and cannot be stopped by your body. You might need all the help you can get. So we offer some synthetic options here that may offer help against a top killing and disabling problem—**biofilm-protected** infections.

For example, fluconazole-resistant *Candida* is increasing worldwide. Fluconazole is also called Diflucan. Biofilms are one reason for a decreased effect in treatment. Aspirin, diclofenac, ketoprofen, tenoxicam, and ketorolac all undermined biofilms or their processes. They all reduced fungal adhesion, and increased biofilm detachment with low concentrations of anti-inflammatory agents. Microscopic examination confirmed the tested drugs had a significant effect on reduction of *Candida* adhesion and biofilm development. The drugs also made fluconazole work more effectively against fluconazole-resistant *C. albicans* (Abdelmegeed).

Another useful way to involve aspirin is by teaming it up with the chelation chemical EDTA. Both aspirin and EDTA possess broad antimicrobial activity for biofilm cultures. Aspirin used for 24 hours was successful in eradicating *P. aeruginosa*, *E. coli* and *C. albicans* biofilms. Moreover, exposure to the Aspirin-EDTA combination completely destroyed bacterial biofilms after only four hours in simulation lab testing (Al-Bakri).

## Azithromycin (Zithromax)

This medication is almost a household name and is known as the “Z-Pak” which contains brand name Zithromax pills that are still in use today. Despite being in use many years and used very routinely, this medication still has a strong use in addressing biofilms.

For example, Maezono showed that azithromycin was markedly superior compared to other routine antibiotics in killing gum infection bacteria. Specifically, azithromycin at **very low dosing** undermined four strains of *Porphyromonas gingivalis*. This determination involved the use of two fascinating techniques.

Azithromycin dropped the bacteria “gasoline” or ATP in the bacteria, which means the bacteria had decreased function or were dead. Cyanide kills humans in part due to dropping ATP levels—it is not a trivial substance. Further, the power of azithromycin was seen clearly with a confocal laser scanning microscope, which has the ability that the long name suggests—seeing the decreased amount of bacteria.

One of the most common hospital infection risks is MRSA; it causes a number of potentially deadly diseases. This “MRSA” simply means routine staph aureus is no longer able to be killed or it is resistant to methicillin, so it reproduces unchecked. Azithromycin is proposed as one solution to MRSA based partly on its biofilm defeating abilities at very low dosing.


Gui shows that azithromycin was active against methicillin-resistant *Staphylococcus aureus* (MRSA) strains. It reduced the production of  $\alpha$ -hemolysin and biofilm formation at very low “sub-inhibitory” concentrations. So, azithromycin may be useful in the treatment of  $\alpha$ -hemolysin-producing and biofilm-forming MRSA infections.

Maezono H, Noiri Y, Asahi Y, Yamaguchi M, Yamamoto R, Izutani N, Azakami H, Ebisu S. Antibiofilm effects of azithromycin and erythromycin on *Porphyromonas gingivalis*. *Antimicrob Agents Chemother*. 2011 Dec;55(12):5887-92. Epub 2011 Sep 12. PMID:21911560

## Srebro

Zdravljenje s srebrom proti biofilmom v ranah je očitno učinkovito. Dejansko se 1 % srebrna krema uspešno uporablja za zdravljenje in preprečevanje okužb pri potepuhih po vsem svetu.

Pregled Mednarodnega inštituta za okužbene rane kaže, da podatki še vedno kažejo na srebro kot najboljšo zdravljenje. Na primer, Monteiro je testiral koloidno srebro proti glivičnim biofilmom. Zaključek tega dela je zelo trden: ne glede na koncentracije, uporabljene v študiji, je srebro vplivalo na sestavo matriksa in strukturo biofilmov *Candida*.



Tridimenzionalni upodabljanje *Candida albicans* od blizu.

## Cumanda and Biofilms

Dr. Eva Sapi and her colleagues found in their superior laboratory that cumanda had some mild killing effects on the Lyme bacteria, but more importantly for this book, Lyme **biofilm** communities grown in her lab were reduced 43% by this herb at low dosing. The dosing for a dynamic human or animal body was not explored or proposed by this researcher or any other researcher as of February 2014. Searching by its Latin and popular name did not yield any articles relevant for use on infections.

Finally, while Lyme disease is a common and disabling infection, it is hardly the only infectious agent in the many infections carried by Ixodes ticks. While this preliminary research is very useful, it is possible cumanda may have impact inside a body for Lyme and Bartonella treatment. More study is needed. I regret that we only examined cumanda for Bartonella and not Lyme.

Our conclusion was that cumunda hindered Bartonella more than Levofloxacin (levofloxacin), Zithromax (azithromycin), Rifabutin (mycobutin) and other proposed options. To determine treatment effect one needs to know **the indirect actions of Bartonella, Babesia, FL1953, Lyme, inflammation systems, etc. by lab analysis using different companies.**

Theophilus PA, Burugu D, Poururi A, Luecke DF, Sapi E. Effect of Medicinal Agents on the Different Forms of Borrelia burgdorferi Lyme disease or Lyme borreliosis is a tick-borne multisystemic disease caused by different species of Borrelia. <http://healthyats-nl.blogspot.com/2013/07/effect-of-medicinal-agents-stevia-and.html>



## Erythromycin

Gomes found that erythromycin at low doses actually enhanced the growth of biofilms in *C. diphtheriae*. Penicillin acted the same way. Of further concern is that not only did these antibiotics increase biofilm formation but in this case they enhanced infections by strains of *C. diphtheriae*. Diphtheriae is a very dangerous infection without access to effective antibiotics. It is dangerous enough with good ones.

Returning to biofilm-promoted gum disease such as gingivitis, in the United States, over 50% of adults had gingivitis on an average of 3 to 4 teeth. Adult periodontitis, measured by the presence of periodontal pockets  $\geq 4$  mm, was found in about 30% of the population on an average of 3 to 4 teeth. Lost gum attachment to teeth of at least 3 mm was found in 40% of the population (Oliver).

The density of adherent *P. gingivalis* cells were significantly decreased by using erythromycin at very low dosing called “sub-MIC levels.” One strain was not affected by erythromycin. Finally, erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.

### Erythromycin Key Findings

- Low doses actually grew some biofilms
- Penicillin also grew some biofilms
- It enhanced strains of dangerous *C. diphtheriae*
- Gum disease from *P. gingivalis* cells was much less sticky at very low dosing.
- Erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.



### **Contacting Dr. Schaller**

Should you wish to talk to Dr. Schaller he offers individualized education consults, which can be arranged by calling 239-263-0133. Please leave all your phone numbers, a working email and a fax number. These consults are typically in 15 minute units and can last as long as you wish. All that is required is the completion of a short informed consent form.

If you would like a full diagnostic consult or to see Dr. Schaller as a patient, know he treats patients from all over the USA and from outside the country. He meets with you first and then does follow-up care with you by phone.

If you would like to fly in to see Dr. Schaller, his staff are very familiar with all the closest airports, and we have special hotel discounts.