



BİYOFİLMLERLE MÜCADELE

ANTİBİYOTİKLERİNİZ VE ANTİ MANTARLAR NEDEN BAŞARISIZ OLUR?

Lyme Hastalığı, Kronik Sinüzit Çözümleri,
Zatürre, Maya Enfeksiyonları, Yaralar, Kulak
Enfeksiyonlar, Diş Eti Hastalığı, Bağırsak Hastalığı,
Ağız Kokusu, Kistik Fibrozis ve İmplantlar

KRONİK HASTALIK BULMACASINDA BÜYÜK BİR EKSİK PARÇA

JAMES SCHALLER, M.D., M.A.R.
KIMBERLY MOUNTJOY, M.S.

Biyofilm nedir?

Basit, bilimsel biyofilm tanımı: Hücrelerin bir yüzey üzerinde birbirine yapıştığı herhangi bir mikroorganizma grubu. Genellikle oluşturdıkları "balçık" adı verilen bir katmanın içinde bulunurlar.



Biyofilmi kızarmış yumurtayla karşılaştırın. Kızartılmış yumurtanın ortasındaki sarı yumurta sarısı bakteriyel veya mantar enfeksiyonudur.

Yumurta sarısını çevreleyen daha büyük beyaz kısım "biyofilm" olarak adlandırılabilir. İç enfeksiyonu veya yumurta sarısını hem antibiyotiklerden hem de insan bağışıklık sisteminden korur.

Yumurtanın dış kenarında çok küçük kızarmış kenarlar görülüyor. Yumurtanın büyüklüğünden dolayı gözden kaçırılmaları kolaydır. Bunların antibiyotik veya enfeksiyon öldürücü kimyasallar olduğunu varsayacağız. Yumurtanın dış beyaz kenarını asla geçemedikleri için işe yaramazlar. Yumurta akı onlar için duvar gibidir.

Kimlerde Biyofilm Enfeksiyonu Var?

Biyofilmlerin yaygın olduğu yerlerin ve durumların muazzam çeşitliliğini öğrendiğinizde ve bunun genellikle bakteri ve mantar organizmalarının rutin durumu olduğunu düşündüğünüzde, herkesin biyofilm enfeksiyonu veya enfeksiyonları olabileceğini fark etmeye başlarsınız.

Bu Kitapta Ne Arıyoruz?

Aşağıdaki materyal “yumurta beyazını” veya biyofilmi kırmanın birçok yolunu gösterecektir. Bu gerçekleştiğinde, yumurta sarısı veya sarı merkezinin temsil ettiği enfeksiyonu yok etmek genellikle çok daha kolaydır.

Biyofilmler Acı ve Ölümün Önde Gelen Nedenidir

Biyofilm Vücut Yerleri ve Durumları

- 2 haftadan uzun süren bir enfeksiyon
- 6 yaşın altındaki çocuklarda önde gelen ölüm nedeni
- Diş plağı—insan ağızı yaklaşık 25.000 bakteri türünü barındırır ve bunların yaklaşık 1.000'i diş plağı biyofilminde bulunur.

- Maya enfeksiyonları
- Ameliyat sonrası enfeksiyonlar
- Kanser
- Ağız kokusu
- Diş eti hastalığı veya periodontit*
- Diş çürüğü •

Akciğer enfeksiyonları

- İdrar sistemi enfeksiyonları
- Ağız bakterileri—kalp damarlarına zarar verebilir, ölüme neden olabilir ve bağırsak kanserlerinin artmasına neden olabilir
- Kronik kulak enfeksiyonları
- Sinüs enfeksiyonları**
- Kronik bademcik iltihabı
- Yaralar
- Diş fırçası kafaları — sonik hareketli kafa stilleri dahil

- İdrarın çıkarılmasına olanak tanıyan kateterler
- Yapay dizler, kalçalar ve diğer protezler
- Kalp kapağı enfeksiyonları
- Lezyonlar veya yaralar
- Lyme hastalığı
- Her türden IV kateter
- İdrar sondaları
- Kontak lens
- İmplant cihazlar—implante edilen veya takılan herhangi bir cihaz beyne, karaciğere veya böbreklere bakteri gönderebilir.
- Kronik prostat enfeksiyonları
- Herhangi bir iç mekan suyunda patlayan Lejyoner hastalığı ve diğer birçok biyotoksin bakterisi
- Küf hastalıkları—iç mekandaki herhangi bir su baskını, çatı, bodrum veya pencere sızıntıları, nemlendiriciler, kullanılmayan Waterpik™ veya diğer diş temizleme cihazları, AC kanallarında yoğuşma vb. gibi küf oluşumundan kaynaklanabilecek.
- Kistik fibroz –
solunum yollarındaki aşırı mukus üretimi, Pseudomonas aeruginosa gibi bakterilerin, biyofilm tabakasının ardındaki bakteri öldürücüleri yenmesine olanak tanır.
- Kayıp vücut parçaları
- Cilt, saç veya tırnak enfeksiyonları
- Artrit
- Endokardit
- Kemik enfeksiyonları
- Sivilce

Sudaki biyofilm kirliliği gibi son derece ciddi sorunlar ve düzinelerce diğer sağlıkla ilgili uygulamalar ve üretim uygulamaları da dahil olmak üzere listeye pek çok başka şey eklenebilir.

*Emekli bir diş hekimi olan Doktor David Kennedy, çoğu yetişkin Amerikalının diş eti hastalığına (kronik enfeksiyonu içeren başka bir bakteriyel biyofilm hastalığı) sahip olduğundan yakınıyordu. Peki bu gizli sağlık hizmeti salgını ne kadar yaygın?

**Ondine Biopharma'da [Richard Longland ile] yapılan bir röportaj, bu ülkede 38.000.000 kişinin kronik sinüs sorunu yaşadığını (veya yaşadığını) ortaya çıkardı.

***Ricardo Murga; Terri S. Forster. Model bir içme suyu sisteminde Legionella pneumophila'nın hayatta kalmasında biyofilmlerin rolü. Mikrobiyoloji (2001), 147, 3121–3126.

BİYO FİLMLERLE MÜCADELE

Antibiyotikleriniz ve Antifungalleriniz Neden Başarısız?

Lyme Hastalığı, Kronik Sinüzit Çözümleri,
Zatürre, Maya Enfeksiyonları, Yaralar, Kulak
Enfeksiyonlar, Diş Eti Hastalığı, Bağırsak Hastalığı,
Ağız Kokusu, Kistik Fibrozis ve İmplantlar

Kronik Hastalık Bulmacasında Önemli Bir Eksik Parça

James Schaller, MD, MAR
Ve

Kimberly Mountjoy, MS

Uluslararası Bulaşıcı Hastalık Basını
Banka Kuleleri • Newgate Merkezi (Süit 305)
5150 Tamiami Yolu Kuzey [Otoyol 41]
Napoli, Florida 34103

Güncel Biyofilm Hayat Kurtaran Cevaplar Vermek Şeffaf ve Sağlam

Şu anda makalelerde, bloglarda ve kitaplarda biyofilmi yok eden iki yıllık seçenekleri okuyabilirsiniz. Bu size 1.000-1.500 saat sürecektir. Ve önerebileceğiniz çok sayıda seçeneğiniz olacaktır. İşte bu makalelerde, bloglarda ve kitaplarda bulabileceğiniz seçeneklerden bazı örnekler:

Magnezyumdan kaçının	EDTA'lı	Arı Sütü
Şeker ve tahıllardan kaçının	DMSO	Kekik
NAC	Vankomisin	Limon otu
Norspermidin	Antibiyotik	Serrapeptidaz
Cis 2-Desenoik Asit	Bandrol	2-Aminobenzimidazol
Lumbrokinaz	Yağlardan kaçının	Ekinokandinler

Çözüm Olarak Biyofilm Ajanında Makul Pazarlamayı ve Güveni Nasıl Bulursunuz?

Tom ve Lisa, "x" ürününün ve "d" reçetesinin Kronik Yorgunluk (CFS) ve Fibromiyalji (FM) biyofilm enfeksiyonlarını zayıflatmak için olağanüstü tedaviler olduğunu blogda yazıyor. İnsanlar normal doktorlarının önemli bir çözümü olmadığı ve biyofilm enfeksiyonlarıyla ilgilenmediği için heyecanlılar.

Sorun şu ki, "x" veya "d" biyofilmi zayıflatmada veya bir hastalığın üstesinden gelmeye yardımcı olmada kullanılabilir. Ancak hızlı bağlantılar kurmaya dikkat edin. "a" tedavisi yalnızca on enfeksiyonun biyofilminde işe yarayabilir ve elimizde yalnızca üç enfeksiyonda işe yaradığına dair kanıt var.

Amacımız size iyi araştırmaların neler gösterdiğini göstermektir, böylece siz ve doktorunuz gerçeklerle başlayabilir ve olası herhangi bir biyofilm denemesinin ardındaki nedeni anlayabilirsiniz.

Örneğin enfeksiyonunuz demir kullanımı açısından Lyme'a benziyor olabilir. Saito ve diğerleri, Lyme hastalığının nedeni olan Borrelia'nın bilinen tüm organizmalardan farklı olarak, diğer tüm canlıların ihtiyaç duyduğu bir metal olan demir olmadan da var olabileceğini bildirmektedir. Bunun yerine Borrelia manganez kullanıyor.

Peki ya gelecekte biyofilm kaynaklı hastalığınızın demir olmadan da iyi yaşama yeteneğine sahip olduğu anlaşılırsa? Bu, Lyme hastalığının biyofilmini zayıflatma bir biyofilm ajanının sizin biyofilminizde işe yarayabileceği anlamına gelebilir. Bakteriyel ve mantar enfeksiyonu biyofilmleri, biyofilm bozuculara karşı benzer bir hassasiyeti paylaşma eğilimindedir. Enfeksiyonunuzun nasıl çalıştığını bilmek, hangi biyofilm ajanının işe yarayacağını belirlemenize yardımcı olabilir.

<http://phys.org/news/2013-03-scientists-reveal-quirky-feature-lyme.html#jCp>. Erişim tarihi: 26 Mart 2014.

İçindekiler

Bir Tıp Devrimi	1
Biyofilmlerin Beş Aşaması	2
Tanıttıcı Biyofilm Görüntüleri.....	3
Tüm İnsan Derisinde Bulunan Ortak Bir Bakteri	4
“Staph” Enfeksiyonları Çoğu Antibiyotiğe Dirençli Hale Gelmiştir.....	5
Biyofilmler Tıp Toplumu Tarafından Göz Ardı Ediliyor	20
“Biyofilmleri” Netleştirmek	21
Biyofilmlerden Kaynaklanan Acı, Düşük İşleyiş, Engellilik ve Ölümün Önlenmesi	24
Önce Biyofilmin Ortadan Kaldırılması Antibiyotikleri Etkili Hale Getirir	26
Çok Kısa İnsan Örnekleri ve Biyofilmler.....	27
Çözümler	30
Biyofilmler Çok Çeşitlidir.....	32
Derin Biyofilm Çeşitliliğine Örnekler.....	32
Çifte Yumruk: Biyofilm ve İlaç Direncine Sahip Bakteriler	34
Antibiyotiğe Dirençli 'Süper Böcekler' 'Çok Yakın Gelecekte' Büyük Bir Tehdit	36
Lyme'daki Biyofilmler Üzerine Kısa Bir Söz.....	37
Lyme Hastalığı (Borrelia) ve Biyofilmler.....	38
Bir Biyofilmde İki Farklı Bakteri Felaketin Sebebi: Yaygın Diş hijyeni	39
Biyofilm Bakımı Örneği.....	40
Bartonella ve Babesia Biyofilmleri?	43
Kene ve Pire Kaynaklı Biyofilmler Sonuç	43
Biyofilmler ve Akciğer veya Sinüs Enfeksiyonları: Bir Değirmen Tıbbi Felaketinin Anatomisi	45
Takım Sporları: Çoklu Enfeksiyonların Hepsini Biyofilm Oluşturduğunda	46
Uyarı: Biyofilmler ve Kısa, Aceleyle Getirilen Tıbbi Seanslar	47

Uçucu yağlar	48
Öjenol Temelleri	52
Öjenol ve Biyofilmler.....	53
Linalool	57
Reserpin	59
Biyofilm Öldürücülerin “İstiflenmesi”.....	60
Terpenoidler	61
Allisin ve Sarımsak.....	64
Serrapeptidaz	67
Lumbrokinaz	72
Nattokinaz	73
Terminalia chebula Retz.....	74
Kanser	77
Laktoferrin	82
Laktoferrin Satın Alma	84
Laktoferrin Ksilitol Kombinasyon Tedavisi	86
Geleneksel Şekerleri Sınırlamak: Enflamasyonu ve Biyofilmleri Düşürmek mi?	87
Şeker Ksilitol.....	88
Eritritol	90
Organoselenyum	93
Magnezyum Yoksunluğu Biyofilmleri Engeller mi?	94
Biyofilmleri Tedavi Etmek İçin Yağın Kısıtlanması	97
Houttuynia cordata Thunb (HCT)	101
Örnek Biyofilm Tetikleyici Kimyasallar Bakterilere Karşı Geri Döndü..	104
İkili Tedaviler	105
Bitki Kaynakları Nadiren Yalnızca Tek Bir Yararlı Kimyasal Verir.	106
Nitroksolin	107
Lizozim	109

Aspirin ve NSAIDS.....	110
Azitromisin (Zithromax)	113
Gümüş	115
Zencefil	119
Stevia	121
Cumunda'nın Temelleri	123
Cumanda ve Biyofilmler.....	125
Eritromisin	126
Bal	128
Ağız kokusu	134
Ters Amino Asitler Biyofilmleri Zayıflatır.....	136
Cathelicidin LL-37.....	139
RNAIII İnhibitör Enzim (RIP)	141
Tinidazol (Tindamax) ve Metronidazol (Flagyl)	142
Tüberküloz (TB)	143
TB'yi Öldürmeye Yardımcı Olacak Yeni Bir Araç mı?	144
Gıda Tozu, Antibakteriyel Güç.....	145
Çözüm	146
Ek	147
Dr. Schaller'in Klinik Yayınları	153
Dr. Schaller'in Diğer Kitapları.....	155
Sorumluluk reddi	169
Dr. Schaller ile iletişime geçmek.....	170

Tıbbi Bir Devrim

Biyofilm enfeksiyonu teorisi, acı verici, sakatlayıcı ve aslında kişinin yaşına bağlı olarak en çok öldürücü olan enfeksiyonların araştırılmasında derin bir devrimdir.


Enfeksiyonlar bizi insanların basit enfeksiyonlardan öldüğü günlere döndürmeye başlıyor. Yeni biyofilm enfeksiyonu dünyası, hem gelişmiş hem de gelişmemiş ülkelerde işler hızlı bir şekilde değişmezse, Birinci Dünya Savaşı ve İkinci Dünya Savaşı'nın toplamından daha fazla insanı öldürebilir. Biyofilmlerin öneminin yavaş anlaşılması ve dolayısıyla yeni biyofilm çözümlerinin doktorlar tarafından yavaş benimsenmesi nedeniyle, son teknoloji doktorlar bile biyofilmleri ancak daha fazla insanın sakat kaldığı ve bu yüzden öldüğü kanıtlandığında ciddiye alabilirler. . Şu anda çoğu kişi, acı ve ölüm nedeni olarak biyofilmleri gözden geçiriyor. Yani çözümü olmayan biyofilmler, 19. yüzyılda aşısı olmayan çocuk felci kadar ciddidir ve kurban sayısı açısından HIV/AIDS'ten çok daha yıkıcıdır.

Çoğu bakteri, tipik olarak benzersiz koruyucu biyofilmlere sahip topluluklarda yaşar. İnsanları enfekte eden veya insan hayatını etkileyen bakterilerin %1'i tek başına yüzer ve kanda bulunduklarında herhangi bir biyofilm tabakasıyla birlikte bulunmazlar.

Ulusal Sağlık Enstitüleri, insan vücudundaki mikrobiyal enfeksiyonların %80'inden fazlasının biyofilmden kaynaklandığını ve bunların çoğunun kronik ve tekrarlayan sorunlar yarattığını tahmin ediyor. Yoksa Glowacki haklı mı ve bakterilerin %99'u biyofilmden mi yaşıyor? Tahmin olarak ister NIH'nin %80'ini ister Glowacki'nin %99'unu kullanın, biyofilmler enfeksiyonlarda ciddi bir husustur.

Głowacki R, Strek P, Zagórska-Swiezy K, Składzień J, Oleś K, Hydzik-Sobocińska K, Miodoński A. [Kronik rinosinüzitli hastalardan biyofilm. Morfolojik SEM çalışmaları]. [Lehçe Makale]. Kulak Burun Boğaz Pol. 2008;62(3):305-10.

Tanıttıcı Biyofilm Görselleri



FL1953 veya *Protomyxzoa rheumatica* adında yeni, genetik olarak benzersiz bir biyofilm üreten tek hücreli parazit. (Bu özel yayma, insan vücudundaki bu tek hücreli parazitleri tespit etmenin en iyi yoludur çünkü DNA veya PCR testi her zaman pozitif sonuç vermemektedir).

Yukarıda gösterilen bu görüntünün dış kısmındaki yüzlerce koyu oval, 8 mikron boyutunda kırmızı kan hücreleridir (RBC'ler). Merkez kütle, biyofilm kütlelerinde çok sayıda kırmızı kan hücresi bulunan bir biyofilm topudur.

Yukarıda gösterilen bu biyofilm, çok yaygın olan *Bartonella*, Lyme hastalığı *Borrelia* bakterisi ve ölümcül *Babesia* gibi kene kaynaklı enfeksiyonlara sahip kişilerde yaygın olarak bulunur. Kene kaynaklı bazı hastalıklar diğerlerinden daha kötü veya diğerlerinden daha yaygın olabilirken, tamamı ortadan kaldırılmadıkça potansiyel olarak ölümcül olabilir. Yukarıda gösterilen bu parazit, *Babesia* ve sıtmaya bağlı tek hücreli bir enfeksiyondur ve biyofilminden arındırıldığında olgunlaşmamış sıtmaya benzemektedir. Hastalık Kontrol Merkezlerine göre bu eşsiz bir protozoondur. Bu ne *Babesia* ne de sıtma. Bu enfeksiyona FL1953 veya *Protomyxzoa rheumatica* adı verilir. Çok büyük miktarlarda biyofilm oluşturur ve bu resimdeki devasa merkez kütle yüzlerce kırmızı kan hücresi içerir.



Farklı organlara ve biyofilmlerin nedenlerine bakarken, en az  kıtada 200'den fazla canlı tarafından taşınan biyofilm enfeksiyonu vektrn, yani Ixodes kenesini gz ardı etmemeliyiz. En az iki ciddi biyofilm yapıcıyı taşır: FL1953 ve son derece karmaşık, genetik aıdan gelişmiş Lyme bakterileri. Hala taşıdığı tm olası enfeksiyonları ğreniyoruz.

Ltfen saın byk ımlara benzediğini unutmayın, dolayısıyla bu kene bu boyutun ok kk bir kısmıdır. Grnmezliđi, ađrı kesici, anti-histamin, anti-pıhtılaştırıcı ve antiinflamatuvar madde ieren bir ısırıkla birleştirdiđinizde, gizli bir enfeksiyon taşıyıcısına sahip olursunuz. Bir kene tkrđ kimyasalı olan Sialostatin L, o kadar iyi bir bađışıklık bastırıcı enzimdir ki, astımı nleyebilir (Horka 2012).



Köpekler insanın en iyi arkadaşı olabilir, ancak tükürüklerine dokunursanız veya evinize veya arabanıza kene veya pire getirirlerse bu mümkün değildir. Bir şehrin dışında yaşayan her köpek ve kedinin muhtemelen kene veya pire ısırığı yaşadığını varsayalım.



“Biyofilmleri” Netleştirmek

Biyofilm, zeytinyağı havuzunun ortasındaki bir kuruş gibidir ve yağın dış kenarında enfeksiyon öldürücü hücreleri temsil eden biber bulunur. Bir kuruşu yok etmek için harekete geçemezler. Biyofilm bakteri toplulukları çoğu insan enfeksiyonunun olağan durumudur. Bize enfeksiyonların etrafta dolaşan izole edilmiş bakteriler olduğu ve bunun ciddi bir hata olduğu öğretildi. Bu, bakterilerin ana formunun...

biyofilm bakteri toplulukları yeni ama çok önemli bir kavramdır. 2004 yılında biyofilmleri öldürmek için yirmi beş seçeneğin listesini yaptığımda pek ilgi yoktu.

Günümüzde biyofilmlerin çeşitli seçeneklerle yok edilememesi tam anlamıyla bir sağlık felaketidir.

Bu kitabı yazmanın ve yayınlamanın amacı, diğer olası seçeneklerle birlikte, uygun fiyatlı, yeniden araştırmaya dayalı bir dizi seçenek oluşturmak, ilişkili yüzlerce hastalık için mümkün olan en yeni güncel ve güncel çözümleri sunan saf bir çözüm kitabı sunmaktır. biyofilmler ile. Biyolojik bir filmin bariyerini, doktorlar, enfeksiyon uzmanları, natüropatlar, alternatif tıp okulları, uçucu yağ uygulayıcıları, akupunktur uzmanları, hemşire pratisyenleri veya şifalı bitkiler uzmanları tarafından kullanılan rutin seçeneklerle kaldırmak veya nüfuz etmek tamamen imkansız olabilir.

Bu kitapla, şu anda mevcut olan seçeneklerin araştırılmasıyla size ve doktorunuza/şifacınıza hizmet etmeyi umuyoruz. Tıp biliminin devasa veri tabanı PubMed'de son beş yıldaki yayınları araştırdık.

“biyofilm tedavisi” için. Seçeneklerin çeşitliliği etkileyicidir ve her zaman beklediğiniz şeyler değildir. Bu kitap size acı çekmenizi, engelliliğinizi ve hatta ölümünüzü önlemeniz için geniş seçenekler sunmayı amaçlamaktadır.

Yıllar süren araştırma ve çalışmalardan sonra, biyofilm üzerindeki bulaşıcı hastalık "uzmanlarının" savaşı çoktan kaybetmiş olabileceğini ve aslında birçoğunun tüm savaşımlardan haberdar olmayabileceğini fark ettim. Pa...

Çok Kısa İnsan ve Biyofilm Örnekleri

2004 yılında Richard Longland, omurga ameliyatından sonra gizemli bir hastalıktan çok kötü bir şekilde kurtuldu. Takip eden aylarda pek çok sorun yaşadı: baş ağrıları, eklem ağrıları, daha sonra kalp ve beyin sorunları, şiddetli yorgunluk ve düşünme güçlüğü.

Tıbbi sistem ona karşı çıktı ama sonunda 2007'de hastanenin herhangi bir yerinden, halka açık bir yerden veya keneden kaynaklanan olası bir ameliyat sürecinden kaynaklanan mikoplazma nedeniyle tedavi edildi.

Hastalarımın çoğu bana gelmeden önce 3 ila 200 doktorla görüştü. Onun deneyimini anlıyorum. Bay Longland'ın teşhis için yirmiden fazla doktora görünmesi gerekti. Bu zor dönemde "Neden Bu Kadar Hastayım?" adında üstün bir film yarattı. Vücudunu sistemik bakteriyel biyofilmlerden arındırmak için farmasötik ve natüropatik ajanlar kullanma konusunda sabırlı bir savunucudur.

Edward 78 yaşında ve üç kızı ve sekiz torunu var. Nefes darlığı nedeniyle hastaneye kaldırıldı. Kötü bir zatürre ya da akciğerinde enfeksiyon var. Durumu kötüleşiyor. Bireyler, biyofilmle korunan pnömonilerin çoğunu yenen ajanlar kullanarak iyileşti.

Linda birkaç yıldır yorgun ve okulda sorunlar yaşıyor. Yakın zamanda on beşten fazla laboratuvar sonucunun anormal çıkmasına neden olan bir dizi kene enfeksiyonu olduğunu öğrendim. Dün aradı ve dizinin arkasındaki ağrı nedeniyle acil servise gitmesini söyledim. Bir günden kısa bir sürede akciğerlerinde ve bacaklarında 23 pıhtı olduğu tespit edildi. Bunun Babesia, inflamasyon ve FL1953 olduğundan şüpheleniyor. 2006'da FL1953 dahil bu ajanları öldüren ajanlarımız vardı.

It would be an error to say that nattokinase, lumbrokinase, serrapeptidase, EDTA, gentamicin, vancomycin, Samento, Banderol, olive products, poorly known herbs with fair lab testing in humans, clove bud oil, diet, chelation, three to four part amino acid mixes, NAC, Rife, diet changes or a vast range of other options not listed, will **work for all biofilms**. For example, an elderly patient dying of a lung infection or another person with painful and treatment-resistant sinus infection *will not* have the same biofilm.

As a trend, trying different options to destroy a biofilm is less dangerous than allowing it to spread.

A Brief Word on Biofilms in Lyme

At times, individuals who have tick- and flea-borne infections, like Bartonella, Babesia and Borrelia (Lyme disease), can feel their treatment is minimal or incomplete. Debates rage over the diagnosis and treatment of Lyme and tick-borne diseases; whether the pain is from residual dead infection incorporated into tissue or one of the many infections carried by the I. scapularis tick, we still have patients' misery.

After writing **twelve books** which include many pages on non-Borrelia infections, “Lyme testing” seems like alphabet testing in which ***one only looks for the vowel “a.”*** Due to the lack of acceptance of the number and complexity of tick-borne infections, there is a lack of up to date education, leaving quality medical doctors to evaluate tick and flea infections in the ***abstract***, by which I mean that they very falsely and sadly do not realize the full magnitude of ***“the alphabet.”***

Specifically, they “diagnose” by ignoring inflammation alterations, nutrient changes, hormone deficits, immunity changes caused by tick-borne infections, and chemicals made or suppressed by direct tick and flea infectious agents. I discuss these in my three most recent tick and flea infection books. All are available in English. All can be found free through inter-library loan, for less than \$20 USD, or at www.personal-consult.com under the “free books” button. No one can expect to become an expert in this massive area after reading any guide or merely going to ten conferences, because these cluster infections impact twenty areas of medical and scientific knowledge.

In the last four years, researchers like **Dr. Eva Sapi have shown Lyme is like some other spirochetes—it has biofilms. These are very tough biofilms to defeat unless caught in the “acute stage.”** A tough, “mature biofilm” allows organisms to **“laugh at” many antibiotics.**

Some medical professionals interested in Lyme often ignore the immune suppressing Bartonella bacterium, which is more common than Lyme. Ignoring coinfections may increase the risk of fatality with Babesia and possibly **FL1953**. These healers also may not realize that the highly

genetically complex Lyme spirochete appears to have a troublesome biofilm. Performing a simple direct test at laboratory companies whose testing kits have reduced sensitivity will probably result in more negatives for tick-borne diseases. The ultimate result is anti-science and anti-truth. Searching for tick infections with one test is like writing in “Lincoln” at the next presidential election.

Lyme Disease (*Borrelia*) and Biofilms

Several researchers believe *Borrelia burgdorferi*, the active agent of Lyme disease, has biofilms. Lyme organism biofilms have been found in culture and in the tick gut. Lyme cysts and biofilms have also been noted in patient skin biopsies using focus floating microscopy according to Dr. Eisendle publishing in the *American Journal of Pathology*.

Further, we see in Lyme that biofilm formation is dependent on cyclic di-GMP expression and we see that in Lyme (Stricker and Johnson).

Brihuega B, Samartino L, Auteri C, Venzano A, Caimi K. In vivo cell aggregations of a recent swine biofilm-forming isolate of *Leptospira interrogans* strain from Argentina. *Rev Argent Microbiol*. 2012 Jul-Sep;44(3):138-43. PMID:23102459

Cogoni V, Morgan-Smith A, Fenno JC, Jenkinson HF, Dymock D. *Treponema denticola* chymotrypsin-like proteinase (CTLP) integrates spirochaetes within oral microbial communities. *Microbiology*. 2012 Mar;158(Pt 3):759-70. Epub 2012 Feb 7. PMID:22313692

Sapi E, Kaur N, Anyanwu S, Luecke DF, Datar A, Patel S, Rossi M, Stricker RB. Evaluation of in-vitro antibiotic susceptibility of different morphological forms of *Borrelia burgdorferi*. *Infect Drug Resist*. 2011;4:97-113. Epub 2011 May 3. PMID:21753890

Stricker RB, Johnson L. Lyme disease: the next decade. *Infect Drug resist*. 2011; 4: 1-9. PMID: 21694904

Sapi E, Bastian SL, Mpoy CM, Scott S, Rattelle A, Pabbati N, Poruri A, Burugu D, Theophilus PA, Pham TV, Datar A, Dhaliwal NK, MacDonald A, Rossi MJ, Sinha SK, Luecke DF. Characterization of biofilm formation by *Borrelia burgdorferi* in vitro. *PLoS One*. 2012;7(10):e48277. Epub 2012 Oct 24. PMID:23110225

lease of bacteria in the human body will be like a dangerous tornado in a field. It is a wise concern.

For these two problems regarding biofilm-held infections suddenly being released, here are useful solutions:

1. You need many infection killing options for use since more is better to prevent “seeding” of dispersed infection.
2. You want the biofilm killing options to destroy biofilms by different mechanisms. This makes the dispersed seeded infections naked to the immune system.
3. Biofilm tools are given initially at low doses and then increased gradually to large doses since often in the beginning patients have massive inflammation and a drastic increase in killing of biofilm organisms in a short time could cause trouble with bone marrow, liver, heart, eye, or kidney issues, or merely create more dead infectious debris resulting in patient misery.
4. You may need to pulse (use every other day) or fully stop this treatment because once a wave of biofilm eroding agents strips off or severely damages a biofilm of an infection, the same antibiotics that were useless in the past can become very effective.
5. There is no single master biofilm destroyer, yet some are broader than others.

Bartonella and Babesia Biofilms?

Most people have heard of the profoundly common tick infection Lyme disease, but they may not know Bartonella is more common than Lyme and is carried by far more vectors (Breitschwerdt). Babesia decimated the cattle population in the southern United States many decades ago and is more dangerous in humans than Lyme.

Currently, we have no solid data showing Bartonella and Babesia have biofilms.


Tick and Flea-Borne Biofilms Conclusion

Below you will see that mouth spirochetes routinely have biofilms. Another spirochete is Leptospira which is able to make biofilms in many environments and may contribute to lost pregnancy in mammals (Brihuega).

In terms of tick and flea infection biofilms, I would focus on **FL1953** (Protomyxzoa) and Lyme, since both have been known and treated by us since 2006, though the former was killed without knowing its genetic uniqueness. We are learning what decreases their biofilm pathology and have agents that should work if one is open to look at diverse approaches. A synthetic “antibiotic only approach” to biofilms, including antibiotics targeted to hit biofilms, might be similar to typing with one finger.

There are herbalists, such as Stephen Buhner, who propose selected herbs to treat some tick infections. And, in terms of **primary treating herbs to kill organisms**, there are also credible options that are not always herbal in use for a tick or flea infection. We will continue to use **advanced lab testing**, typically only allowed under physician supervision, to determine by serious extensive **indirect blood exam** biochemistry tests to see which infection is actually destroyed in people experiencing benefit from herbal therapy. In any event, I enjoyed this line from Buhner: *“I can’t really say what will clear all biofilms.”*

Başka Bir Örnek Biyofilm Görüntüsü



Koyu IOWld örtüleri kırmızı kan "°Us (-bıçak yukarı" karga),
"çarşaf" çapı llo sağ alttan başlıyor " °11", sol üst oomere doğru
biçiyor, bir biyodoldurma yapıyor, \ rnlffal IOW küçük bir
bam:rium'a kadar kesecek (Piy Labaratoriea).

jenol Temelleri

jenol birok esansiyel yaę ve bitkide bulunur. rneęin, karanfil tomurcuęu esansiyel yaęında yksek bir etkide bulunurken, aynı zamanda tarın yapraęı ve onun esansiyel yaęında daha dřk bir dozda bulunur. PubChem'e gre yenibahar, defne, sassafras, massoy kabuęu yaęları, kafur yaęı ve chamchwi bitkilerinde de bulunur. Etki ve konsantrasyon, kaynaęa ve ekstraksiyon yntemine baęlı olarak byk lde deęiřir. stelik bu sadece gl bir biyofilm ajanı deęil; anti-viral eylemler ve anti-kanser etkileri gibi bařka řařırtıcı zelliklere de sahiptir.



rneęin Tragoolpua ve Jatisatienr, jenoln tre, tre ve dięer faktrlere baęlı olarak oral ve genital Herpes'i etkiledięini gsterdi. Esansiyel yaęın basit bir ekstrakttan daha gl olabileceęini aıka belirttiler. Gerekte, sırasıyla oral ve genital Herpes, HSV-1 ve HSV-2, jen-nol varlıęında oęalamadı. Al-Sharif nemli kanser etkileri gstermiřtir. ok dřk bir konsantrasyon (2 μ M), farklı meme kanseri hcrelerine karřı spesifik toksisiteye sahiptir. Bu ldrme etkisi, kanser hcresi lm yolunun tetiklenmesi ve hcrenin hayatta kalması iin gerekli olan iki molekl olan E2F1 ve survivin seviyelerinin azaltılması yoluyla saęlandı. Ayrıca meme kanserini de engelledi

genes. Importantly, these anti-proliferative and pro-cancer cell death effects were also observed inside body grafts placed in non-human animals.

<http://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=3314>

Tragoolpua Y, Jatisatienr A. Anti-herpes simplex virus activities of *Eugenia caryophyllus* (Spreng.) Bullock & S. G. Harrison and essential oil, eugenol. *Phytother Res.* 2007; 21(12):1153-8.

Al-Sharif I, Remmal A, Aboussekhra A. Eugenol triggers apoptosis in breast cancer cells through E2F1/survivin down-regulation. *BMC Cancer.* 2013 Dec 13;13(1):600. [Epub ahead of print]

Eugenol and Biofilms

Recently, Dr. Zhou has reminded us of a special process that is involved in the formation of dangerous biofilms. Basically, many bacteria have a “chatty” way of talking to other cells such as other bacteria. So, bacteria use chemicals or cause other bacteria to make chemicals to help them survive and often act to harm you or a loved one.

Eugenol is so effective that at very low amounts, it still disrupted bacteria chemical communication. This is very important in a biofilm destroying agent. If cells cannot communicate, it is doubtful they can form communities. Biofilms are community creations. **Further, eugenol at very low doses, called “sub-inhibitory concentrations” inhibited biofilm formation.**

One type of biofilm research being conducted compares biofilm killers head to head. The results are not always the same, perhaps in part because the infections are not always the same. Note that in an Epub abstract before publication, Malic explains that the best essential oil for urinary catheters, with or without biofilms, against fourteen different bacteria was eugenol. This is why I believe this substance is a “double killer.” It can defeat many biofilms, and then kill the organism making the biofilm. Finally, in this study, eugenol did better than tea tree oil.

Linalool

According to the Merriam-Webster dictionary, the word linalool is derived from a Medieval Latin phrase meaning “wood of the aloe.” Linalool has a nice smelling alcohol and essential oils. It is used in perfumes, soaps, and flavoring materials.

In terms of biofilms, it seems to be most effective when **the essential oil part** is used, which has **the most evidence of killing Candida albicans**. (Candida albicans is the cause of yeast infections.) Yet, again, it is the essential oil fraction that not only **inhibits the growth** of Candida albicans but also of the bacteria Lactobacillus casei, Staphylococcus aureus, Streptococcus sobrinus, Porphyromonas gingivalis and Streptococcus mutans cell suspensions, all of them associated with oral cavity disease, according to Alviano and Mendonça-Filho. Yet, Budzyńska reported this essential oil did not fully remove biofilms formed by Staphylococcus aureus (ATCC 29213) and Escherichia coli (NCTC 8196) on the surface of routine medical materials such as urinary catheters, infusion tubes and surgical mesh.

Hsu found that linalool could be effective against Candida albicans due to its many genetic blocking effects. For example, using a scanning electron microscope and other technology, many signs of the effect of linalool to destroy Candida or inhibit its growth could be noted. Hsu found blocking actions against genes involving adhesion production and the formation of “branches” or the mold’s hyphae were both decreased by linalool.

<http://www.merriam-webster.com/dictionary/linalool>

Budzyńska A, Wieckowska-Szakiel M, Sadowska B, Kalembe D, Różalska B. Antibio-film activity of selected plant essential oils and their major components. Pol J Microbiol. 2011;60(1):35-41. PMID:21630572

Alviano WS, Mendonça-Filho RR, Alviano DS, Bizzo HR, Souto-Padrón T, Rodrigues ML, Bolognese AM, Alviano CS, Souza MM. Antimicrobial activity of Croton cajucara Benth linalool-rich essential oil on artificial biofilms and planktonic microorganisms. Oral Microbiol Immunol. 2005 Apr;20(2):101-5.

Reserpine

Reserpine is a substance found in the roots of some types of Rauwolfia that has been made into a traditional medicine. It is used to lower high blood pressure and help with psychotic symptoms, but side effects have limited its use.

While it may not be comfortable to use at modest or high dosing, very low dosing, according to Magesh, showed it to be profoundly powerful against *Klebsiella pneumoniae*. In one report, he used reserpine and was able to stop biofilms in this pneumoniae infection at a fraction of the dose thought to inhibit growth.

Specifically, a tiny fraction of this drug, a mere 0.0156 mg/ml, stopped biofilm production in *Klebsiella pneumoniae*. So, it may be possible that we have another example of a medical truth I use every day:

“Change the dose and you change the drug or herb.”

In this case, perhaps it is possible that 1/10th of the lowest size tablet, 0.1 mg, could harm *Klebsiella* and other infections and be safe for the patient. However, the raw materials for making it may be hard to find some months according to ASHP who tracks pharmacy shortages.

Magesh H, Kumar A, Alam A, Priyam, Sekar U, Sumantran VN, Vaidyanathan R. Identification of natural compounds which inhibit biofilm formation in clinical isolates of *Klebsiella pneumoniae*. Indian J Exp Biol. 2013 Sep;51(9):764-72.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=975>

“Stacking” Biofilm Killers

While physicians may ponder the problems caused by biofilms in practice, I rarely encounter the doctor who understands that it is usually better to have more than one treatment. In the article below, **oral bio-film infections were controlled best by three agents, not merely one.** For example, Alves explains that when you are going to irrigate or clean a root canal area, that two mouth bacteria infections protected by their biofilms have these same film barriers decreased significantly by treatment with farnesol, xylitol and lactoferrin together.

The same results were found in wounds. One of the best treatments for wounds is the use of a silver-based wound dressing or bandage, together with a gel containing xylitol and lactoferrin (Ammons).

Alves FR, Silva MG, Rôças IN, Siqueira JF Jr. Biofilm biomass disruption by natural substances with potential for endodontic use. *Braz Oral Res.* 2013 Jan-Feb;27(1):20-5. PMID:23306623

Ammons MC, Ward LS, James GA. Anti-biofilm efficacy of a lactoferrin/xylitol wound hydrogel used in combination with silver wound dressings. *Int Wound J.* 2011 Jun;8(3):268-73. Epub 2011 Apr 1. PMID:21457463

Terpenoids

I would like to mention a class of options that come from a familiar substance, chemicals from tea tree oil. We have already mentioned linalool which is part of this class individually, since it comes up as a leading biofilm killer. According to Raut, as many as 14 terpenoids derived from tea tree oil inhibit biofilms, and α -terpineol, nerol, isopulegol, carvone, linalool, α -thujone and farnesol are worthy of special note. Eight terpenoids have effects on **mature** yeast biofilms (*Candida albicans*).

A study by Ramage shows tea tree oil (TTO), terpinen-4-ol (T-4-ol), and α -terpineol displaying potent activity against 69 biofilm-forming *Candida* strains, of which T-4-ol and α -terpineol displayed rapid kill action.

Of these three, T-4-ol displayed no significant toxicity to cells. These data provide further laboratory evidence that TTO and its derivative components, specifically T-4-ol, exhibit strong antimicrobial properties against fungal biofilms. Further, T-4-ol appears to possess safety advantages over the complete essential oil (TTO) and may be suitable for prevention and treatment of established oral and upper throat cavity candidosis. Certain terpenoids are components of spices or food ingredients generally regarded as safe (GRAS) (Pauli 2006).

In another study, several chemicals from plants were tried against two very common bacteria (Budzyńska), *Staphylococcus aureus* (ATCC 29213) and *Escherichia coli* (NCTC 8196), both with biofilms on the surface of **routine** medical products, i.e., urinary catheter, infusion tube and surgical mesh. All three are present in most advanced hospitals and other settings. Surgical mesh was the surface most prone to persistent colonization since the biofilms that formed on it, both by *S. aureus* and *E. coli*, were difficult to destroy.

Melaleuca alternifolia is the source of Tea Tree Oil (TTO). *Lavandula angustifolia* yields Lavender, English Lavender and True Lavender (LEO). *Melissa officinalis* is Lemon balm (MEO). Tea Tree oil, Lemon balm, α -terpineol and terpinen-4-ol showed stronger anti-biofilm

Allicin and Garlic

Garlic has been used as a medicine throughout human history. Allicin is considered one of the medically useful components of garlic. Other useful components are discussed in Chinese language pharmacology texts.

As early as 2003, the use of allicin against *Staphylococcus epidermidis* had reported effects on biofilm formation at low dosing. Pérez-Giraldo reported that lab testing showed that allicin diminished biofilm formations.

Lihua reported ten years later that allicin impacts *Pseudomonas aeruginosa* biofilm. This is hardly casual information, since *P. aeruginosa* is likely resistant to multiple antibiotics, and this resistance may be due to biofilms. Organosulfur allicin has been shown to inhibit surface-adherence of bacteria and Lihua demonstrated that allicin could inhibit early bacterial adhesion which is a first step to bacterial community formation, usually just before biofilm production.

Other researchers isolated various components of garlic and tested the most active components. The following three components were examined:

1. garlic extract
2. allicin
3. diallyl sulfide (DAS)

They were tested against the serious mouth and dental infection *Aggregatibacter actinomycetemcomitans*, the primary cause of severe aggressive periodontitis and other non-oral infections.

Lumbrokinase

We appreciate that some people interested in progressive medicine feel this enzyme, Lumbrokinase, is a useful substance. Some have suggested it is useful in the removal of biofilms. If that is true, we had trouble finding the evidence for that position. However, it does seem that some researchers see a potential for this enzyme to “digest” pathological clots. This possibility seems to have some support, and at this time we will only wait for further research. Since we are only proposing biofilm options that are supported by research and since human use is just starting in research settings, we do not promote this agent at this time.

Ryu GH, Park S, Han DK, Kim YH, Min B. Antithrombotic activity of a lumbrokinase immobilized polyurethane surface. *ASAIO J.* 1993 Jul-Sep;39(3):M314-8. PMID:8268550

Kim JS, Kang JK, Chang HC, Lee M, Kim GS, Lee DK, Kim ST, Kim M, Park S. The thrombolytic effect of lumbrokinase is not as potent as urokinase in a rabbit cerebral embolism model. *J Korean Med Sci.* 1993 Apr;8(2):117-20. PMID: 8397927

Mihara H, Sumi H, Yoneta T, Mizumoto H, Ikeda R, Seiki M, Maruyama M. A novel fibrinolytic enzyme extracted from the earthworm, *Lumbricus rubellus*. *Jpn J Physiol.* 1991;41(3):461-72. PMID:1960890

Wang KY, Tull L, Cooper E, Wang N, Liu D. Recombinant Protein Production of Earthworm Lumbrokinase for Potential Antithrombotic Application. *Evid Based Complement Alternat Med.* 2013;2013:783971. Epub 2013 Dec 12. Review. PMID:24416067

Cao YJ, Zhang X, Wang WH, Zhai WQ, Qian JF, Wang JS, Chen J, You NX, Zhao Z, Wu QY, Xu Y, Yuan L, Li RX, Liu CF. Oral fibrinogen-depleting agent lumbrokinase for secondary ischemic stroke prevention: results from a multicenter, randomized, parallel-group and controlled clinical trial. *Chin Med J (Engl).* 2013 Nov;126(21):4060-5. PMID:24229674

Huang CY, Kuo WW, Liao HE, Lin YM, Kuo CH, Tsai FJ, Tsai CH, Chen JL, Lin JY. Correction to Lumbrokinase Attenuates Side-Stream-Smoke-Induced Apoptosis and Autophagy in Young Hamster Hippocampus: Correlated with eNOS Induction and NFκB/iNOS/COX-2 Signaling Suppression. *Chem Res Toxicol.* 2013 Jul 15;26(7):1126. Epub 2013 Jun 7. PMID:23746067

tract also made the pneumonia far more susceptible to the antibiotic tobramycin. Further, genes involved with resistance to antibiotics were down-regulated.

- Bag published that highly resistant urine organ infections were more vulnerable to treatment with *T. chebula* but proposed this is due to its ability to collect iron, since adding iron reduced its effect. However, Bag only tested one of many chemicals from this fruit, and I would suggest other components may have antibacterial action and work by other means.
- Four carefully chosen antibacterial plants (*P. guajava*, *T. chebula*, *A. aspera*, and *M. elengi*) are combined with four solvent extracts (hexane, ethyl acetate, ethanol, and methanol) by Kamal Rai Aneja, who initially evaluated their anti-cavity activity against *S. mutans*. All four of the plants showed activity against *S. mutans*. Ethyl acetate extracts of the four plants showed high antibacterial activity against *S. mutans*, superior to the other solvent extracts. Further, *T. chebula* ethyl acetate extract acts as an effective anti-cavity agent by inhibiting *S. mutans* and *C. albicans*. However, we were unable to find evidence if the benefit of these chemicals involved biofilm removal.

In conclusion, we appreciate that this medicine is proposed to both dissolve Lyme biofilms and also destroy the underlying Lyme bacteria. We offer no opinion on this belief. We do not want to oppose or support its use in terms of biofilm ability. It appears this fruit does act on the bacteria biofilm of *P. aeruginosa*, but Lyme bacteria are not the same as *P. aeruginosa* bacteria. Lyme is also profoundly more genetically complex than a “relative” spirochete bacterium, syphilis.

Therefore, while we do note that this medicine has antibacterial and cell protection actions, and **we accept some patients feel better**, we presently cannot say it is due to biofilm removal in those with tick-borne infections.

Cancer

Cancer has many causes. Some things increase your risk and other things can decrease your risk. It is rarely pure genetics, even in those with genetic vulnerability. We know some types of plastics increase rates of breast cancer. We know the 200 poisons in cigarettes cause lung cancer. We know various chemicals made by various companies can increase cancer, despite the reality that most US and international chemicals have limited or no top research on their safety.

I like my dental hygienist. And, I like making sure my gums and teeth are “safe.” Why? At first it was because I want to have teeth in twenty years. But, she correctly reminds me that heart attacks are increased by gum disease which is routine in many countries.

Yet, even this passionate healer was not aware of the role of biofilms in cancer. Yes, I said cancer. We are only beginning to understand the role of infections in triggering cancer diseases.

Many years ago, I was working with a physician who asked me to help research possible cures for his cancer. Eventually, that cure was found and written up, taking over 200 hours and many months to complete, with the help of a top medical editor in North America—the former editor of the *Journal of the American Medical Society* and forty other journals, specifically, George Lundberg, who worked feverishly to get this death disorder cure in print ASAP (Schaller).

Years later, he asked me to write a follow up, and we had found that over eight top infection specialists in the United States had missed Babesia, a common parasite that is harder to kill than malaria and which can occasionally increase eosinophils (Schaller). The patient’s trouble included the fact that he had so many eosinophils, his blood could clot quickly. The point? Eosinophils are a type of white blood cell designed to kill parasites. The man’s disorder (HES) Idiopathic Hypereosinophilic Syndrome, which is often fatal and means that eosinophils reproduce out of control, was primed by a Babesia infection. Not all patients with HES also have a Babesia infection, but after writing six books which

Lactoferrin Xylitol Combination Treatment

In a fascinating look at this proposed double treatment, Mary Ammons shares that treatment of *Pseudomonas aeruginosa* biofilm with both lactoferrin and xylitol inhibits the ability of bacteria to respond to damage resulting from lactoferrin iron chelation.

Pseudomonas aeruginosa has been identified as the most common biofilm-forming infection in chronic wounds. The immune stimulating molecule lactoferrin and the rare sugar alcohol xylitol, together, were effective in the lab against *P. aeruginosa* biofilms.

How? Lactoferrin iron chelation was identified as the primary means by which lactoferrin undermines the bacterial membrane. Amazingly, this combination showed huge alterations in the expression of the bacteria's genes, but these changes are too complex for a summary. The findings mean that critical chemicals made by *P. aeruginosa* had changed.

Siderophore detection verified that xylitol is the component of this unique double treatment that inhibits the ability of the bacteria to produce siderophores under conditions of iron restriction. Siderophores sound complicated—here is the simple meaning: they are some of the strongest iron binders in the world and they are made by bacteria, viruses and fungi.

The study concludes with two points:

1. Lactoferrin treatment of *P. aeruginosa* biofilms results in destabilization of the bacterial cell membrane through iron chelation.
2. Combining lactoferrin and xylitol inhibits the ability of *P. aeruginosa* biofilms to respond to environmental iron restriction.

Access to iron is profoundly hard for bacteria when this combination is used.

Erythritol

Erythritol is an amazing sugar. For example, when it was given to children head-to-head with xylitol or sorbitol it was clearly superior. Here is a summary of the research:

Runnel writes: “Three-year consumption of erythritol-containing candies by initially 7- to 8-year old children was associated with reduced plaque growth, lower levels of plaque acetic acid and propionic acid, and reduced oral counts of mutans streptococci compared with the consumption of xylitol or sorbitol candies.”

In a similar way, Japanese researchers show highly advanced reasons for erythritol superiority over xylitol and sorbitol (Hashino). While this study is very dense, let me at least try to list the stunning findings:

1. By advanced confocal microscopic observations, the most effective sugar used to reduce *P. gingivalis* accumulation onto an *S. gordonii* substratum was erythritol, as compared with xylitol and sorbitol.
2. In addition, erythritol moderately suppressed *S. gordonii* monotypic biofilm formation.
3. To examine the inhibitory effects of erythritol, they analyzed the metabolomic profiles of erythritol-treated *P. gingivalis* and *S. gordonii* cells. Metabolome analyses showed that a number of critical bacteria chemicals were decreased by erythritol.
4. Next, metabolites of erythritol- and sorbitol-treated cells were examined. Erythritol significantly decreased the levels of *P. gingivalis* dipeptides. They tended to be increased by sorbitol.

Amazingly, it appears erythritol has inhibitory effects on two diverse species with biofilms, and it acts by at least five very distinct mechanisms.

Dowd reported that biofilm formation was completely inhibited in a standard wound approach by 10% erythritol in either of the two San-

Does Magnesium Deprivation Hinder Biofilms?

Before we decide to remove an element that is used in vast numbers of important enzymes, we have to have a foundation. First, in some basic physiology texts, calcium displaces magnesium inside human cells. My impression of this research is that suboptimal magnesium increases systemic inflammation, vascular death such as heart attacks, and cancer. Dibaba shows that the higher the magnesium in diet the lower C-reactive protein. This protein is associated with inflammation. If you lower inflammation you decrease deaths.

Qu pooled studies of approximately a half a million people to examine the results. The greatest risk reduction occurred when magnesium intake increased from 150 to 400 mg/day. A significant inverse association was found between dietary magnesium intake and total cardiovascular events. Serum magnesium concentrations are linearly and inversely associated with the risk of cardiovascular troubles such as heart attacks and brain strokes. Since magnesium is poorly absorbed even when chelated to an amino acid, it is perhaps useful to note the useful dose was 400 mg, when compared to minimal benefit from 150 mg orally.

Del Gobbo also examined vast studies and wrote: “Clinical hypomagnesemia and experimental restriction of dietary magnesium increase cardiac arrhythmias.” Deadly ischemic heart disease, in which a person dies due to poorly oxygenated blood reaching the entire heart, was more common in those with no magnesium supplementation or very low oral magnesium dosing. Simply, “circulating and dietary magnesium are inversely associated with [cardiovascular disease].” Further, Qu shows, in another study, a significant drop in intestinal cancers with a reasonable magnesium intake. While we may not know the mechanism for these useful findings, they are not felt to be due to chance.

Song and Leff clearly show why a small number of scientists and physicians have pondered lowering human magnesium Mg^{2+} levels. They remind us that Mg^{2+} can influence bacterial adhesion, which is part of biofilm process. In their study, the bacterium *Pseudomonas fluorescens* was used to investigate the influence of Mg^{2+} on biofilm growth.

Nitroxoline

We are not going to spend significant time on this fifty year-old antibiotic because it is not used in many countries, and it is a quinolone, and quinolones all seem to have serious risk of tendon damage. For example, it is possible nitroxoline has the same risks as other quinolones (www.drugbank.ca/drugs/DB01422).

Quinolones easily enter cells and are often used to treat intracellular pathogens such as *Mycoplasma pneumoniae*.

The FDA has increased warnings regarding side effects since the drugs were first approved. I just want to focus on three side effects that might not be routine but are possible risks with many quinolones:

- Damage to nerves outside the brain: This could present as sensory nerve or muscle nerve injury causing paresthesias, hypoaesthesias, dysesthesias, and weakness. New pain, burning, tingling, numbness and/or weakness, or new decreased abilities to detect light touch, pain, temperature, position sense, vibratory sensation, and/or motor strength are basic nerve functions and show damage; these are reasons to stop taking the drug.
- Tendon damage: While some focus on the Achilles tendon, actual tears of tendons have occurred in the hand, the shoulder, the thigh, or other locations. Some are helped with surgery. Other patients feel the surgical or other treatment still leaves them with damage. It is believed by some that the use of prednisone and other cortical steroids meant to drop inflammation increases the risk of tendon damage. Perhaps this is especially true in older seniors. Surprisingly, tendons can rupture after the medication is stopped. Some have suggested that IV, transdermal or sublingual magnesium might decrease the risk, but I am not aware this hypothesis has been proven (Schaller).

Aspirin and NSAIDS

We have previously said it is best to see biofilms like a key, and using AIDS as an example, it was only after AZT in 1996 with **the arrival of protease inhibitors that those quickly dying, experienced a “Lazarus effect,” in which AIDS patients who looked to be ready to die recovered markedly in 30 days.** Medications used in AIDS are tough medications, even if they are miracles. Some may question offering a section on the tough medications aspirin and NSAIDS.

While we appreciate that aspirin and various other over the counter NSAIDS may not be optimal, perhaps due to concerns of liver, kidney or ulcer issues, we are discussing infections that invade and cannot be stopped by your body. You might need all the help you can get. So we offer some synthetic options here that may offer help against a top killing and disabling problem—**biofilm-protected** infections.

For example, fluconazole-resistant *Candida* is increasing worldwide. Fluconazole is also called Diflucan. Biofilms are one reason for a decreased effect in treatment. Aspirin, diclofenac, ketoprofen, tenoxicam, and ketorolac all undermined biofilms or their processes. They all reduced fungal adhesion, and increased biofilm detachment with low concentrations of anti-inflammatory agents. Microscopic examination confirmed the tested drugs had a significant effect on reduction of *Candida* adhesion and biofilm development. The drugs also made fluconazole work more effectively against fluconazole-resistant *C. albicans* (Abdelmegeed).

Another useful way to involve aspirin is by teaming it up with the chelation chemical EDTA. Both aspirin and EDTA possess broad antimicrobial activity for biofilm cultures. Aspirin used for 24 hours was successful in eradicating *P. aeruginosa*, *E. coli* and *C. albicans* biofilms. Moreover, exposure to the Aspirin-EDTA combination completely destroyed bacterial biofilms after only four hours in simulation lab testing (Al-Bakri).

Azithromycin (Zithromax)

This medication is almost a household name and is known as the “Z-Pak” which contains brand name Zithromax pills that are still in use today. Despite being in use many years and used very routinely, this medication still has a strong use in addressing biofilms.

For example, Maezono showed that azithromycin was markedly superior compared to other routine antibiotics in killing gum infection bacteria. Specifically, azithromycin at **very low dosing** undermined four strains of *Porphyromonas gingivalis*. This determination involved the use of two fascinating techniques.

Azithromycin dropped the bacteria “gasoline” or ATP in the bacteria, which means the bacteria had decreased function or were dead. Cyanide kills humans in part due to dropping ATP levels—it is not a trivial substance. Further, the power of azithromycin was seen clearly with a confocal laser scanning microscope, which has the ability that the long name suggests—seeing the decreased amount of bacteria.

One of the most common hospital infection risks is MRSA; it causes a number of potentially deadly diseases. This “MRSA” simply means routine staph aureus is no longer able to be killed or it is resistant to methicillin, so it reproduces unchecked. Azithromycin is proposed as one solution to MRSA based partly on its biofilm defeating abilities at very low dosing.


Gui shows that azithromycin was active against methicillin-resistant *Staphylococcus aureus* (MRSA) strains. It reduced the production of α -hemolysin and biofilm formation at very low “sub-inhibitory” concentrations. So, azithromycin may be useful in the treatment of α -hemolysin-producing and biofilm-forming MRSA infections.

Maezono H, Noiri Y, Asahi Y, Yamaguchi M, Yamamoto R, Izutani N, Azakami H, Ebisu S. Antibiofilm effects of azithromycin and erythromycin on *Porphyromonas gingivalis*. *Antimicrob Agents Chemother*. 2011 Dec;55(12):5887-92. Epub 2011 Sep 12. PMID:21911560

Gümüş

Yaralardaki biyofilmlere karşı kullanılan gümüş tedavisi açıkça etkili olmuştur. Gerçekten de tüm dünyada yanık hastalarında enfeksiyonları tedavi etmek ve önlemek için %1'lik gümüş krem başarıyla kullanılmıştır.

Uluslararası Yara Enfeksiyonu Enstitüsü tarafından yapılan bir inceleme, verilerin hâlâ gümüşün en iyi tedavi yöntemi olduğunu gösterdiğini gösteriyor. Örneğin Monteiro koloidal gümüşü mantar biyofilmlerine karşı test etti. Bu çalışmanın sonucu oldukça kesindir: Çalışmada kullanılan konsantrasyonlardan bağımsız olarak gümüş, Candida biyofilmlerinin matris bileşimini ve yapısını etkilemiştir.



Candida albicans'ın 3 boyutlu yakın çekimi.

Cumanda and Biofilms

Dr. Eva Sapi and her colleagues found in their superior laboratory that cumanda had some mild killing effects on the Lyme bacteria, but more importantly for this book, Lyme **biofilm** communities grown in her lab were reduced 43% by this herb at low dosing. The dosing for a dynamic human or animal body was not explored or proposed by this researcher or any other researcher as of February 2014. Searching by its Latin and popular name did not yield any articles relevant for use on infections.

Finally, while Lyme disease is a common and disabling infection, it is hardly the only infectious agent in the many infections carried by Ixodes ticks. While this preliminary research is very useful, it is possible cumanda may have impact inside a body for Lyme and Bartonella treatment. More study is needed. I regret that we only examined cumanda for Bartonella and not Lyme.

Our conclusion was that cumunda hindered Bartonella more than Levofloxacin (levofloxacin), Zithromax (azithromycin), Rifabutin (mycobutin) and other proposed options. To determine treatment effect one needs to know **the indirect actions of Bartonella, Babesia, FL1953, Lyme, inflammation systems, etc. by lab analysis using different companies.**

Theophilus PA, Burugu D, Poururi A, Luecke DF, Sapi E. Effect of Medicinal Agents on the Different Forms of Borrelia burgdorferi Lyme disease or Lyme borreliosis is a tick-borne multisystemic disease caused by different species of Borrelia. <http://healthyeats-nl.blogspot.com/2013/07/effect-of-medicinal-agents-stevia-and.html>

Erythromycin

Gomes found that erythromycin at low doses actually enhanced the growth of biofilms in *C. diphtheriae*. Penicillin acted the same way. Of further concern is that not only did these antibiotics increase biofilm formation but in this case they enhanced infections by strains of *C. diphtheriae*. Diphtheriae is a very dangerous infection without access to effective antibiotics. It is dangerous enough with good ones.

Returning to biofilm-promoted gum disease such as gingivitis, in the United States, over 50% of adults had gingivitis on an average of 3 to 4 teeth. Adult periodontitis, measured by the presence of periodontal pockets ≥ 4 mm, was found in about 30% of the population on an average of 3 to 4 teeth. Lost gum attachment to teeth of at least 3 mm was found in 40% of the population (Oliver).

The density of adherent *P. gingivalis* cells were significantly decreased by using erythromycin at very low dosing called “sub-MIC levels.” One strain was not affected by erythromycin. Finally, erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.

Erythromycin Key Findings

- Low doses actually grew some biofilms
- Penicillin also grew some biofilms
- It enhanced strains of dangerous *C. diphtheriae*
- Gum disease from *P. gingivalis* cells was much less sticky at very low dosing.
- Erythromycin was not effective for inhibition of *P. gingivalis* biofilm cells at very low dosing.

Contacting Dr. Schaller

Should you wish to talk to Dr. Schaller he offers individualized education consults, which can be arranged by calling 239-263-0133. Please leave all your phone numbers, a working email and a fax number. These consults are typically in 15 minute units and can last as long as you wish. All that is required is the completion of a short informed consent form.

If you would like a full diagnostic consult or to see Dr. Schaller as a patient, know he treats patients from all over the USA and from outside the country. He meets with you first and then does follow-up care with you by phone.

If you would like to fly in to see Dr. Schaller, his staff are very familiar with all the closest airports, and we have special hotel discounts.